

TONBRIDGE SCHOOL

Test for Entrance into Year 12 in September 2015

Chemistry

Time allowed: 45 minutes

Total Marks: 30

Answer **ANY THREE** questions. All questions are out of 10. Choose questions that you feel you will score most highly on. We recommend that you spend the first 5 minutes of the exam reading through all the questions to help you select the right questions.

Answer any **THREE** questions

As a resolution, this year the head of chemistry has decided to get fit. The following questions relate to his struggles.


- 1 The isotonic drinks that he has been recommended to rehydrate himself contain a mixture of sodium chloride and calcium chloride, as well as various sugars and flavourings. A student analysed 500 cm³ of one of the drinks and found that it contained 1.21g of sodium chloride.
 - (a) Draw a labelled diagram to represent the structure of a calcium atom [2]
 - (b) Draw a diagram to show the ionic bonding present in sodium chloride [3]
 - (c) Describe a simple experiment, including the expected result, that could show sodium chloride contains ions [3]
 - (d) Calculate the concentration of sodium chloride in the drink in moles per dm³ [2]
- 2 When out running, sugar in his blood and cells is being respired to produce a variety of products. When able to respire aerobically the process can be summarised as:

$$C_6H_{12}O_6 + 6O_2 \rightarrow 6CO_2 + 6H_2O$$
 $\Delta H = -2803 \text{ kJmol}^{-1}$

However, as a run progresses more and more anaerobic respiration occurs, producing lactic acid (2-hydroxypropanoic acid), C₃H₆O₃, in his muscles, which can lead to cramp and tiredness.

- (a) Write a balanced symbol equation for the anaerobic respiration of glucose to form lactic acid [2]
- (b) Suggest the displayed formula of lactic acid [1]
- (c) Calculate the heat energy released by respiring 8g of glucose [3]
- (d) Draw a labelled enthalpy level diagram for the respiration of glucose [3]
- (e) Suggest an observable physical effect of the heat released in respiration [1]
- As well as running, he has been swimming to reduce strain on his knee joints. The school pool is sterilised by a mixture of low concentrations of chlorine and ultraviolet radiation of water that is pumped out of the pool, treated and then returned. When chlorine is dissolved in water it reversibly reacts to make hydrochloric acid, HCl and hypochlorous acid, HClO. The pool is 15m wide, 25m long, 1.2m deep at the shallow end and 3.5m deep at the deep end. The pipe carrying water to the radiation unit can carry 500cm³ per second. The density of water is 1 gcm⁻³. 1 mole is 6.02 x 10²³.
 - (a) Suggest a balanced equation for the reaction of chlorine with water [2]
 - (b) Calculate the volume of the swimming pool in cm3 [3]
 - (c) Hence calculate the mass of the water (if you have been unable to answer part b, assume the volume to be 1100000000 cm³ this is not the correct answer) [1]
 - (d) Hence calculate the number of water molecules in the swimming pool [2]
 - (e) Assuming each cm³ is only irradiated once, calculate how long it would take to pass all the water through the UV system. Give your answer in suitable units [2]

4 The new cycling machine at the school gym is made of a mixture of steel and plastic, in particular, poly(propene). The length of the steel pedal arm on the bike is 20cm. The poly(propene) pedal is 1.5cm thick and attached directly to the top of the pedal arm.



- (a) Describe the structure of a metal (you may use a labelled diagram) [2]
 (b) Describe, in simple terms, the difference between iron and steel
 (c) Draw the structure of propene and poly(propene) [3]
- (d) Calculate the distance travelled by **top** of the pedal, if the head of chemistry cycles for 12 minutes at 1.4 revolutions per second [3]
- 5 Following his efforts the head of chemistry is sent for a full check up by the headmaster. He has tests to measure his lung volume, heart rate and blood pressure. In addition, a blood sample is taken and analysed. In the analysis of his blood, it was found that the iron in his haemoglobin contained three isotopes in the following ratio:

- (a) Suggest which gas makes up the largest proportion of the air breathed out by the head of chemistry [1]
- (b) Explain why oxygen has a low boiling point [2]
- (c) Explain what is meant by the term isotopes [2]
- (d) Calculate the releative atomic mass of this sample of iron. Give your answer to three significant figures [3]
- (e) Will the chemical properties of the different iron atoms differ?

 Explain your answer

 [2]

END OF PAPER

THE PERIODIC TABLE

| 0 4 Hetium 2 | 20 Neon 10 10 40 Argon 18 | Krypton 36 131 Xenon 54 | 222 Rn Radon 86 | |
|-----------------------|--|--|-------------------------------------|-----------------------|
| | Fluorine 9 35.5 CI Chlorine 17 | 80 Bromine 35 127 I lodine 53 | 210 At Astatine 85 | |
| ٠ | 16 Oxygen 8 32 Sulfur 16 | Se Selenium 34 128 Te 7 Tellurium 52 | Po Potonium 84 | |
| 'n | 14 Nitrogen on Nitrogen 7 7 31 31 Phosphorus 15 | AS Arsenic 33 122 Sb Antimon 51 | 209 Bi Bismuth 83 | |
| 4 | 28 Silice | 23 32 115 12 | 207 Pb Lead 82 | |
| м | Boron 5 27 All | Galtium 31 115 In Indium 49 | 204 TI Thattium 81 | |
| | | 65 Zn Zinc 30 112 Cd Cadmium 48 | 201 Hg Mercury 80 | |
| | | 63.5 Cu Copper 29 108 Ag Siliver 47 | 197 Au Gold 79 | |
| | | Nickel 28 106 Pd Pd 46 | 195 Pt Platinum 78 | |
| | | Cobatt 27 27 103 Rh Shodium 45 | 192 Ir Iridium 77 | |
| Group 1 H Hydrogen 1 | | Fe ron 26 26 101 Ru Ru A4 | 190 Os Osmium 76 | |
| | | Mn Manganese 25 25 99 TC Technetium | 186 Re Rhenium 75 | |
| | | Cr Mn Fe Cr Mn Fe Cr An Fe A24 25 26 A0 TC Ru Mo Tc Ru Moybdenum Technetium Ruthenium Fe | 184 W Tungsten 74 | |
| | | Vanadiun 23 23 93 Nobium 41 | 181 Ta Tantalum 73 | |
| | | 48 Titanium 22 91 Zirconium 40 | 179 Hf Hafnium 72 | |
| | | Scandium 21 89 Yttrium 39 | 139 La Lanthanum 57 | Actinium 89 |
| 7 | Beryllium 4 24 Mg Magnesium 12 | Calcium 20 88 Sr Strontium 38 | 137 Ba Barium 1 56 | Radium 88 |
| Po Po | Lithium 3 23 Na Sodium 11 | 39 K K Potassium 19 86 R R B R R B S S S S S S S S S S S S S S | 133 Cs Caesium 55 | 223 Francium 87 |
| Period 1 | 3 8 | 4 π | 9 | 7 |

Relative atomic mass Symbol Name Atomic number