



CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

0620/42

October/November 2023

1 hour 15 minutes

You must answer on the question paper.

No additional materials are needed.

- Answer **all** questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do **not** use an erasable pen or correction fluid.
- Do **not** write on any bar codes.
- You may use a calculator.
- You should show all your working and use appropriate units.

- The total mark for this paper is 80.
- The number of marks for each question or part question is shown in brackets [].
- The Periodic Table is printed in the question paper.

This document has **16** pages. Any blank pages are indicated.

- 1 Table 1.1 gives the electronic configurations of some atoms and ions, **A** to **G**.

Table 1.1

	electronic configuration
A	2,5
B	2,8
C	2,8,2
D	2,8,4
E	2,8,5
F	2,8,6
G	2,8,18,7

Answer the following questions about **A** to **G**.

Each letter may be used once, more than once or not at all.

State which of the atoms or ions, **A** to **G**, could be:

- (a) a noble gas atom

..... [1]

- (b) an atom of an element in Group VI

..... [1]

- (c) an atom with an atomic number of 14

..... [1]

- (d) atoms from the same group

..... and [1]

- (e) a halogen atom

..... [1]

- (f) an atom of an element which is a good conductor of electricity

..... [1]

- (g) a stable ion of a Group V element

..... [1]

- (h) an atom that forms an ion with a 2– charge.

..... [1]

[Total: 8]

2 Cobalt and copper are transition elements.

(a) Copper has two naturally occurring isotopes, ^{63}Cu and ^{65}Cu . Cobalt has only one naturally occurring isotope, ^{59}Co .

(i) Complete Table 2.1 to show the number of protons, neutrons and electrons in the ^{59}Co atom and the $^{65}\text{Cu}^{2+}$ ion.

Table 2.1

	^{59}Co	$^{65}\text{Cu}^{2+}$
protons		
neutrons		
electrons		

[3]

(ii) Table 2.2 shows the relative abundance of the two naturally occurring isotopes of copper.

Table 2.2

isotope	^{63}Cu	^{65}Cu
relative abundance	70%	30%

Calculate the relative atomic mass of copper to **one** decimal place.

relative atomic mass = ... [2]

(b) One physical property of transition elements such as copper and cobalt is that they are hard. Other metals such as lithium are softer.

State **two** other physical properties of copper and cobalt which are significantly different from lithium.

1

2

[2]

(c) Both copper and cobalt can form coloured compounds. Some of these compounds contain water of crystallisation.

(i) Define the term water of crystallisation.

.....
..... [2]

(ii) State the colour and formula of hydrated cobalt(II) chloride crystals.

colour

formula [2]

(iii) State the colour change seen when a few drops of water are added to anhydrous copper(II) sulfate.

from to [2]

(iv) State how this colour change can be reversed.

..... [1]

[Total: 14]

3 Iron is manufactured in a blast furnace.

(a) Three of the starting materials added to the blast furnace are coke, iron ore and limestone.

Name the **other** starting material added to the blast furnace.

..... [1]

(b) The source of iron in the blast furnace is Fe_2O_3 . Fe_2O_3 is found in iron ore.

(i) Name the main ore of iron which contains Fe_2O_3 .

..... [1]

(ii) The iron in Fe_2O_3 is reduced by reaction with carbon monoxide. The unbalanced symbol equation is shown.

Complete the equation.



(iii) State the change in oxidation number of iron in the reaction in (ii).

from to [2]

(iv) Explain how the change of oxidation number shows that iron has been reduced.

..... [1]

(c) The major impurity in iron ore is silicon(IV) oxide. Limestone is added to the blast furnace to remove this impurity.

Write two symbol equations to show how silicon(IV) oxide is removed. For each equation, state the type of chemical reaction that takes place.

equation 1

type of chemical reaction

equation 2

type of chemical reaction

[4]

(d) Iron is converted to steel by mixing it with carbon and other elements.

(i) State the term given to a substance which is a mixture of a metal and other elements.

..... [1]

(ii) Name **one** element, other than carbon, mixed with iron in the making of stainless steel.

..... [1]

(e) Preventing the rusting of steel is important.

State the chemical name of rust.

..... [1]

(f) Steel can be coated with zinc to prevent rusting. This provides both a barrier method and sacrificial protection.

(i) State the term used for coating steel with zinc.

..... [1]

(ii) Describe another barrier method for preventing rusting.

..... [1]

(iii) Explain how zinc provides sacrificial protection.

.....

..... [2]

[Total: 17]

4 This question is about lead(II) chloride, PbCl_2 .

(a) A student prepares a sample of insoluble lead(II) chloride, PbCl_2 , by mixing aqueous solutions of **two** salts in a beaker.

(i) Identify **two** soluble salts suitable for making lead(II) chloride when mixed together.

.....
..... [2]

(ii) Write the ionic equation for the formation of lead(II) chloride by mixing aqueous solutions.

Include state symbols.

..... [3]

(iii) List the steps the student should take in preparing a pure sample of lead(II) chloride from the mixture in the beaker.

.....
.....
..... [3]

- (b) The student carries out an electrolysis experiment on molten lead(II) chloride using the apparatus shown in Fig. 4.1. Chlorine gas forms at the anode and escapes from the apparatus.




Fig. 4.1

- (i) Explain why lead(II) chloride needs to be molten before it will conduct electricity.

.....
 [1]

- (ii) Write the ionic half-equation for the reaction occurring at the anode.

..... [2]

- (iii) State the test for chlorine gas.

test
 observations [2]

- (iv) Describe what is observed at the cathode.

..... [1]


[Total: 14]

5 Chemical reactions can involve transfer of thermal energy.

(a) State the term used for the transfer of thermal energy during a reaction.

..... [1]

(b) Tetrachloromethane gas, $\text{CCl}_4(\text{g})$, reacts with steam as shown.



The reaction is reversible. The forward reaction is exothermic.

(i) State what happens, if anything, to the rate of the forward reaction if the concentration of CCl_4 is increased.

Explain your answer in terms of collision theory.

.....
.....
.....
..... [3]

(ii) State what happens to the position of equilibrium, if anything, when the pressure is increased.

Explain your answer.

.....
..... [2]

(iii) Fig. 5.1 shows an incomplete reaction pathway diagram for the forward reaction.





Fig. 5.1

On Fig. 5.1:

- insert the formulae of the reactants and products
- draw an arrow, labelled E_a , to show the activation energy
- draw an arrow, labelled ΔH , to show the transfer of energy in the reaction.

[3]

(iv) Define the term activation energy.

.....
 [2]

(v) State **one** way in which the activation energy of a reaction can be changed.

..... [1]

- (c) The equation for the reaction between tetrachloromethane gas and steam can be represented as shown in Fig. 5.2.




Fig. 5.2

Table 5.1 shows some bond energies.

Table 5.1

bond	C–Cl	H–O	C=O
bond energy in kJ/mol	340	460	805

Use the bond energies in Table 5.1 and the ΔH value for the reaction to calculate the H–Cl bond energy using the following steps.

- Calculate the energy needed to break the bonds in the reactants.

..... kJ

- Calculate the energy released when the bonds in carbon dioxide form.

..... kJ

- Calculate the H–Cl bond energy.

..... kJ/mol
[4]

[Total: 16]

- 6 A homologous series is a family of organic compounds whose members have similar chemical properties.

(a) Give **two** characteristics that are the **same** for all members of a homologous series.

1

2 [2]

(b) In terms of structure, state how one member of a homologous series differs from the next member of that homologous series.

..... [1]

(c) **A**, **B** and **C** are organic compounds.

A has the molecular formula $C_{12}H_{24}$.

B has the name tetradecane.

C has three carbon atoms and is in the homologous series with the general formula $C_nH_{2n+1}COOH$.

(i) Name the homologous series each organic compound belongs to.

A

B

C [3]

(ii) Name **C** and draw its displayed formula.

name

displayed formula

[2]

- (d) Amino acids are a homologous series where each member has the general structure shown in Fig. 6.1.

The R side chain contains carbon and hydrogen atoms only.




Fig. 6.1

- (i) An amino acid has a relative molecular mass of 103.

Deduce the formula of the R side chain in this amino acid.

Show your working.

..... [2]

- (ii) State the name given to the natural polyamides formed from amino acid monomers.

..... [1]

[Total: 11]

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of Cambridge Assessment. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which is a department of the University of Cambridge.

Group																	
I	II							VIII	VII	VI	V	IV	III				
		Key atomic number atomic symbol name relative atomic mass							1Hhydrogen1								
3Li lithium 7	4Be beryllium 9											5B boron 11	6C carbon 12	7N nitrogen 14	8O oxygen 16	9F fluorine 19	10Ne neon 20
11Na sodium 23	12Mg magnesium 24											13Al aluminium 27	14Si silicon 28	15P phosphorus 31	16S sulfur 32	17Cl chlorine 35.5	18Ar argon 40
19K potassium 39	20Ca calcium 40	21Sc scandium 45	22Ti titanium 48	23V vanadium 51	24Cr chromium 52	25Mn manganese 55	26Fe iron 56	27Co cobalt 59	28Ni nickel 59	29Cu copper 64	30Zn zinc 65	31Ga gallium 70	32Ge germanium 73	33As arsenic 75	34Se selenium 79	35Br bromine 80	36Kr krypton 84
37Rb rubidium 85	38Sr strontium 88	39Y yttrium 89	40Zr zirconium 91	41Nb niobium 93	42Mo molybdenum 96	43Tc technetium —	44Ru ruthenium 101	45Rh rhodium 103	46Pd palladium 106	47Ag silver 108	48Cd cadmium 112	49In indium 115	50Sn tin 119	51Sb antimony 122	52Te tellurium 128	53I iodine 127	54Xe xenon 131
55Cs caesium 133	56Ba barium 137	57–71lanthanoids	72Hf hafnium 178	73Ta tantalum 181	74W tungsten 184	75Re rhenium 186	76Os osmium 190	77Ir iridium 192	78Pt platinum 195	79Au gold 197	80Hg mercury 201	81Tl thallium 204	82Pb lead 207	83Bi bismuth 209	84Po polonium —	85At astatine —	86Rn radon —
87Fr francium —	88Ra radium —	89–103actinoids	104Rf rutherfordium —	105Db dubnium —	106Sg seaborgium —	107Bh bohrium —	108Hs hassium —	109Mt meitnerium —	110Ds darmstadtium —	111Rg roentgenium —	112Cn copernicium —	113Nh nihonium —	114Fl flerovium —	115Mc moscovium —	116Lv livermorium —	117Ts tennessine —	118Og oganesson —

lanthanoids

actinoids

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).