UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS
International General Certificate of Secondary Education

CHEMISTRY **0620/11**

Paper 1 Multiple Choice **October/November 2012**

45 Minutes

Additional Materials: Multiple Choice Answer Sheet
Soft clean eraser
Soft pencil (type B or HB is recommended)

9334910042

READ THESE INSTRUCTIONS FIRST

Write in soft pencil.
Do not use staples, paper clips, highlighters, glue or correction fluid.
Write your name, Centre number and candidate number on the Answer Sheet in the spaces provided unless this has been done for you.

There are **forty** questions on this paper. Answer **all** questions. For each question there are four possible answers **A**, **B**, **C** and **D**.
Choose the **one** you consider correct and record your choice in **soft pencil** on the separate Answer Sheet.

Read the instructions on the Answer Sheet very carefully.

Each correct answer will score one mark. A mark will not be deducted for a wrong answer.
Any rough working should be done in this booklet.
A copy of the Periodic Table is printed on page 16.
You may use a calculator.

This document consists of **15** printed pages and **1** blank page.

© UCLES 2012

1 What are the processes W, X, Y and Z in the following diagram?

$$\text{solid} \underset{Y}{\overset{W}{\rightleftharpoons}} \text{liquid} \underset{Z}{\overset{X}{\rightleftharpoons}} \text{gas}$$

	W	X	Y	Z
A	condensing	boiling	freezing	melting
B	condensing	freezing	melting	boiling
C	melting	boiling	freezing	condensing
D	melting	freezing	condensing	boiling

2 A mixture of sulfur and iron filings needs to be separated. The solubilities of sulfur and iron filings in water and carbon disulfide are shown in the table below.

	solubility in water	solubility in carbon disulfide
sulfur	✗	✓
iron filings	✗	✗

What are possible methods of separating the sulfur and iron filings?

	using water	using carbon disulfide	using a magnet
A	✓	✓	✗
B	✗	✓	✓
C	✓	✗	✓
D	✗	✓	✗

3 Part of the instructions in an experiment reads as follows.

Quickly add 50 cm^3 of acid.

What is the best piece of apparatus to use?

A a burette

B a conical flask

C a measuring cylinder

D a pipette

© UCLES 2012

4 Which statements comparing the properties of electrons, neutrons and protons are correct?

	neutrons and protons are both heavier than electrons	only electrons and neutrons are charged
A	✓	✓
B	✓	✗
C	✗	✓
D	✗	✗

5 Which row gives the number of electrons in the outer electron shell of fluorine and of neon?

	$^{19}_{9}F$	$^{20}_{10}Ne$
A	7	8
B	7	10
C	9	8
D	9	10

6 In the molecules CH_4, HCl and H_2O, which atoms use **all** of their outer shell electrons in bonding?

A C and Cl **B** C and H **C** Cl and H **D** H and O

7 The table shows the electronic structures of four atoms.

atom	electronic structure
W	2,1
X	2,7
Y	2,8,4
Z	2,8,8

Which two atoms combine to form an ionic compound?

A W and X **B** W and Y **C** X and Y **D** X and Z

8 A compound has the formula CH_3CO_2H.

How should the relative molecular mass, M_r, of this compound be calculated?

A 12 + 1 + 16

B 3(12 + 1) + 2(12 + 16) + 1

C (4 × 12) + (2 × 1) + 16

D (2 × 12) + (4 × 1) + (2 × 16)

9 The diagram shows the electrolysis of concentrated aqueous sodium chloride.



What is produced at each of the electrodes?

	product at cathode	product at anode
A	hydrogen	chlorine
B	hydrogen	oxygen
C	sodium	chlorine
D	sodium	oxygen

© UCLES 2012

10 The diagram shows an electrolysis experiment using metals X and Y as electrodes.



One of the metals becomes coated with copper.

Which metal becomes coated and which aqueous solution is used?

	metal	aqueous solution
A	X	$CrCl_3$
B	X	$CuCl_2$
C	Y	$CrCl_3$
D	Y	$CuCl_2$

11 The diagrams show the difference in energies of the reactants and products in two types of reaction.



Which diagram and which type of energy change apply to a fuel burning in air?

	diagram	type of energy change
A	1	endothermic
B	1	exothermic
C	2	endothermic
D	2	exothermic

© UCLES 2012

12 The diagram shows a match.



By striking the match, a chemical reaction takes place.

Which statements about the chemical reaction are correct?

	type of reaction	reason
A	endothermic	because energy is used to strike the match
B	endothermic	because energy is given out as the match burns
C	exothermic	because energy is used to strike the match
D	exothermic	because energy is given out as the match burns

13 Separate samples of anhydrous and hydrated copper(II) sulfate are heated.

Which shows the correct colour changes?

	anhydrous copper(II) sulfate	hydrated copper(II) sulfate
A	blue to white	white to blue
B	no change	blue to white
C	white to blue	blue to white
D	white to blue	no change

14 Which change is an oxidation?

A FeO to Fe_2O_3

B Fe_2O_3 to FeO

C H_2O_2 to H_2O

D H_2O to H_2

© UCLES 2012

15 Which change does **not** increase the speed of reaction between zinc and hydrochloric acid?

A adding a catalyst

B decreasing the particle size of the zinc

C decreasing the temperature

D using more concentrated acid

16 Which of these pairs of aqueous ions **both** react with dilute sulfuric acid to give a visible result?

A Ba^{2+} and Cl^{-}

B Ba^{2+} and CO_3^{2-}

C NH_4^{+} and Cl^{-}

D NH_4^{+} and CO_3^{2-}

17 Element X forms an acidic, covalent oxide.

Which row shows how many electrons there could be in the outer shell of an atom of X?

	1	2	6	7
A	✓	✓	✗	✗
B	✓	✗	✓	✗
C	✗	✗	✓	✓
D	✗	✓	✗	✓

18 Barium hydroxide is an alkali. It reacts with hydrochloric acid.

How does the pH of the hydrochloric acid change as an excess of aqueous barium hydroxide is added?

A The pH decreases from 14 and becomes constant at 7.

B The pH decreases from 14 to about 1.

C The pH increases from 1 and becomes constant at 7.

D The pH increases from 1 to about 14.

19 A compound is a salt if it

A can neutralise an acid.

B contains more than one element.

C dissolves in water.

D is formed when an acid reacts with a base.

© UCLES 2012

20 The diagram shows an outline of the Periodic Table.



Which of the elements U, V, W, X and Y would react together in the ratio of 1 : 1?

A U and X **B** U and Y **C** V and Y **D** W and X

21 The element rubidium, Rb, is immediately below potassium in the Periodic Table.

It reacts with bromine to form the compound rubidium bromide.

Which descriptions of this compound are correct?

	type of bond	formula	colour
A	covalent	RbBr	brown
B	covalent	$RbBr_2$	white
C	ionic	RbBr	white
D	ionic	$RbBr_2$	brown

22 The table gives information about four elements.

Which element is a transition metal?

	colour of element	electrical conductivity of element	colour of oxide
A	black	high	colourless
B	colourless	low	white
C	grey	high	red
D	yellow	low	colourless

© UCLES 2012

23 Why are weather balloons filled with helium rather than hydrogen?

A Helium is found in air.

B Helium is less dense than hydrogen.

C Helium is more dense than hydrogen.

D Helium is unreactive.

24 Some properties of aluminium are listed.

1 It has mechanical strength.

2 It conducts heat.

3 It is resistant to corrosion.

4 It has a low density.

Which properties make aluminium useful for making the bodies of aircraft?

A 1, 2 and 3 **B** 1, 2 and 4 **C** 1, 3 and 4 **D** 2, 3 and 4

25 Brass is used in electrical equipment.

It contains two ……1…… elements. Together they form ……2…… .

Which words correctly complete gaps 1 and 2?

	1	2
A	metallic	a covalent compound
B	metallic	an alloy
C	non-metallic	a covalent compound
D	non-metallic	an alloy

© UCLES 2012

26 The Basic Oxygen Process converts iron into steel.

In step 1, oxygen is blown into impure molten iron.

In step 2, oxides are removed by reaction with calcium oxide.



Which chemical reaction takes place in step 1 and which type of oxides are removed in step 2?

	chemical reaction in step 1	type of oxides removed in step 2
A	carbon is converted to carbon dioxide	acidic
B	carbon is converted to carbon dioxide	basic
C	iron is converted to iron(III) oxide	acidic
D	iron is converted to iron(III) oxide	basic

27 Pieces of copper, iron, magnesium and zinc are added to separate test-tubes containing dilute hydrochloric acid.

Which test-tube contains iron and dilute hydrochloric acid?



© UCLES 2012

28 Which processes are used in the treatment of water?

A filtration and chlorination

B filtration and reduction

C neutralisation and chlorination

D neutralisation and reduction

29 A factory burns coal with a high sulfur content.

Which pollutant is **most** likely to lead to the death of trees?

A carbon dioxide

B carbon monoxide

C lead compounds

D sulfur dioxide

30 What is the correct order of abundance of the gases in the air?

A nitrogen → oxygen → argon → carbon dioxide

B nitrogen → oxygen → carbon dioxide → argon

C oxygen → nitrogen → argon → carbon dioxide

D oxygen → nitrogen → carbon dioxide → argon

31 The diagram shows an experiment to investigate how paint affects the rusting of iron.



What happens to the water level in tubes P and Q?

	tube P	tube Q
A	falls	rises
B	no change	rises
C	rises	falls
D	rises	no change

32 The diagram shows two substances, X and Y, being heated together.



The Universal Indicator paper turns blue during the experiment.

What are substances X and Y?

A ammonium nitrate and hydrochloric acid

B ammonium nitrate and sodium hydroxide

C sodium carbonate and hydrochloric acid

D sodium carbonate and sodium hydroxide

33 Carbon dioxide is produced when dilute hydrochloric acid reacts with

A calcium sulfate.

B carbon.

C copper(II) carbonate.

D limewater.

© UCLES 2012

34 A student is asked to draw a diagram showing the uses of limestone.



Which numbered lines show a correct use of limestone?

A 1 and 2 only

B 1 and 3 only

C 2 and 3 only

D 1, 2 and 3

35 Which structure is correctly named?

A



ethanoic acid

B



ethene

C



ethanol

D



propane

36 Which properties of the different compounds in petroleum enable its separation into fractions?

1 boiling point

2 chain length

3 chemical reactivity

4 solubility in water

A 1 and 2 **B** 1 and 3 **C** 2 and 4 **D** 3 and 4

37 Alkenes have the general formula C_nH_{2n}.

Which of the following is an alkene?

A CH_2 **B** CH_4 **C** C_3H_6 **D** C_6H_6

© UCLES 2012

38 Bitumen is a substance obtained from the fractional distillation of petroleum.

Which row describes its boiling point and the size of its molecules?

	boiling point	size of molecules
A	high	large
B	high	small
C	low	large
D	low	small

39 A hydrocarbon X is cracked to make Y and hydrogen.

Compound Z is formed by the addition polymerisation of Y.

To which homologous series do X, Y and Z belong?

	alkane	alkene
A	X, Y and Z	–
B	X and Y	Z
C	X and Z	Y
D	Y and Z	X

40 Which row is correct for ethanol?

	burns	made by fermentation
A	✓	✓
B	✓	✗
C	✗	✓
D	✗	✗

© UCLES 2012

BLANK PAGE

DATA SHEET
The Periodic Table of the Elements

Group																	
I	II									III	IV	V	VI	VII	0		
															4 He Helium 2		
					1 H Hydrogen 1												
										11 B Boron 5	12 C Carbon 6	14 N Nitrogen 7	16 O Oxygen 8	19 F Fluorine 9	20 Ne Neon 10		
7 Li Lithium 3	9 Be Beryllium 4									27 Al Aluminium 13	28 Si Silicon 14	31 P Phosphorus 15	32 S Sulfur 16	35.5 Cl Chlorine 17	40 Ar Argon 18		
23 Na Sodium 11	24 Mg Magnesium 12									70 Ga Gallium 31	73 Ge Germanium 32	75 As Arsenic 33	79 Se Selenium 34	80 Br Bromine 35	84 Kr Krypton 36		
39 K Potassium 19	40 Ca Calcium 20	45 Sc Scandium 21	48 Ti Titanium 22	51 V Vanadium 23	52 Cr Chromium 24	55 Mn Manganese 25	56 Fe Iron 26	59 Co Cobalt 27	59 Ni Nickel 28	64 Cu Copper 29	65 Zn Zinc 30	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
85 Rb Rubidium 37	88 Sr Strontium 38	89 Y Yttrium 39	91 Zr Zirconium 40	93 Nb Niobium 41	96 Mo Molybdenum 42	Tc Technetium 43	101 Ru Ruthenium 44	103 Rh Rhodium 45	106 Pd Palladium 46	108 Ag Silver 47	112 Cd Cadmium 48	115 In Indium 49	119 Sn Tin 50	122 Sb Antimony 51	128 Te Tellurium 52	127 I Iodine 53	131 Xe Xenon 54
133 Cs Caesium 55	137 Ba Barium 56	139 La Lanthanum 57 *	178 Hf Hafnium 72	181 Ta Tantalum 73	184 W Tungsten 74	186 Re Rhenium 75	190 Os Osmium 76	192 Ir Iridium 77	195 Pt Platinum 78	197 Au Gold 79	201 Hg Mercury 80	204 Tl Thallium 81	207 Pb Lead 82	209 Bi Bismuth 83	Po Polonium 84	At Astatine 85	Rn Radon 86
Fr Francium 87	226 Ra Radium 88	227 Ac Actinium 89 †															

140 Ce Cerium 58	141 Pr Praseodymium 59	144 Nd Neodymium 60	Pm Promethium 61	150 Sm Samarium 62	152 Eu Europium 63	157 Gd Gadolinium 64	159 Tb Terbium 65	162 Dy Dysprosium 66	165 Ho Holmium 67	167 Er Erbium 68	169 Tm Thulium 69	173 Yb Ytterbium 70	175 Lu Lutetium 71
232 Th Thorium 90	Pa Protactinium 91	238 U Uranium 92	Np Neptunium 93	Pu Plutonium 94	Am Americium 95	Cm Curium 96	Bk Berkelium 97	Cf Californium 98	Es Einsteinium 99	Fm Fermium 100	Md Mendelevium 101	No Nobelium 102	Lr Lawrencium 103

*58-71 Lanthanoid series
†90-103 Actinoid series

Key: a = relative atomic mass; X = atomic symbol; b = proton (atomic) number

The volume of one mole of any gas is 24 dm^3 at room temperature and pressure (r.t.p.).

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© UCLES 2012