

--	--	--	--	--

--	--	--	--

0620/33

May/June 2017

1 hour 15 minutes

Candidates answer on the Question Paper.

No Additional Materials are required.

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO **NOT** WRITE IN ANY BARCODES.

Answer **all** questions.

Electronic calculators may be used.

A copy of the Periodic Table is printed on page 16.

You may lose marks if you do not show your working or if you do not use appropriate units.




At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The syllabus is approved for use in England, Wales and Northern Ireland as a Cambridge International Level 1/Level 2 Certificate.

This document consists of **16** printed pages.

- 1 (a) The electronic structures of five atoms, **A**, **B**, **C**, **D** and **E**, are shown.

**A****B****C****D****E**

Answer the following questions about these atoms.

Each atom may be used once, more than once or not at all.

Which atom, **A**, **B**, **C**, **D** or **E**,

- (i) is in Group VIII of the Periodic Table, [1]
- (ii) is a chlorine atom, [1]
- (iii) has 17 protons in its nucleus, [1]
- (iv) is an atom of an element in the same period as carbon, [1]
- (v) is an atom of a metal? [1]
- (b) Complete the table to show the number of electrons, neutrons and protons in the magnesium atom and calcium ion shown.

	number of electrons	number of neutrons	number of protons
$^{26}_{12}\text{Mg}$	12		
$^{44}_{20}\text{Ca}^{2+}$		24	

[3]

[Total: 8]

- 2 (a) The table shows the ions present in a 1000 cm^3 sample of mineral water.

ion present	formula of ion	mass present in $\text{mg} / 1000\text{ cm}^3$
calcium	Ca^{2+}	52
chloride	Cl^-	10
hydrogencarbonate	HCO_3^-	50
magnesium	Mg^{2+}	
sodium	Na^+	12
sulfate	SO_4^{2-}	10
	NO_3^-	8
	total	150

Answer these questions using the information from the table.

- (i) Calculate the mass of magnesium ions in the 1000 cm^3 sample of mineral water.

mass of magnesium ions = mg [1]

- (ii) Which negative ion is present in the highest concentration?

..... [1]

- (iii) State the name of the ion NO_3^- .

..... [1]

- (iv) Calculate the mass of hydrogencarbonate ions present in 250 cm^3 of this sample.

mass of hydrogencarbonate ions = mg [1]

- (b) When nitrate ions are warmed with aqueous sodium hydroxide and aluminium foil, ammonia gas is given off.

Describe a test for ammonia gas.

test

result

[2]

- (c) The formulae of some bromides are given.

aluminium bromide, AlBr_3

magnesium bromide, MgBr_2

sodium bromide, NaBr

Deduce the formula for calcium bromide.

..... [1]

- (d) Molten calcium bromide can be electrolysed using inert electrodes.

- (i) Predict the products of this electrolysis at

the negative electrode (cathode),

the positive electrode (anode).

[2]




- (ii) Graphite electrodes are inert.

Give the name of **one** other substance that can be used to make an inert electrode.

..... [1]

[Total: 10]

- 3 The diagram shows part of the structures of three substances, **P**, **Q** and **R**, at room temperature and pressure.

**P****Q****R**

- (a) Describe substances **P**, **Q** and **R** in terms of

- their bonding,
- the arrangement of their particles,
- the motion of their particles.

.....

.....

.....

.....

.....


.....

.....

.....

..... [5]

- (b) A closed gas syringe contains substance **R**. The syringe is heated in a water bath.



Describe what happens to the volume of substance **R** in the syringe. The pressure remains constant. Explain your answer in terms of particles.

.....
 [2]

- (c) Substance **P** undergoes physical and chemical changes.

Which **two** of the following are physical changes? Explain your answer.

- A** Substance **P** reacts with concentrated sulfuric acid.
- B** Iodine forms when chlorine is added to an aqueous solution of substance **P**.
- C** Substance **P** boils at 1330 °C.
- D** Substance **P** dissolves easily in water.

.....

 [3]

- (d) Graphite has a giant covalent structure containing layers of carbon atoms.
 Graphite is used to make inert electrodes for electrolysis.

State **one** other use of graphite and explain how this use is related to its structure.

.....
 [2]

[Total: 12]

4 Iron is extracted from its ore by heating the ore with carbon in a blast furnace.

(a) (i) State the name of an ore of iron.


..... [1]

(ii) In the blast furnace, iron(III) oxide is reduced by carbon monoxide.

Explain how the carbon monoxide is formed in the blast furnace.

.....
..... [2]

(iii) Balance the chemical equation for this reaction.



(iv) How does this equation show that iron(III) oxide is reduced?

..... [1]

(v) Calculate the relative formula mass of iron(III) oxide, Fe_2O_3 .

Show all your working.

Use your Periodic Table to help you.

relative formula mass = [2]

(b) Iron reacts with hydrochloric acid to form iron(II) chloride and a gas which 'pops' with a lighted splint.

(i) Identify this gas.

..... [1]

(ii) Suggest a practical method for investigating the rate of this reaction involving collection of the gas.

You may include a labelled diagram in your answer.

.....
.....
.....
..... [3]

(c) Describe a test for iron(II) ions.

test

result [2]

(d) Give **two** advantages of recycling steel.


1

2 [2]

[Total: 16]

- 5 Glycolic acid is found in the stalks of sugar-cane plants.

The structure of glycolic acid is shown.



- (a) On the structure shown draw a circle around the carboxylic acid functional group. [1]

- (b) Give the molecular formula of glycolic acid showing the number of carbon, hydrogen and oxygen atoms.

..... [1]

- (c) Suggest how you could obtain a solution containing glycolic acid from sugar-cane plants.

.....

.....

..... [3]

- (d) Nitric acid can oxidise glycolic acid.

What is the meaning of the term *oxidation*?

..... [1]

(e) The table shows the properties of some carboxylic acids.

carboxylic acid	number of carbon atoms in one molecule	melting point in °C	boiling point in °C	density in g/cm ³
methanoic acid	1	8	101	1.220
ethanoic acid	2	17	118	1.049
propanoic acid	3	-21		0.993
butanoic acid	4	-5	164	0.958

- (i) Describe how the density of the carboxylic acids varies with the number of carbon atoms in one molecule.

..... [1]

- (ii) Predict the boiling point of propanoic acid.

..... [1]

- (iii) What is the state of butanoic acid at -10 °C? Explain your answer.

.....
 [2]

[Total: 10]

- 6 (a) The table shows the properties of some alloys.

alloy	density in g/cm ³	relative hardness	relative strength	relative electrical conductivity	cost
J	7.8	4.0	24.0	1.1	cheap
K	2.8	2.5	7.5	3.8	expensive
L	11.3	0.2	1.5	0.5	cheap
M	10.2	5.5	16.5	0.2	very expensive

Use the information in the table to answer the questions.

- (i) Which alloy would be most useful for making a bridge?
Give **two** reasons for your answer.

alloy

reason 1

reason 2

[2]

- (ii) Which alloy is best to make the tips of high-speed drills?
Give **one** reason for your answer.

alloy

reason

[1]

- (iii) Which alloy is best to make aircraft bodies?
Give **one** reason for your answer.

alloy


reason.....

[1]

- (b) A student took pieces of four different steel alloys, **W**, **X**, **Y** and **Z**, each of the same mass, and placed them separately into hydrochloric acid. The concentration of acid was the same in each case and the metal was in excess. All other conditions were kept the same.

The student measured the mass of each alloy at intervals as the reaction proceeded and calculated the percentage mass loss.

The results for alloys **W**, **X** and **Y** are shown on the graph.



- (i) Alloy **Z** reacts faster with hydrochloric acid than alloy **W**.

On the graph, draw a line which could represent the percentage mass loss of alloy **Z** with time.

[2]

- (ii) Which alloy showed the least percentage mass loss after 3 days?

..... [1]

- (iii) How long did it take for alloy **X** to lose 40% of its mass?

..... [1]

- (iv) Suggest how the following factors affect the rate of mass loss.

increasing the temperature

increasing the concentration of the acid

[2]

(c) The concentration of an acid can be found by titrating it with aqueous sodium hydroxide.

Suggest which **one** of these pH values is the pH of concentrated aqueous sodium hydroxide.
Draw a circle around the correct answer.

pH 1

pH 3

pH 7


pH 12

[1]

[Total: 11]

7 Water is a simple covalent compound.

(a) Complete the diagram to show the electrons in the covalent bonds in a water molecule.



[1]

(b) Give **two** physical properties which distinguish a simple covalent compound from an ionic compound.

1

2

[2]

(c) Some information about the reaction of four metals with water is given.

cerium: reacts slowly with cold water

iron: reacts with steam only when extremely hot

lithium: reacts rapidly with cold water

magnesium: reacts slowly with hot water

List these metals in order of their reactivity. Put the least reactive metal first.

least reactive $\longrightarrow$ **most** reactive

--	--	--	--

[2]

(d) (i) State the conditions needed for iron to rust.

.....
 [2]

(ii) State **two** methods of rust prevention.

1
 2 [2]


(e) Starting with an aqueous solution of copper(II) sulfate, describe how you could obtain a pure dry sample of copper(II) sulfate crystals.

.....

 [2]

(f) Carbon dioxide and water are formed when hydrocarbons burn.

Complete the chemical equation for the combustion of butene.



[Total: 13]

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge International Examinations Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cie.org.uk after the live examination series.

Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

The Periodic Table of Elements

Group																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
I	II											III	IV	V	VI	VII	VIII																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
		<div>Key</div> <div>atomic number atomic symbol name relative atomic mass</div>										<div>1</div> <div>H</div> <div>hydrogen</div> <div>1</div>							<div>2</div> <div>He</div> <div>helium</div> <div>4</div>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
3	Li											lithium	7						4	Be	beryllium	9	11	Na	sodium	23	12	Mg	magnesium	24	19	K	potassium	39	20	Ca	calcium	40	21	Sc	scandium	45	22	Ti	titanium	48	23	V	vanadium	51	24	Cr	chromium	52	25	Mn	manganese	55	26	Fe	iron	56	27	Co	cobalt	59	28	Ni	nickel	59	29	Cu	copper	64	30	Zn	zinc	65	31	Ga	gallium	70	32	Ge	germanium	73	33	As	arsenic	75	34	Se	selenium	79	35	Br	bromine	80	36	Kr	krypton	84	37	Rb	rubidium	85	38	Sr	strontium	88	39	Y	yttrium	89	40	Zr	zirconium	91	41	Nb	niobium	93	42	Mo	molybdenum	96	43	Tc	technetium	—	44	Ru	ruthenium	101	45	Rh	rhodium	103	46	Pd	palladium	106	47	Ag	silver	108	48	Cd	cadmium	112	49	In	indium	115	50	Sn	tin	119	51	Sb	antimony	122	52	Te	tellurium	128	53	I	iodine	127	54	Xe	xenon	131	55	Cs	caesium	133	56	Ba	barium	137	57–71	lanthanoids	72	Hf	hafnium	178	73	Ta	tantalum	181	74	W	tungsten	184	75	Re	rhenium	186	76	Os	osmium	190	77	Ir	iridium	192	78	Pt	platinum	195	79	Au	gold	197	80	Hg	mercury	201	81	Tl	thallium	204	82	Pb	lead	207	83	Bi	bismuth	209	84	Po	polonium	—	85	At	astatine	—	86	Rn	radon	—	87	Fr	francium	—	88	Ra	radium	—	89–103	actinoids	104	Rf	rutherfordium	—	105	Db	dubnium	—	106	Sg	seaborgium	—	107	Bh	bohrium	—	108	Hs	hassium	—	109	Mt	meitnerium	—	110	Ds	darmstadtium	—	111	Rg	roentgenium	—	112	Cn	copernicium	—	114	Fl	flerovium	—	116	Lv	livermorium	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

lanthanoids

57 La lanthanum 139	58 Ce cerium 140	59 Pr praseodymium 141	60 Nd neodymium 144	61 Pm promethium —	62 Sm samarium 150	63 Eu europium 152	64 Gd gadolinium 157	65 Tb terbium 159	66 Dy dysprosium 163	67 Ho holmium 165	68 Er erbium 167	69 Tm thulium 169	70 Yb ytterbium 173	71 Lu lutetium 175
89 Ac actinium —	90 Th thorium 232	91 Pa protactinium 231	92 U uranium 238	93 Np neptunium —	94 Pu plutonium —	95 Am americium —	96 Cm curium —	97 Bk berkelium —	98 Cf californium —	99 Es einsteinium —	100 Fm fermium —	101 Md mendelevium —	102 No nobelium —	103 Lr lawrencium —

actinoids

The volume of one mole of any gas is 24 dm³ at room temperature and pressure (r.t.p.).