

**GCSE (9–1)**

**Physics B (Twenty First Century Science)**

**J259/03:** Breadth in physics (Higher Tier)

General Certificate of Secondary Education

**Mark Scheme for November 2020**

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2020

## Annotations

| Annotation                                                                          | Meaning                                |
|-------------------------------------------------------------------------------------|----------------------------------------|
|    | Correct response                       |
|    | Incorrect response                     |
|    | Omission mark                          |
|    | Benefit of doubt given                 |
|    | Contradiction                          |
|    | Rounding error                         |
|    | Error in number of significant figures |
|    | Error carried forward                  |
|    | Level 1                                |
|    | Level 2                                |
|    | Level 3                                |
|  | Benefit of doubt not given             |
|  | Noted but no credit given              |
|  | Ignore                                 |

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

| <b>Annotation</b>   | <b>Meaning</b>                                                |
|---------------------|---------------------------------------------------------------|
| /                   | alternative and acceptable answers for the same marking point |
| ✓                   | Separates marking points                                      |
| <b>DO NOT ALLOW</b> | Answers which are not worthy of credit                        |
| <b>IGNORE</b>       | Statements which are irrelevant                               |
| <b>ALLOW</b>        | Answers that can be accepted                                  |
| ( )                 | Words which are not essential to gain credit                  |
| —                   | Underlined words must be present in answer to score a mark    |
| <b>ECF</b>          | Error carried forward                                         |
| <b>AW</b>           | Alternative wording                                           |
| <b>ORA</b>          | Or reverse argument                                           |

**Subject-specific Marking Instructions****INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Physics B:

|              | <b>Assessment Objective</b>                                                                                                                           |
|--------------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>AO1</b>   | <b>Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.</b>                                          |
| AO1.1        | Demonstrate knowledge and understanding of scientific ideas.                                                                                          |
| AO1.2        | Demonstrate knowledge and understanding of scientific techniques and procedures.                                                                      |
| <b>AO2</b>   | <b>Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.</b>                                       |
| AO2.1        | Apply knowledge and understanding of scientific ideas.                                                                                                |
| AO2.2        | Apply knowledge and understanding of scientific enquiry, techniques and procedures.                                                                   |
| <b>AO3</b>   | <b>Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.</b> |
| <b>AO3.1</b> | Analyse information and ideas to interpret and evaluate.                                                                                              |
| AO3.1a       | Analyse information and ideas to interpret.                                                                                                           |
| AO3.1b       | Analyse information and ideas to evaluate.                                                                                                            |
| <b>AO3.2</b> | Analyse information and ideas to make judgements and draw conclusions.                                                                                |
| AO3.2a       | Analyse information and ideas to make judgements.                                                                                                     |
| AO3.2b       | Analyse information and ideas to draw conclusions.                                                                                                    |
| <b>AO3.3</b> | Analyse information and ideas to develop and improve experimental procedures.                                                                         |
| AO3.3a       | Analyse information and ideas to develop experimental procedures.                                                                                     |
| AO3.3b       | Analyse information and ideas to improve experimental procedures.                                                                                     |

| Question |     |      | Answer                                                                                                                                                                                                                                                                                          | Marks | AO element | Guidance                                                                                                                                                                                                                                                               |
|----------|-----|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 1        | (a) |      | (D)<br>bubble wrap reduces conduction / has low thermal conductivity ✓<br>thicker insulation / more layers reduces heat loss (so slower than C) ✓<br><br><b>OR</b><br><br>(E)<br>bubble wrap reduces conduction / has low thermal conductivity ✓<br>metal foil reduces heat loss by radiation ✓ | 2     | 3.2a       | <b>ALLOW</b> one mark for C <b>and</b> bubble wrap reduces conduction / has low thermal conductivity<br><b>ALLOW</b> bubble wrap doesn't conduct instead of low conductivity.<br><br><b>IGNORE</b> convection<br><br><br><b>ALLOW</b> foil reflects thermal radiation. |
|          | (b) | (i)  | experiment gives the same results / same data ✓<br><br>if performed by another person / with similar equipment / in a different lab ✓                                                                                                                                                           | 2     | 1.1        |                                                                                                                                                                                                                                                                        |
|          |     | (ii) | Any <b>one</b> from:<br>size / shape / thickness / material of tin ✓<br><br>volume / mass of water ✓<br><br>temperature of surroundings ✓                                                                                                                                                       | 1     | 2.1        | <b>ALLOW</b> amount of water                                                                                                                                                                                                                                           |

| Question |     |       | Answer                                                                                                                                                                                                                                                                                                                                                                | Marks | AO element | Guidance                                                                                                                                                                                                     |
|----------|-----|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 2        | (a) | (i)   | (use of biofuels has) increased ✓                                                                                                                                                                                                                                                                                                                                     | 1     | 3.1a       | Increase could be shown by use of data.                                                                                                                                                                      |
|          |     | (ii)  | Any <b>one</b> from:<br>use of biofuels has been encouraged/government incentives, ✓<br><br>more cost effective ✓<br><br>to reduce carbon (dioxide) emissions, ✓<br><br>to make use of by-products/waste materials. ✓                                                                                                                                                 | 1     | 3.1a       | <b>IGNORE</b> renewable<br><br><b>ALLOW</b> cheap/not expensive.<br><br><b>ALLOW</b> to reduce/prevent climate change                                                                                        |
|          | (b) | (i)   | Any <b>one</b> from:<br>trend shows (large) increase in wind ✓<br><br>trend shows nuclear staying the same/ (slight) increase ✓<br><br><b>AND</b> any <b>one</b> from:<br>(supports statement because) if trends continue we will use more wind than nuclear ✓<br><br>(does not support statement because) we do not know if the trends will continue in the future ✓ | 2     | 3.1b       | <b>ALLOW</b> nuclear not (significantly) changed<br><br><br><br><b>ALLOW</b> evaluation based on both trends e.g. the evidence / it support this statement because wind is increasing and nuclear is not [2] |
|          |     | (ii)  | data includes nuclear which is not renewable ✓                                                                                                                                                                                                                                                                                                                        | 1     | 3.2b       | <b>DO NOT ALLOW</b> biofuel is not renewable.                                                                                                                                                                |
|          |     | (iii) | any value from 9(%) to 10(%) ✓                                                                                                                                                                                                                                                                                                                                        | 1     | 2.2        |                                                                                                                                                                                                              |

| Question |     |      | Answer                                                                                                                                                                                                                                                    | Marks | AO element | Guidance                                                                                                                                                                                                                      |
|----------|-----|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 3        | (a) |      | electrons (in atoms) ✓<br>lose energy ✓                                                                                                                                                                                                                   | 2     | 1.1        | <b>ALLOW</b> electrons change energy levels (2 marks)<br><b>DO NOT ALLOW</b> beta decay or emission of particles                                                                                                              |
|          | (b) | (i)  | (ultraviolet radiation is) ionising ✓<br>damages / mutates DNA or cells OR causes cancer/tumours ✓                                                                                                                                                        | 2     | 1.1        | <b>ALLOW</b> kills cells                                                                                                                                                                                                      |
|          |     | (ii) | (ultraviolet radiation) cannot penetrate the steel casing ✓                                                                                                                                                                                               | 1     | 3.2 b      | <b>ALLOW</b> radiation absorbed by steel casing<br><b>ALLOW</b> steel casing reflects (ultraviolet radiation inside the container).                                                                                           |
|          | (c) |      | Any <b>two</b> from:<br>(alpha radiation) not penetrating enough (to disinfect all of the water) ✓<br>alpha-emitting isotope could contaminate water supply ✓<br>activity of alpha source will fall with time ✓<br>risk of handling alpha <u>source</u> ✓ | 2     | 1.1        | <b>ALLOW</b> alpha radiation cannot penetrate water<br><b>DO NOT ALLOW</b> alpha particles remain in the water<br><b>IGNORE</b> alpha cannot penetrate the steel case<br><b>ALLOW</b> alpha source may have a short half-life |

| Question |     |      | Answer                                                                                                                                                                                                                                             | Marks | AO element            | Guidance                                                                                                                                                                                                                                                                                                                                                        |
|----------|-----|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 4        | (a) |      | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If answer = <math>3.17 \times 10^{29}</math> award 3 marks</b><br><br>recall momentum = mass $\times$ velocity ✓<br>$2.73 \times 10^{24} \times 116\,000$ ✓<br>$3.17 \times 10^{29}$ (kg m/s) ✓ | 3     | 1.2<br>2 $\times$ 2.1 | <b>ALLOW</b> $3.2 \times 10^{29}$<br><br><b>ALLOW</b> up to 2 marks for the correct calculation using data for the wrong planet<br>Planet 2: $6.26 \times 10^{25} \times 89\,000 = 5.57 \times 10^{30}$ (kg m/s) <b>or</b> $5.6 \times 10^{30}$<br>Planet 3: $3.87 \times 10^{25} \times 59\,000 = 2.28 \times 10^{30}$ (kg m/s) <b>or</b> $2.3 \times 10^{30}$ |
|          | (b) | (i)  | velocity depends on/has direction ✓<br>(due to force of gravity) direction changes ✓                                                                                                                                                               | 2     | 1.1                   | <b>ALLOW</b> velocity is a vector quantity<br><b>ALLOW</b> force of gravity is always towards the centre of the orbit.                                                                                                                                                                                                                                          |
|          |     | (ii) | force of gravity is weaker at larger radius ORA ✓<br><br>so slower speed needed to maintain a stable orbit/constant radius ORA ✓                                                                                                                   | 2     | 1.1                   | <b>ALLOW</b> centripetal force/force/gravity gets weaker with distance<br><b>ALLOW</b> so (a faster planet) would not stay in orbit / so not strong enough to change direction (of a faster planet)                                                                                                                                                             |

| Question |     |      | Answer                                                                                                                                                                                                                   | Marks | AO element                | Guidance                                                                                                                                                                                                                                                                                                     |
|----------|-----|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|---------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 5        | (a) | (i)  | our eyes (only) detect a (narrow) <b>range</b> of frequencies ✓<br><br>this range does not include radio waves ✓                                                                                                         | 2     | 1.1                       | <b>ALLOW</b> wavelength for frequency<br><br><b>ALLOW</b> the frequency is out of range<br><b>ALLOW</b> the frequency is <b>too</b> low<br><br><b>ALLOW</b> the frequency is below the visible range = 2 marks<br><b>ALLOW</b> radio waves are not in the range of frequencies our eyes can detect = 2 marks |
|          |     | (ii) | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If answer = 0.67 award 4 marks</b><br><br>446 MHz = $446 \times 10^6$ Hz ✓<br>= $3.0 \times 10^8 \div 446 \times 10^6$ ✓<br>= 0.67264.... (m) ✓<br>= 0.67 (m) (2sf) ✓ | 4     | 1.2<br>2.1 × 2<br><br>1.2 | ALLOW substitution <b>and</b> calculation using <b>their</b> conversion<br>ALLOW <b>their</b> calculated value seen <b>and</b> converted to 2 s.f.                                                                                                                                                           |
|          | (b) |      | <u>oscillations</u> (in the electrical circuits) ✓                                                                                                                                                                       | 1     | 1.1                       |                                                                                                                                                                                                                                                                                                              |

| Question |     |  | Answer                                                                                                                                                                                                                                                                                                  | Marks | AO element             | Guidance                                                                                                                                                                                             |
|----------|-----|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 6        | (a) |  | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If answer = 5.0 (m/s<sup>2</sup>) award 3 marks</b><br><br>recall acceleration = change in velocity ÷ time ✓<br>25 × 0.5 = 12.5 ✓<br>(25 × 0.5 <b>OR</b> 12.5) ÷ 2.5 ✓<br>= 5.0 (m/s <sup>2</sup> ) ✓                                                | 4     | 1.2 × 2<br><br>2.1 × 2 | <b>ALLOW</b> final answer to be either negative or positive.<br><b>ALLOW</b> 5<br><br><b>ALLOW</b> max 3 if incorrect <b>calculation</b> of change in speed                                          |
|          | (b) |  | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If 5000 ≤ answer ≤ 18000 award 4 marks</b><br><br>recall momentum = mass × velocity <b>AND</b> rearrange force = change in momentum ÷ time ✓<br><br>estimate of mass ✓<br><br>(16 × estimate of mass) ÷ 2.2 ✓<br><br>5000 to 18000 (N) (inclusive) ✓ | 4     | 1.2 × 2<br><br>2.1 × 2 | Values given based on mass for car being between 700kg to 2500kg.<br><br><b>ALLOW</b> recall Force = mass × acceleration <b>AND</b> a = ΔV ÷ t<br><br><b>ALLOW</b> (±) 7.27 (m/s <sup>2</sup> ) seen |

| Question |     |  | Answer                                                                                                                                                                                                                                                                                                                          | Marks | AO element | Guidance                                                                                                                                                                                                                                 |
|----------|-----|--|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 7        | (a) |  | (measure mass using) balance <b>AND</b> (measure volume using) measuring cylinder ✓<br><br><b>AND</b> any <b>two</b> from:<br>accuracy of balance specified, e.g. 1 g or 0.1 g ✓<br>method to compensate for mass of container ✓<br>read volume at eye level to avoid parallax error ✓<br>read volume from bottom of meniscus ✓ | 3     | 1.2        |                                                                                                                                                                                                                                          |
|          | (b) |  | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If answer = <math>7.18 \times 10^{-4}</math> award 2 marks</b><br><br>$0.12 \times 0.13 \times 0.046 / 0.0007176 / 7.176 \times 10^{-4}$ ✓<br><br>$7.18 \times 10^{-4}$ ✓                                                                                                    | 2     | 2.1<br>1.2 |                                                                                                                                                                                                                                          |
|          | (c) |  | put sample of yoghurt in a syringe ✓<br>read volume from <u>scale</u> on syringe ✓<br><br><b>OR</b><br><br>fill container to top and ensure top is level ✓<br>refill container with water and then measure volume of <u>water</u> with <u>measuring cylinder</u> ✓                                                              | 2     | 3.3a       | <b>ALLOW</b> other sensible suggestions<br><br>reasonable idea to accurately contain a sample in a measurable volume or a known volume ✓<br><br>specifies method for measuring this volume ✓<br><br><b>IGNORE</b> pour it in a container |

| Question |     |       | Answer                                                                                                                                                                                                                                                  | Marks | AO element | Guidance                                                                                                                                                                                                                                                                     |
|----------|-----|-------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 8        | (a) | (i)   | (measure length of tray with) ruler / tape measure ✓<br>(measure time using) timer / stop clock / stopwatch ✓<br><br><b>AND</b> any <b>one</b> from:<br>measure time to travel several lengths of tray ✓<br>video the waves and replay in slow motion ✓ | 3     | 1.2        | <b>ALLOW</b> e.g. paper marked in centimetres<br><b>IGNORE</b> measure the time / measure the distance                                                                                                                                                                       |
|          |     | (ii)  | Any <b>one</b> from:<br>method to drop tray identically, e.g. rest end of tray on book, then remove book ✓<br><br>alternative method to generate waves, e.g. use vibrating dipper/bar as in a ripple tank ✓                                             | 1     | 3.3b       | <b>ALLOW</b> drop tray from same height <b>or</b> tip the tray to the same angle / stated angle<br><b>IGNORE</b> vague methods e.g. use a machine to drop the tray<br><br><b>ALLOW</b> e.g. use a ripple tank/apparatus with a set frequency <b>or</b> use a vibrating motor |
|          | (b) | (i)   | point plotted to within half a small square ✓                                                                                                                                                                                                           | 1     | 2.2        |                                                                                                                                                                                                                                                                              |
|          |     | (ii)  | as depth increases speed increases ✓<br><br>description of non-linear relationship / idea that the variables are not proportional ✓                                                                                                                     | 2     | 3.1a       |                                                                                                                                                                                                                                                                              |
|          |     | (iii) | Line drawn up from x-axis and along to y-axis ✓<br>any value between 0.1 and 0.2 ✓                                                                                                                                                                      | 2     | 2.2        | Rationale for these values is that the candidate should recognise it is a curve and extrapolate using a curve, not a straight line.                                                                                                                                          |

| Question |     |      | Answer                                                                                                                                                                                                                                 | Marks | AO element | Guidance                                                                                                                                                                                                                                             |
|----------|-----|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 9        | (a) |      | (some energy is transferred by) radiation / electromagnetic waves / gamma rays ✓<br><br>(some energy is transferred to/from a store of) kinetic energy of the particles ✓                                                              | 2     | 1.1        | <b>DO NOT ALLOW</b> thermal energy (given in (b)(ii))<br><br><b>ALLOW</b> the KE of the neutron                                                                                                                                                      |
|          | (b) | (i)  | Any <b>two</b> from:<br>More neutrons so more fission ✓<br><br>More uranium for the neutrons to hit ✓<br><br>The neutron(s) released in one fission go on to cause more fissions ✓                                                     | 2     | 1.1        | <b>ALLOW</b> neutrons released in one fission go on to cause further reactions / split more nuclei = 2 marks                                                                                                                                         |
|          | (b) | (ii) | (coolant A) because difference in density is larger than difference in specific heat capacity ✓<br><br>calculation to support argument (e.g. s.h.c. of B is 8.7 times greater than A, but density of A is 12.8 times greater than B) ✓ | 2     | 3.2b       | <b>ALLOW</b> A has lower shc but it is <b>a lot</b> more dense<br><br><b>Alternative approach:</b><br>A removes more energy per m <sup>3</sup> per °C<br>e.g. 150 x 11000 = 1.65 MJ/m <sup>3</sup> °C<br>but 1300 x 860 = 1.118 MJ/m <sup>3</sup> °C |

| Question |     |      | Answer                                                                                                                                                                                                                        | Marks | AO element | Guidance                                                                                        |
|----------|-----|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|-------------------------------------------------------------------------------------------------|
| 10       | (a) |      | Any <b>one</b> from:<br>(vibration in P-waves is) parallel / same direction, ✓<br>(vibration in S-waves is) perpendicular / right angles ✓<br><br><b>AND</b><br>to direction of travel / propagation / energy transfer / AW ✓ | 2     | 1.1        | independent mark                                                                                |
|          | (b) | (i)  | S-waves do not travel through liquids / <u>only</u> travel through solids ✓<br>liquid in Earth's core has blocked / reflected S-waves ✓                                                                                       | 2     | 2.1        | <b>IGNORE</b> references to P-waves                                                             |
|          |     | (ii) | waves reflect from boundaries ✓<br><br>waves pass through mantle by reflection / refraction / diffraction ✓                                                                                                                   | 2     | 2.1        | <b>ALLOW</b> wave passing through mantle and reflecting from crust or core on diagram = 2 marks |

| Question |     |      | Answer                                                                                                                                       | Marks | AO element | Guidance                                                                        |
|----------|-----|------|----------------------------------------------------------------------------------------------------------------------------------------------|-------|------------|---------------------------------------------------------------------------------|
| 11       | (a) |      | resultant force must be zero ✓                                                                                                               | 1     | 1.1        | <b>ALLOW</b> net force is zero<br><b>IGNORE</b> balanced / all forces are equal |
|          | (b) | (i)  | downwards arrow drawn ✓<br>labelled weight / force of gravity / contact force ✓                                                              | 2     | 2.1        | <b>ALLOW</b> gravity                                                            |
|          |     | (ii) | They (both) <b>accelerate</b> upwards ✓<br><b>OR</b><br>Elastic rope contracts/shortens/tension becomes zero,<br>pulling the metal ring up ✓ | 1     | 2.1        |                                                                                 |

| Question |     |      | Answer                                                                                                                                                                                                                                                                            | Marks | AO element     | Guidance                                                                                                                                                                                                                                                                                                                                                                        |
|----------|-----|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|----------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 12       | (a) |      | wavelength / colour (of emitted light) depends on temperature ✓<br><br>the stars have different temperatures ✓                                                                                                                                                                    | 2     | 1.1            | <b>ALLOW</b> C has shortest wavelength / B has longest wavelength<br><br><b>ALLOW</b> C is the hottest / B is the coolest / blue is hotter than red ORA<br><br><b>ALLOW</b> hottest star / C has shortest wavelength / is bluer <b>OR</b> coolest star / B has longest wavelength / is redder =2 marks<br><br><b>IGNORE</b> different colours have different wavelengths - stem |
|          | (b) | (i)  | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If answer = 625 award 3 marks</b><br><br>recall / rearrange time = distance ÷ speed ✓<br>( $6 \times 10^{18} \div 3.0 \times 10^8 =$ ) $2 \times 10^{10}$ (s) ✓<br>( $2 \times 10^{10} \div 3.2 \times 10^7 =$ ) 625 (years) ✓ | 3     | 1.2<br>2 × 2.1 | <b>ALLOW</b> 1 mark for $2 \times 10^n$ , $n \neq 10$<br><b>ALLOW</b> 2 marks for $6.25 \times 10^n$ , $n \neq 2$                                                                                                                                                                                                                                                               |
|          |     | (ii) | (all electromagnetic radiation) travels at the same speed (in space) ✓                                                                                                                                                                                                            | 1     | 2.1            | <b>ALLOW</b> travels at the speed of light                                                                                                                                                                                                                                                                                                                                      |

| Question |     |      | Answer                                                                                                                                                                                                                                                                                                                       | Marks | AO element            | Guidance                                                 |
|----------|-----|------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----------------------|----------------------------------------------------------|
| 13       | (a) |      | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If answer = 224 award 4 marks</b><br><br>5.0 cm = 0.050 m ✓<br>Select equation: $E = \frac{1}{2} kx^2$ ✓<br>Substitute (and rearrange ); $k = 2 \times 0.28 / 0.05^2$ ✓<br>224 (N/m) ✓                                                                                    | 4     | 1.2<br>1.2<br>2.1 × 2 | <b>ALLOW</b> 3 marks if unit conversion omitted (0.0224) |
|          | (b) |      | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If answer = 4 award 3 marks</b><br><br>recall $\frac{1}{2} mv^2$ and rearrange to give: $v = \sqrt{(2E/m)}$ ✓<br>substitute: $v = \sqrt{(2 \times 0.32 / 0.040)}$ ✓<br>4.0 (m/s) ✓                                                                                        | 3     | 1.2<br>2.1 × 2        | <b>ALLOW</b> 2 marks for 16                              |
|          | (c) | (i)  | work done = force × distance moved ✓                                                                                                                                                                                                                                                                                         | 1     | 1.2                   | <b>ALLOW</b> $W = Fs$                                    |
|          |     | (ii) | <b>FIRST CHECK THE ANSWER ON ANSWER LINE</b><br><b>If answer = 0.0625 award 4 marks</b><br><br>calculate GPE gain: $0.040 \times 10 \times 0.50 / 0.20$ (J) ✓<br>calculate thermal energy transfer: $(0.25 - 0.20 = ) 0.05$ J ✓<br>substitute into work done equation: $0.05 = F \times 0.80$ ✓<br>calculate F: 0.0625 (N) ✓ | 4     | 2.1                   |                                                          |

**OCR (Oxford Cambridge and RSA Examinations)**  
**The Triangle Building**  
**Shaftesbury Road**  
**Cambridge**  
**CB2 8EA**

**OCR Customer Contact Centre**

**Education and Learning**

Telephone: 01223 553998

Facsimile: 01223 552627

Email: [general.qualifications@ocr.org.uk](mailto:general.qualifications@ocr.org.uk)

[www.ocr.org.uk](http://www.ocr.org.uk)

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored