

Mark Scheme (Results)

Summer 2015

Pearson Edexcel GCSE
In Mathematics B (2MB01)
Higher (Calculator) Unit 3

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at www.edexcel.com or www.btec.co.uk. Alternatively, you can get in touch with us using the details on our contact us page at www.edexcel.com/contactus.

Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

Summer 2015

Publications Code UG042121

All the material in this publication is copyright

© Pearson Education Ltd 2015

NOTES ON MARKING PRINCIPLES

- 1** All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- 2** Mark schemes should be applied positively.
- 3** All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e if the answer matches the mark scheme. Note that in some cases a correct answer alone will not score marks unless supported by working; these situations are made clear in the mark scheme. Examiners should be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- 4** Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- 5** Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.
- 6** Mark schemes will award marks for the quality of written communication (QWC).
The strands are as follows:
 - i) *ensure that text is legible and that spelling, punctuation and grammar are accurate so that meaning is clear*
Comprehension and meaning is clear by using correct notation and labelling conventions.
 - ii) *select and use a form and style of writing appropriate to purpose and to complex subject matter*
Reasoning, explanation or argument is correct and appropriately structured to convey mathematical reasoning.
 - iii) *organise information clearly and coherently, using specialist vocabulary when appropriate.*
The mathematical methods and processes used are coherently and clearly organised and the appropriate mathematical vocabulary used.

7 With working

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If working is crossed out and still legible, then it should be given any appropriate marks, as long as it has not been replaced by alternative work.

If it is clear from the working that the "correct" answer has been obtained from incorrect working, award 0 marks. Send the response to review, and discuss each of these situations with your Team Leader.

If there is no answer on the answer line then check the working for an obvious answer.

Partial answers shown (usually indicated in the ms by brackets) can be awarded the method mark associated with it (implied).

Any case of suspected misread loses A (and B) marks on that part, but can gain the M marks; transcription errors may also gain some credit. Send any such responses to review for the Team Leader to consider.

If there is a choice of methods shown, then no marks should be awarded, unless the answer on the answer line makes clear the method that has been used.

8 Follow through marks

Follow through marks which involve a single stage calculation can be awarded without working since you can check the answer yourself, but if ambiguous do not award.

Follow through marks which involve more than one stage of calculation can only be awarded on sight of the relevant working, even if it appears obvious that there is only one way you could get the answer given.

9 Ignoring subsequent work

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: e.g. incorrect cancelling of a fraction that would otherwise be correct

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect e.g. algebra.

10 Probability

Probability answers must be given as fractions, percentages or decimals. If a candidate gives a decimal equivalent to a probability, this should be written to at least 2 decimal places (unless tenths).

Incorrect notation should lose the accuracy marks, but be awarded any implied method marks.

If a probability answer is given on the answer line using both incorrect and correct notation, award the marks.

If a probability fraction is given then cancelled incorrectly, ignore the incorrectly cancelled answer.

11 Linear equations

Full marks can be gained if the solution alone is given on the answer line, or otherwise unambiguously indicated in working (without contradiction elsewhere). Where the correct solution only is shown substituted, but not identified as the solution, the accuracy mark is lost but any method marks can be awarded (embedded answers).

12 Parts of questions

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded in another.

13 Range of answers

Unless otherwise stated, when an answer is given as a range (e.g 3.5 – 4.2) then this is inclusive of the end points (e.g 3.5, 4.2) and includes all numbers within the range (e.g 4, 4.1)

14 The detailed notes in the mark scheme, and in practice/training material for examiners, should be taken as precedents over the above notes.

Guidance on the use of codes within this mark scheme

M1 – method mark for appropriate method in the context of the question
A1 – accuracy mark
B1 – Working mark
C1 – communication mark
QWC – quality of written communication
oe – or equivalent
cao – correct answer only
ft – follow through
sc – special case
dep – dependent (on a previous mark or conclusion)
indep – independent
isw – ignore subsequent working

5MB3H/01 June 2015				
Question	Working	Answer	Mark	Notes
1		71.40	2	M1 for $41.65 \div 7$ A1 for 71.4(0)
2		4	3	M1 $\frac{4.5}{100} \times 300$ (=13.5) or $\frac{104.5}{100} \times 300$ (=313.5) oe M1 $50 \div \text{"13.5"}$ (=3.7) or at least 3 repeated addition of "13.5" A1 cao SC B1 for $1.045^n \times 300$

5MB3H/01 June 2015				
Question	Working	Answer	Mark	Notes
3 (a)		1.75	2	M1 for intention to multiply brackets or for intention to divide all terms by 4 as the first step A1 for 1.75 oe
(b)		$p > 7.5$	2	M1 for correct method to isolate p or intention to divide all terms by 2 as the first step (condone the use of '=' in method) A1 for $p > 7.5$ oe
(c)		3, -5	3	M2 for $(x - 3)(x + 5)$ (M1 for $(x \pm 3)(x \pm 5)$) A1 cao 3 and -5 OR M1 for $\frac{-2 \pm \sqrt{2^2 - 4 \times 1 \times -15}}{2 \times 1}$ M1 for $\frac{-2 \pm \sqrt{64}}{2}$ A1 for 3 and -5 cao

5MB3H/01 June 2015				
Question	Working	Answer	Mark	Notes
*4		275g (£7.95) pack with reason	4	M1 for one of $439 \div 150 (= 2.92)$, $639 \div 200 (= 3.19)$, $795 \div 275 (= 2.89)$ OR one of $150 \div 439 (= 0.341)$, $200 \div 639 (= 0.31)$, $275 \div 795 (= 0.345)$ OR any other calculation that could lead to a comparative figure M1 for calculations that could lead to comparative figures for 2 jars M1 for calculations that could lead to comparative figures for 3 jars eg all 3 from the above lists C1 for correct comparative figures for all 3 jars leading to a correctly stated comparison: 275g best value
5	(a)	7, -2, -1	2	B2 for all three correct values 7, -2, -1 (B1 for two correct values 7, -2 or -1)
	(b)	Correct curve	2	B2 for fully correct curve (B1 ft for at least 5 points plotted correctly)
6		6	4	M1 for $7x + 22$ or $(5x+2)$ or $7b + 22p$ or $5b + 2p$ M1 for forming equation $7x + 22 = 2(5x + 2)$ M1 for correct intent to isolate x on one side A1 cao

5MB3H/01 June 2015				
Question	Working	Answer	Mark	Notes
7		28	3	M1 for 240×1.2 (=288) M1 for "288" $\div 10$ (=28.8) A1 cao OR M1 for $10 \div 1.2$ (=8.33) M1 $240 \div$ "8.33" (=28.8) A1 cao
8		Correct position marked	3	M1 for perpendicular bisector of the line AC M1 for arc of circle centre D radius 7cm A1 for correct point
*9		No with comparison of correct figures.	3	M1 for correct method to find frame dimensions $15+5+5$ (=25) and $10+5+5$ (=20) M1 for finding relationship between length and width for both eg $15 \div 10$ (=1.5) and $25 \div 20$ (= 1.25) or for correct use of a scale factor to find a comparable length C1 for correct conclusion following comparison of 2 correct comparable figures
10		Rotation, 90° clockwise centre (1,4)	3	B1 for rotation B1 for 90° clockwise or 270° anticlockwise B1 for (1,4) NB Award B0 if more than one transformation given

5MB3H/01 June 2015				
Question	Working	Answer	Mark	Notes
11		3.4	3	<p>M1 for $\pi \times 3.5^2 \times 10$ (=384.85 or =122.5π) or $\pi \times 6^2$ (=113.1 or =36π) M1 (dep) for "384.85" $\div$ "113.1" or 122.5(π) $\div$ 36(π) A1 for 3.4 – 3.5 OR M1 for $\left(\frac{12}{7}\right)^2$ (=2.9) or $\left(\frac{7}{12}\right)^2$ (=0.34) M1 for $10 \div \left(\frac{12}{7}\right)^2$ or $10 \times \left(\frac{7}{12}\right)^2$ A1 for 3.4 – 3.5</p>
12		7.5×10^9	2	<p>M1 for 2.1×10^7 or 21000000 or sight of figures 75 A1 for 7.5×10^9</p>
13		29.6	4	<p>M1 for $8^2 + 5^2$ or $64 + 25$ or 89 M1 (dep) $\sqrt{8^2 + 5^2}$ (=9.4) M1 for "9.4..." $\times \pi$ A1 for 29.5 – 29.65</p>
*14		49	3	<p>M1 for 180 – 56 – 75 A1 for 49 C1 for <u>alternate segment theorem</u> and <u>angles</u> on a <u>straight line</u> add up to <u>180°</u> OR <u>alternate segment theorem</u> and <u>angles</u> in a <u>triangle</u> add up to <u>180°</u> Appropriate to methods shown</p>

5MB3H/01 June 2015				
Question	Working	Answer	Mark	Notes
15		0.84	3	M2 for 2×0.75^3 (M1 for $2 \times 0.75 (=1.5)$ or $2 \times 0.25 (=0.5)$ and $2 - "0.5"$) A1 for 0.84 – 0.844
16	$y(x+5) = 3x$ $yx+5y = 3x$ $5y = 3x - yx$ $5y = x(3 - y)$	$x = \frac{5y}{3-y}$	3	M1 for intention to multiply by $x + 5$ M1 for intention to isolate yx and $3x$ on one side to get $3x - xy$ oe A1 for $x = \frac{5y}{3-y}$ or $\frac{-5y}{y-3}$
17		85.6	4	M1 for $360 \div 5$ (=72) M1 (dep) for $\frac{1}{2} \times 6^2 \times \sin "72"$ (=17.12) M1 for completing full method to find total area of pentagon A1 for 85.5 – 85.6 OR M1 for $360 \div 10$ (=36) or $\frac{1}{2}(180 - 360 \div 5)$ (=54) M1(dep) for eg $6 \times \sin "36" \times 6 \times \cos "36"$ (=17.12) or $\frac{1}{2} 6 \times \sin "54" \times 6 \times \cos "54"$ (=8.55) M1 for completing full method to find total area of pentagon A1 for 85.5 – 85.6

5MB3H/01 June 2015				
Question	Working	Answer	Mark	Notes
18		$y = \frac{375}{x^2}$	3	M1 for $y \propto \frac{1}{x^2}$ or $y = \frac{k}{x^2}$ or $k = yx^2$ M1 for $5^2 \times 15 (=375)$ A1 for $y = \frac{375}{x^2}$ or $y = \frac{k}{x^2}$ and $k = 375$
19		300	3	B1 for 45 or 0.15 M1 for $45 \div 0.15$ A1 for 300 cao
20 (a)		$p = 4,$ $q = -10$	3	M1 for sight of $(x - 4)^2$ or $p = 4$ M1 for $(x - 4)^2 - 16 + 6$ A1 for $p = 4, q = -10$ OR M1 for $x^2 - 2px + p^2 + q$ or $-2p = -8$ or $p^2 + q = 6$ M1 for $-2p = -8$ and $p^2 + q = 6$ A1 for $p = 4, q = -10$
(b)		(4, -10)	1	B1 ft
21 (a)		Correct graph	2	M1 for any translation along x axis A1 correct position
(b)		$y = -g(x)$	1	B1 for $y = -g(x)$ oe from correct interpretation of diagram

5MB3H/01 June 2015				
Question	Working	Answer	Mark	Notes
22		6.2	5	<p>M1 for a method to find an angle $RAB = 70, ABR = 50, BRA = 60$ or $TAR = 20$</p> <p>M1 for substitution into sine formula $\frac{AR}{\sin "50"} = \frac{12}{\sin "60"}$</p> <p>M1 for use of sine rule to find AR, $AR = \frac{12}{\sin "60"} \times \sin "50"$ (=10.61)</p> <p>M1 for substitution into cosine formula $TR^2 = 5^2 + "10.61"{}^2 - 2 \times 5 \times "10.61" \times \cos 20$ (=37.92)</p> <p>A1 for 6.15 - 6.2</p>
23		$\frac{3}{4}(\mathbf{b} + \mathbf{a})$	4	<p>B1 for $\mathbf{b} - \mathbf{a}$ or $\frac{1}{2}(\mathbf{b} - \mathbf{a})$ or $\mathbf{a} - \mathbf{b}$ or $\frac{1}{2}(\mathbf{a} - \mathbf{b})$</p> <p>M1 for $\overrightarrow{OM} = \mathbf{a} + \frac{1}{2}(\mathbf{b} - \mathbf{a})$ or $\mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b})$ oe</p> <p>M1 for $\overrightarrow{ON} = \frac{3}{2}(\mathbf{a} + \frac{1}{2}(\mathbf{b} - \mathbf{a}))$ or $\frac{3}{2}(\mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b}))$</p> <p>A1 for $\frac{3}{4}(\mathbf{b} + \mathbf{a})$ oe (simplified)</p>

Modifications to the mark scheme for Modified Large Print (MLP) papers.

Only mark scheme amendments are shown where the enlargement or modification of the paper requires a change in the mark scheme.

The following tolerances should be accepted on marking MLP papers, unless otherwise stated below:

Angles: $\pm 5^\circ$

Measurements of length: ± 5 mm

PAPER: 5MB3H_01			
Question		Modification	Notes
Q4		Diagrams have been removed.	M1 for one of $439 \div 150 (= 2.92)$, $639 \div 200 (= 3.19)$, $795 \div 275 (= 2.89)$ OR one of $150 \div 439 (= 0.341)$, $200 \div 639 (= 0.31)$, $275 \div 795 (= 0.345)$ OR any other calculation that could lead to a comparative figure M1 for calculations that could lead to comparative figures for 2 jars M1 for calculations that could lead to comparative figures for 3 jars eg all 3 from the above lists C1 for correct comparative figures for all 3 jars leading to a correctly stated comparison: 275g best value
Q5	(a)	Wording added: 'There are three spaces to fill.' Table produced in vertical format.	B2 for all three correct values 7, -2, -1 (B1 for two correct values 7, -2 or -1)
Q5	(b)	1½ cm grid provided.	B2 for fully correct curve (B1 ft for at least 5 points plotted correctly)

PAPER: 5MB3H_01

Question		Modification	Notes
Q8		Size of diagram kept as original. Scale put on diagram as well as in text.	M1 for perpendicular bisector of the line AC M1 for arc of circle centre D radius 7cm A1 for correct point
Q9		Diagram has been enlarged. Dotty shading. Measurement labels moved to be more accessible for candidates.	M1 for correct method to find frame dimensions $15+5+5 (=25)$ and $10+5+5 (=20)$ M1 for finding relationship between length and width for both eg $15 \div 10 (=1.5)$ and $25 \div 20 (= 1.25)$ or for correct use of a scale factor to find a comparable length C1 for correct conclusion following comparison of 2 correct comparable figures
Q10		The grid has been enlarged. Shapes are labelled triangle A and triangle B. Wording added: 'It shows two triangles on the grid, triangle A and triangle B.' Dotty shading	B1 for rotation B1 for 90° clockwise or 270° anticlockwise B1 for (1,4) NB Award B0 if more than one transformation given

PAPER: 5MB3H_01			
Question		Modification	Notes
Q11		The diagram has been enlarged. 2 models provided for all candidates. A diagram is also provided for MLP.	M1 for $\pi \times 3.5^2 \times 10$ (=384.85 or =122.5 π) or $\pi \times 6^2$ (=113.1 or =36 π) M1 (dep) for "384.85" $\div$ "113.1" or 122.5(π) $\div$ 36(π) A1 for 3.4 – 3.5 OR M1 for $\left(\frac{12}{7}\right)^2$ (=2.9) or $\left(\frac{7}{12}\right)^2$ (=0.34) M1 for $10 \div \left(\frac{12}{7}\right)^2$ or $10 \times \left(\frac{7}{12}\right)^2$ A1 for 3.4 – 3.5
Q13		The diagram has been enlarged.	M1 for $8^2 + 5^2$ or $64 + 25$ or 89 M1 (dep) $\sqrt{8^2 + 5^2}$ (=9.4) M1 for "9.4..." $\times \pi$ A1 for 29.5 – 29.65
Q14		The diagram has been enlarged. Wording added: 'Angle CAB is marked x'.	M1 for 180 - 56 - 75 A1 for 49 C1 for <u>alternate segment theorem</u> and <u>angles</u> on a <u>straight line</u> add up to <u>180°</u> OR <u>alternate segment theorem</u> and <u>angles</u> in a <u>triangle</u> add up to <u>180°</u> Appropriate to methods shown

PAPER: 5MB3H_01			
Question		Modification	Notes
Q16		MLP: x changed to e . y changed to f .	M1 for intention to multiply by $e + 5$ M1 for intention to isolate yx and $3x$ on one side to get $3e - ef$ oe A1 for $x = \frac{5f}{3-f}$ or $\frac{-5f}{f-3}$
Q17		The diagram has been enlarged.	M1 for $360 \div 5$ (=72) M1 (dep) for $\frac{1}{2} \times 6^2 \times \sin "72"$ (=17.12) M1 for completing full method to find total area of pentagon A1 for 85.5 – 85.6 OR M1 for $360 \div 10$ (=36) or $\frac{1}{2} (180 - 360 \div 5)$ (=54) M1(dep) for eg $6 \times \sin "36" \times 6 \times \cos "36"$ (=17.12) or $\frac{1}{2} 6 \times \sin "54" \times 6 \times \cos "54"$ (=8.55) M1 for completing full method to find total area of pentagon A1 for 85.5 – 85.6
Q19		MLP and braille: a changed to x . b changed to f .	B1 for 45 or 0.15 M1 for $45 \div 0.15$ A1 for 300 cao

PAPER: 5MB3H_01			
Question		Modification	Notes
Q21	(a)	The grid has been enlarged.	M1 for any translation along x axis A1 correct position
Q21	(b)	The grid has been enlarged.	B1 for $y = -g(x)$ oe from correct interpretation of diagram
Q22		The diagram has been enlarged. TR is joined by a dashed line.	M1 for a method to find an angle, $RAB = 70, ABR = 50, BRA = 60$ or $TAR = 20$ M1 for substitution into sine formula $\frac{AR}{\sin "50"} = \frac{12}{\sin "60"}$ M1 for use of sine rule to find $AR, AR = \frac{12}{\sin "60"} \times \sin "50" (=10.61)$ M1 for substitution into cosine formula $TR^2 = 5^2 + "10.61"'^2 - 2 \times 5 \times "10.61" \times \cos 20 (=37.92)$ A1 for 6.15 - 6.2
Q23		The diagram has been enlarged. OM is joined by a dashed line.	B1 for $\mathbf{b} - \mathbf{a}$ or $\frac{1}{2}(\mathbf{b} - \mathbf{a})$ or $\mathbf{a} - \mathbf{b}$ or $\frac{1}{2}(\mathbf{a} - \mathbf{b})$ M1 for $\overrightarrow{OM} = \mathbf{a} + \frac{1}{2}(\mathbf{b} - \mathbf{a})$ or $\mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b})$ oe M1 for $\overrightarrow{ON} = \frac{3}{2}(\mathbf{a} + \frac{1}{2}(\mathbf{b} - \mathbf{a}))$ or $\frac{3}{2}(\mathbf{b} + \frac{1}{2}(\mathbf{a} - \mathbf{b}))$ A1 for $\frac{3}{4}(\mathbf{b} + \mathbf{a})$ oe (simplified)

