



Mark Scheme (Results)

Summer 2024

Pearson Edexcel International GCSE  
In Mathematics A (4MA1) Paper 1FR

## **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at [www.edexcel.com](http://www.edexcel.com) or [www.btec.co.uk](http://www.btec.co.uk). Alternatively, you can get in touch with us using the details on our contact us page at [www.edexcel.com/contactus](http://www.edexcel.com/contactus).

## **Pearson: helping people progress, everywhere**

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: [www.pearson.com/uk](http://www.pearson.com/uk)

Summer 2024

Question Paper Log Number P73464A

Publications Code 4MA1\_1FR\_2406\_MS

All the material in this publication is copyright

© Pearson Education Ltd 2024

## General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

- **Types of mark**
  - M marks: method marks
  - A marks: accuracy marks
  - B marks: unconditional accuracy marks (independent of M marks)
- **Abbreviations**
  - cao – correct answer only
  - ft – follow through
  - isw – ignore subsequent working
  - SC - special case
  - oe – or equivalent (and appropriate)
  - dep – dependent
  - indep – independent
  - awrt – answer which rounds to
  - eeoo – each error or omission

- **No working**

If no working is shown then correct answers normally score full marks

If no working is shown then incorrect (even though nearly correct) answers score no marks.

- **With working**

If there is a wrong answer indicated on the answer line always check the working in the body of the script (and on any diagrams), and award any marks appropriate from the mark scheme.

If it is clear from the working that the “correct” answer has been obtained from incorrect working, award 0 marks.

If a candidate misreads a number from the question. Eg. Uses 252 instead of 255; method marks may be awarded provided the question has not been simplified. Examiners should send any instance of a suspected misread to review. If there is a choice of methods shown, mark the method that leads to the answer on the answer line; where no answer is given on the answer line, award the lowest mark from the methods shown.

If there is no answer on the answer line then check the working for an obvious answer.

- **Ignoring subsequent work**

It is appropriate to ignore subsequent work when the additional work does not change the answer in a way that is inappropriate for the question: eg. Incorrect cancelling of a fraction that would otherwise be correct.

It is not appropriate to ignore subsequent work when the additional work essentially makes the answer incorrect eg algebra.

Transcription errors occur when candidates present a correct answer in working, and write it incorrectly on the answer line; mark the correct answer.

- **Parts of questions**

Unless allowed by the mark scheme, the marks allocated to one part of the question CANNOT be awarded to another.

| International GCSE Maths                                                                                                                                                                                                                                                         |         |          |      |                                           |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------|----------|------|-------------------------------------------|
| <p><b>Apart from questions 12, 19 the correct answer, unless clearly obtained by an incorrect method, should be taken to imply a correct method</b></p> <p><b>Values in quotation marks must come from a correct method previously seen unless clearly stated otherwise.</b></p> |         |          |      |                                           |
| Q                                                                                                                                                                                                                                                                                | Working | Answer   | Mark | Notes                                     |
| <b>1</b> (a)                                                                                                                                                                                                                                                                     |         | 15 or 19 | 1    | B1 or for both values and no other values |
| (b)                                                                                                                                                                                                                                                                              |         | 48       | 1    | B1 cao                                    |
| (c)                                                                                                                                                                                                                                                                              |         | 19       | 1    | B1 cao                                    |
| (d)                                                                                                                                                                                                                                                                              |         | 6        | 1    | B1 cao                                    |
|                                                                                                                                                                                                                                                                                  |         |          |      | <b>Total 4 marks</b>                      |

|              |  |                  |   |                             |
|--------------|--|------------------|---|-----------------------------|
| <b>2</b> (a) |  | $\frac{13}{100}$ | 1 | B1 oe eg $\frac{130}{1000}$ |
| (b)          |  | 4                | 1 | B1 for 4 in the box         |
|              |  |                  |   | <b>Total 2 marks</b>        |



|          |     |  |                                    |   |                                                                  |
|----------|-----|--|------------------------------------|---|------------------------------------------------------------------|
| <b>6</b> | (a) |  | 8                                  | 1 | B1                                                               |
|          | (b) |  | R marked at bottom<br>left vertex  | 1 | B1 accept a clear unambiguous right<br>angle symbol instead of R |
|          | (c) |  | O marked at bottom<br>right vertex | 1 | B1                                                               |
|          | (d) |  | 42                                 | 1 | B1 Allow 40 – 44                                                 |
|          |     |  |                                    |   | <b>Total 4 marks</b>                                             |

|          |     |                                                                                                                                                                                                                                                                  |     |   |                                                                                                                                                                                                                                          |
|----------|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>7</b> | (a) | $72 \div 24 (= 3)$ <b>or</b> $24 \div 72 \left( = \frac{1}{3} \text{ oe} \right)$<br><b>or</b> $24 \div \frac{72}{360} (= 120)$ <b>or</b> $96 \div 72 \left( = \frac{4}{3} \text{ oe} \right)$<br><b>or</b> $72 \div 96 \left( = \frac{3}{4} \text{ oe} \right)$ |     | 2 | M1 for a method to find the number of<br>degrees per person <b>or</b> the number<br>of people per degree <b>or</b> the total<br>number of people represented by<br>the pie chart <b>or</b> the scale factor<br>between mahjong and chess |
|          |     | <i>Correct answer scores full marks (unless from<br/>obvious incorrect working)</i>                                                                                                                                                                              | 32  |   | A1 cao                                                                                                                                                                                                                                   |
|          | (b) | $72 \div 24 \times 40$ oe eg $3 \times 40$<br><b>or</b> $40 \div (24 \div 72)$ oe eg $40 \div \frac{1}{3}$<br><b>or</b> $\frac{40}{24} \times 72$                                                                                                                |     | 2 | M1ft some working may be seen in part<br>(a) eg $72 \div 24 (= 3)$                                                                                                                                                                       |
|          |     | <i>Correct answer scores full marks (unless from<br/>obvious incorrect working)</i>                                                                                                                                                                              | 120 |   | A1 accept 119.5 – 120.3                                                                                                                                                                                                                  |
|          |     |                                                                                                                                                                                                                                                                  |     |   | <b>Total 4 marks</b>                                                                                                                                                                                                                     |

|          |                                                                                                                                     |      |          |                      |                                                                                                                                                        |
|----------|-------------------------------------------------------------------------------------------------------------------------------------|------|----------|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>8</b> | eg $3 \times 1.8(0) (= 5.4(0))$ <b>or</b> $4 \times 1.2(0) (= 4.8(0))$<br><b>or</b> $3 \times 1.8(0) + 4 \times 1.2(0) (= 10.2(0))$ |      | <b>4</b> | M1                   | for a method to find the cost of the birthday cards <b>or</b> the wrapping paper <b>or</b> the total cost of the birthday cards and the wrapping paper |
|          | eg $17.1(0) - ("5.4(0)" + "4.8(0)") (= 6.9(0))$<br><b>or</b> $17.1(0) - "10.2(0)" (= 6.9(0))$                                       |      |          | M1                   | for a method to find the cost of 2 rolls of sticky tape                                                                                                |
|          | eg $"6.9(0)" \div 2$                                                                                                                |      |          | M1                   | for a complete method                                                                                                                                  |
|          | <i>Correct answer scores full marks (unless from obvious incorrect working)</i>                                                     | 3.45 |          | A1                   | if no other marks awarded,<br>award SCB2 for an answer of 7.05<br>SCB1 for 14.1(0)                                                                     |
|          |                                                                                                                                     |      |          | <b>Total 4 marks</b> |                                                                                                                                                        |

|          |     |  |            |   |                      |                                                                                                                         |
|----------|-----|--|------------|---|----------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>9</b> | (a) |  | $(-4, 2)$  | 1 | B1                   | cao                                                                                                                     |
|          | (b) |  | $(-1, 3)$  | 2 | B2                   | (B1 for $(-1, y)$ <b>or</b> $(x, 3)$ <b>or</b> $(3, -1)$ <b>or</b> the midpoint of $AB$ unambiguously shown on diagram) |
|          | (c) |  | $(-3, -1)$ | 2 | B2                   | (B1 for $(-3, y)$ <b>or</b> $(x, -1)$ <b>or</b> $(-1, -3)$ <b>or</b> $D$ marked correctly on the diagram)               |
|          |     |  |            |   | <b>Total 5 marks</b> |                                                                                                                         |

|           |     |                                                                                 |     |   |                                         |
|-----------|-----|---------------------------------------------------------------------------------|-----|---|-----------------------------------------|
| <b>10</b> | (a) | $175 \times 1.8 (= 315)$                                                        |     | 2 | M1 for a correct first step             |
|           |     | <i>Correct answer scores full marks (unless from obvious incorrect working)</i> | 347 |   | A1 cao                                  |
|           | (b) | $482 - 32 (= 450)$                                                              |     | 2 | M1 for $-32$ or $\div 1.8$              |
|           |     | <i>Correct answer scores full marks (unless from obvious incorrect working)</i> | 250 |   | A1 cao<br>SCB1 for answer of 464(.2...) |
|           |     |                                                                                 |     |   | <b>Total 4 marks</b>                    |

|           |     |                                                                                               |             |   |                                                                                                                      |
|-----------|-----|-----------------------------------------------------------------------------------------------|-------------|---|----------------------------------------------------------------------------------------------------------------------|
| <b>11</b> | (a) |                                                                                               | $5c$        | 1 | B1                                                                                                                   |
|           | (b) |                                                                                               | $-2w + 12y$ | 2 | B2 oe (B1 for $-2w$ or $12y$ )                                                                                       |
|           | (c) |                                                                                               | 3           | 2 | B1 cao                                                                                                               |
|           |     |                                                                                               | 31          |   | B1 cao                                                                                                               |
|           | (d) | $7x + 35$                                                                                     |             | 3 | M1 a correct expansion of the bracket (need not be in an equation)                                                   |
|           |     | $7x + 3x = 8 - 35$ oe<br>eg $10x = 8 - 35$ <b>or</b> $10x = -27$<br><b>or</b> $7x + 3x = -27$ |             |   | M1 for isolating terms in $x$ and number terms<br>ft from an incorrect expansion in the form<br>$7x + c$ or $x + 35$ |
|           |     | <i>Working required</i>                                                                       | $-2.7$      |   | A1 (dep on M1) oe                                                                                                    |
|           |     |                                                                                               |             |   | <b>Total 8 marks</b>                                                                                                 |

|           |                                                                                     |     |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|-----------|-------------------------------------------------------------------------------------|-----|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>12</b> | $CED = 180 - 125 (= 55)$ or<br>$BCD = 360 - (86 + 78 + 128) (= 68)$                 |     | 5 | M1 angles may be marked on diagram or labelled unambiguously in working                                                                                                                                                                                                                                                                                                                                                                                                            |
|           | $DCE = 180 - (2 \times "55") (= 70)$                                                |     |   | M1 angles may be marked on diagram or labelled unambiguously in working                                                                                                                                                                                                                                                                                                                                                                                                            |
|           | <i>Correct answer of 138 scores 3 marks (unless from obvious incorrect working)</i> | 138 |   | A1 for 138                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|           |                                                                                     |     |   | B2 (dep on M2) for all correct reasons for their method<br><br>(B1 (dep on M1) for one correct reason for their method)<br><br><u>Angles</u> on a straight <u>line</u> add to 180<br>Angles on a straight <u>line</u> add to <u>180</u><br><u>Isosceles</u> triangle<br><u>Angles</u> in a <u>triangle</u> add to 180<br>Angles in a <u>triangle</u> add to <u>180</u><br><u>Angles</u> in a <u>quadrilateral</u> add to 360<br>Angles in a <u>quadrilateral</u> add to <u>360</u> |
|           |                                                                                     |     |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |
|           |                                                                                     |     |   | <b>Total 5 marks</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                               |

|           |     |                                                                                 |                  |   |                                             |
|-----------|-----|---------------------------------------------------------------------------------|------------------|---|---------------------------------------------|
| <b>13</b> | (a) | $2n$ <b>or</b> $n + 7$                                                          |                  | 2 | M1 for $2n$ oe <b>or</b> $n + 7$ oe         |
|           |     | <i>Correct answer scores full marks (unless from obvious incorrect working)</i> | $4n + 7$         |   | A1 oe eg $7 + 4n$                           |
|           | (b) |                                                                                 | $T - "(4n + 7)"$ | 1 | B1ft oe, ft $T - [\text{their answer (a)}]$ |
|           |     |                                                                                 |                  |   | <b>Total 3 marks</b>                        |

|           |                                                                                 |                  |   |                                                                                           |
|-----------|---------------------------------------------------------------------------------|------------------|---|-------------------------------------------------------------------------------------------|
| <b>14</b> |                                                                                 |                  | 2 | M1 for 18.4(867...) <b>or</b> 2.65(88)<br><b>or</b> 6.95 <b>or</b> 6.953 <b>or</b> 6.9530 |
|           | <i>Correct answer scores full marks (unless from obvious incorrect working)</i> | 6.95304(3483...) |   | A1                                                                                        |
|           |                                                                                 |                  |   | <b>Total 2 marks</b>                                                                      |

|           |                                                                                                                                                                                                                                                                                     |      |   |                                                                                                                                                                                                                                                                                                                         |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>15</b> | eg $35 \div 5 (= 7)$ <b>or</b> $27 \div 5 (= 5...)$ <b>or</b> $40 \div 5 (= 8)$<br><b>or</b> $5 \times 5 \times 5 (= 125)$ <b>or</b> $27 \times 35 \times 40 (= 37\,800)$<br><b>or</b> $25 \times 35 \times 40 (= 35\,000)$                                                         |      | 4 | M1 for finding the number of boxes that fit along a side of the crate <b>or</b> the volume of the box <b>or</b> the volume taken up by the boxes                                                                                                                                                                        |
|           | eg $7 \times 5 \times 8 (= 280)$ <b>and</b> $5 \times 5 \times 5 (= 125)$<br><b>or</b> $27 - 5 \times 5 (= 2)$<br><b>or</b> $27 \times 35 \times 40 (= 37\,800)$ <b>and</b> $25 \times 35 \times 40 (= 35\,000)$<br><b>or</b> $(37\,800 \div 125) - (7 \times 5 \times 8) (= 22.4)$ |      |   | M1 for finding the total number of boxes that will fit in the crate <b>and</b> the volume of the box<br><b>or</b> the number of cm remaining without a box<br><b>or</b> the volume of the crate and the total volume of the boxes that fit<br><b>or</b> the volume of space left at the top in terms of number of boxes |
|           | $37\,800 - 280 \times 125$ oe eg $37\,800 - 35\,000$<br><b>or</b> $2 \times 35 \times 40$<br><b>or</b> $22.4 \times 125$                                                                                                                                                            |      |   | M1 for a fully correct method to find the volume of space left                                                                                                                                                                                                                                                          |
|           | <i>Correct answer scores full marks (unless from obvious incorrect working)</i>                                                                                                                                                                                                     | 2800 |   | A1 cao                                                                                                                                                                                                                                                                                                                  |
|           |                                                                                                                                                                                                                                                                                     |      |   | <b>Total 4 marks</b>                                                                                                                                                                                                                                                                                                    |

|           |                                                                                                    |    |   |                                                                                                                    |
|-----------|----------------------------------------------------------------------------------------------------|----|---|--------------------------------------------------------------------------------------------------------------------|
| <b>16</b> | $11 \times 6 (= 66)$ <b>or</b> $\frac{16+15+3+2+9+x}{6} = 11$                                      |    | 3 | M1 for a correct calculation for the total <b>or</b> a correct equation for the last card eg using 'x'             |
|           | $16 + 15 + 3 + 2 + 9 + x = "66"$ oe<br>eg $45 + x = "66"$ <b>or</b> $"66" - (16 + 15 + 3 + 2 + 9)$ |    |   | M1 for a correct equation for 'x' with no fraction <b>or</b> a correct calculation for the number on the last card |
|           | <i>Correct answer scores full marks (unless from obvious incorrect working)</i>                    | 21 |   | A1 if the answer line is blank, check the card                                                                     |
|           |                                                                                                    |    |   | <b>Total 3 marks</b>                                                                                               |

|    |                                                                                                                                                                                                                                                                                                       |     |   |                      |                                                                                                                                                                          |
|----|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 17 | $1 - (0.27 + 0.04 + 0.12) (= 0.57)$ oe<br><b>or</b> $2x + 0.27 + 0.04 + x + 0.12 = 1$ oe<br><b>or</b> $0.27 \times 400 (= 108)$ and $0.04 \times 400 (= 16)$<br>and $0.12 \times 400 (= 48)$                                                                                                          |     | 4 | M1                   | for showing a clear understanding that the total of probabilities is 1<br><b>or</b> for finding estimates for the number of times the spinner will land on 2 and 3 and 5 |
|    | $(x =) \text{“}0.57\text{”} \div 3 (= 0.19)$ <b>or</b> $(2x =) \text{“}0.57\text{”} \div 3 \times 2 (= 0.38)$<br><b>or</b> $\frac{400 - \text{“}108\text{”} - \text{“}16\text{”} - 48}{3} (= 76)$ oe<br><b>or</b> $\frac{400 - \text{“}108\text{”} - \text{“}16\text{”} - 48}{3} \times 2 (= 152)$ oe |     |   | M1                   | for a method to find the value of $x$<br><b>or</b> $2x$ <b>or</b> an estimate for the number of times the spinner will land on 4 <b>or</b> 1                             |
|    | $(2 \times \text{“}0.19\text{”} + 0.04 + 0.12) \times 400$<br><b>or</b> $2 \times \text{“}76\text{”} + \text{“}16\text{”} + \text{“}48\text{”}$                                                                                                                                                       |     |   | M1                   | for a complete method                                                                                                                                                    |
|    | Correct answer scores full marks (unless from obvious incorrect working)                                                                                                                                                                                                                              | 216 |   | A1                   | for an answer of 216<br><br>answer of $\frac{216}{400}$ oe scores M3A0                                                                                                   |
|    |                                                                                                                                                                                                                                                                                                       |     |   | <b>Total 4 marks</b> |                                                                                                                                                                          |

|           |                                                                                                                                                                                                                                                |     |   |                      |                                                                                                                                                                                                                                |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|---|----------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>18</b> | eg $200 \div (3 + 2) (= 40)$                                                                                                                                                                                                                   |     | 5 | M1                   | for a method to find one ‘share’ of the ratio                                                                                                                                                                                  |
|           | eg $3 \times “40” (= 120)$ <b>and</b> $2 \times “40”(= 80)$                                                                                                                                                                                    |     |   | M1                   | for a method to find the number of white loaves <b>and</b> the number of brown loaves                                                                                                                                          |
|           | eg $“120” \times 1.50 (= 180)$ oe <b>and</b> $“80” \times 1.75 (= 140)$ oe<br><b>or</b> $“120” \times 0.4 (= 48)$ oe <b>and</b> $“80” \times 0.6 (= 48)$ oe<br><b>or</b> $0.4 \times 1.50 (= 0.6)$ oe <b>and</b> $0.6 \times 1.75 (= 1.05)$ oe |     |   | M1                   | for a method to find income from white loaves <b>and</b> brown loaves<br><b>or</b> number of white loaves <b>and</b> brown loaves that are entirely profit<br><b>or</b> profit from a single white loaf or a single brown loaf |
|           | eg $0.4 \times “180” (= 72)$ oe <b>and</b> $0.6 \times “140”(= 84)$ oe<br><b>or</b> $“48” \times 1.50 (= 72)$ oe <b>and</b> $“48” \times 1.75 (= 84)$ oe<br><b>or</b> $“0.6” \times “120”(= 72)$ oe <b>and</b> $“1.05” \times “80”(= 84)$ oe   |     |   | M1                   | for a complete method to find the total profit for the white loaves <b>and</b> the total profit for the brown loaves                                                                                                           |
|           | <i>Correct answer scores full marks (unless from obvious incorrect working)</i>                                                                                                                                                                | 156 |   | A1                   | cao<br>award SCB4 for an answer of 164 or 174                                                                                                                                                                                  |
|           |                                                                                                                                                                                                                                                |     |   | <b>Total 5 marks</b> |                                                                                                                                                                                                                                |

|    |                                                                                                                                                                                                                                                                                                                                 |                 |   |                                                                                                                                                 |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------|
| 19 | $\frac{7}{3}$ and $\frac{21}{4}$                                                                                                                                                                                                                                                                                                |                 | 3 | M1 may have $\frac{4}{21}$ rather than $\frac{21}{4}$                                                                                           |
|    | $\frac{7}{3} \times \frac{4}{21}$ oe eg $\frac{49}{21} \times \frac{4}{21}$<br><b>or</b> $\frac{28}{12} \div \frac{63}{12}$ oe                                                                                                                                                                                                  |                 |   | M1 for intention to multiply correct improper fraction and inverted fraction <b>or</b> writing the 2 fractions over the same common denominator |
|    | eg $\frac{7}{3} \times \frac{4}{21} = \frac{28}{63} = \frac{4}{9}$ oe<br>eg $\frac{49}{21} \times \frac{4}{21} = \frac{196}{441} = \frac{4}{9}$<br><b>or</b> $\frac{7^1}{3} \times \frac{4}{7^3} = \frac{4}{9}$ oe<br><b>or</b> $\frac{28}{12} \div \frac{63}{12} = \frac{28}{63} = \frac{4}{9}$<br><br><i>Working required</i> | Correctly shown |   | A1 for correctly completing to reach the required answer<br><br>Ignore any decimals used as checking.                                           |
|    |                                                                                                                                                                                                                                                                                                                                 |                 |   | <b>Total 3 marks</b>                                                                                                                            |

|    |                                                                                                                                                               |      |   |                                                                                                                                                                                                                                                                                                                                                |                                                                                            |
|----|---------------------------------------------------------------------------------------------------------------------------------------------------------------|------|---|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------|
| 20 | $5200 \times 1.025 (= 5330)$ oe<br><b>or</b> $5200 \times 0.025 (= 130)$ oe                                                                                   |      | 3 | M1 for a method to find 2.5%<br><b>or</b> 102.5% of 5200                                                                                                                                                                                                                                                                                       | M2 for $5200 \times 1.025^4$ oe<br><b>or</b><br>for $5200 \times 1.025^5 (= 5883\dots)$ oe |
|    | for “5330” $\times 1.025 (= 5463\dots)$ oe<br><b>and</b> “5463.25” $\times 1.025 (= 5599\dots)$ oe<br><b>and</b> “5599.83...” $\times 1.025 (= 5739\dots)$ oe |      |   | M1 for a complete method                                                                                                                                                                                                                                                                                                                       |                                                                                            |
|    | <i>Correct answer scores full marks (unless from obvious incorrect working)</i>                                                                               | 5740 |   | A1 5739 – 5740<br><br><b>SC:</b> If no other marks awarded, award B1 for<br>$5200 \times 0.1 (= 520)$ oe<br>$5200 \times 1.1 (= 5720)$ oe<br>$5200 \times 0.9 (= 4680)$ oe<br>$5200 \times 0.975 (= 5070)$ oe<br>$5200 \times 0.975^4 (= 4699\dots)$ oe<br><br>(accept $(1 + 0.025)$ as equivalent to 1.025 throughout but not $(1 + 2.5\%)$ ) |                                                                                            |
|    |                                                                                                                                                               |      |   | <b>Total 3 marks</b>                                                                                                                                                                                                                                                                                                                           |                                                                                            |

|        |                                                                                 |      |   |                                                                                                                                                |
|--------|---------------------------------------------------------------------------------|------|---|------------------------------------------------------------------------------------------------------------------------------------------------|
| 21 (a) | $\pi \times 8^2 \times h = 1208$ oe <b>or</b> $\frac{1208}{\pi \times 8^2}$ oe  |      | 2 | M1 for setting up an equation in $h$ using the volume of the cylinder <b>or</b> a correct calculation for $h$ (may be seen in stages)          |
|        | <i>Correct answer scores full marks (unless from obvious incorrect working)</i> | 6    |   | A1 accept 6 – 6.02                                                                                                                             |
| (b)    | $\frac{m}{1208} = 1.25$ oe <b>or</b> ( $m =$ ) $1208 \times 1.25 (= 1510)$      |      | 2 | M1 for setting up an equation using $D = M / V$ <b>or</b> for a calculation to find the mass (may convert density to kg/cm <sup>3</sup> first) |
|        | <i>Correct answer scores full marks (unless from obvious incorrect working)</i> | 1.51 |   | A1                                                                                                                                             |
|        |                                                                                 |      |   | <b>Total 4 marks</b>                                                                                                                           |

|    |         |                                                                                                                                                                     |                    |   |                                                                                                                                                                                                                                                                 |
|----|---------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------|---|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 22 | (a)     |                                                                                                                                                                     | $g^7$              | 1 | B1                                                                                                                                                                                                                                                              |
|    | (b)     |                                                                                                                                                                     | $5k^5 + 20k^2$     | 2 | B2 for $5k^5 + 20k^2$<br><br>(B1 for $5k^5$ or $20k^2$ )                                                                                                                                                                                                        |
|    | (c) (i) | $(x \pm 7)(x \pm 9)$                                                                                                                                                |                    | 2 | M1 for $(x \pm 7)(x \pm 9)$<br><b>or</b> for $(x + a)(x + b)$ where $ab = -63$ <b>or</b> $a + b = -2$ where $a$ and $b$ are integers                                                                                                                            |
|    |         | <i>Correct answer scores full marks (unless from obvious incorrect working)</i>                                                                                     | $(x + 7)(x - 9)$   |   | A1 for correct factors                                                                                                                                                                                                                                          |
|    | (ii)    |                                                                                                                                                                     | $-7, 9$            | 1 | B1 must fit from (c)(i) dep on factorising in the form $(x + p)(x + q)$ where $p$ and $q$ are integers                                                                                                                                                          |
|    | (d)     | $-2y - 3y < -12 - 7$ <b>or</b> $7 + 12 < 3y + 2y$<br><br><b>or</b> $7 < 5y - 12$ <b>or</b> $7 - 5y < -12$<br><br><b>or</b> $-2y < 3y - 19$ <b>or</b> $19 - 2y < 3y$ |                    | 3 | M1 for rearrangement with $y$ terms on one side and numerical terms on the other in a correct inequality <b>or</b> the correct simplification of $y$ terms or numbers on one side in a correct inequality<br><br>sign can be = or the incorrect inequality sign |
|    |         | $-5y < -19$ <b>or</b> $19 < 5y$<br><b>or</b> $-y < \frac{-19}{5}$ <b>or</b> $y < \frac{19}{5}$<br><br><b>or</b> $y = \frac{19}{5}$ oe                               |                    |   | M1 for the correct simplification of $y$ terms on one side and numbers on the other side in a correct inequality <b>or</b> a correct inequality with the wrong sign<br><br>sign can be = or the incorrect inequality sign                                       |
|    |         | <i>Correct answer scores full marks (unless from obvious incorrect working)</i>                                                                                     | $y > \frac{19}{5}$ |   | A1 oe eg $y > 3.8$ or $3.8 < y$<br>Must be given as the correct inequality on the answer line                                                                                                                                                                   |
|    |         |                                                                                                                                                                     |                    |   | <b>Total 9 marks</b>                                                                                                                                                                                                                                            |

|    |                                                                                              |    |   |                      |                                                                                                                     |
|----|----------------------------------------------------------------------------------------------|----|---|----------------------|---------------------------------------------------------------------------------------------------------------------|
| 23 | $\frac{14 + AB}{2} \times 15 = 360$ oe<br>or $360 - 14 \times 15 (=150)$ oe                  |    | 6 | M1                   | for setting up an equation using the area of the trapezium <b>or</b> method to find the area of the triangle        |
|    | $AB = 34$ or $MB = 20$ (where $M$ is point on $AB$ such that $MC$ is perpendicular to $AB$ ) |    |   | A1                   | could be seen on diagram                                                                                            |
|    | $(CB^2 =) 15^2 + 20^2 (= 625)$<br>or $(CB^2 =) 15^2 + MB^2$                                  |    |   | M1                   | allow use of their $MB$                                                                                             |
|    | $(CB =) \sqrt{15^2 + 20^2} (= 25)$<br>or $(CB =) \sqrt{15^2 + MB^2}$                         |    |   | M1                   | allow use of their $MB$                                                                                             |
|    | $14 + 15 + "34" + "25"$ oe<br>or $14 + 15 + 14 + MB + CB$ oe                                 |    |   | M1ft                 | (dep on previous two M marks) for a method to find the perimeter of the trapezium, allow use of their $MB$ and $CB$ |
|    | <i>Correct answer scores full marks (unless from obvious incorrect working)</i>              | 88 |   | A1                   | cao                                                                                                                 |
|    |                                                                                              |    |   | <b>Total 6 marks</b> |                                                                                                                     |

|    |  |                         |   |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                         |
|----|--|-------------------------|---|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 24 |  | $y = -\frac{1}{2}x + 1$ | 3 | <p>B3 for <math>y = -\frac{1}{2}x + 1</math> oe but must be in form <math>y = mx + c</math><br/>eg <math>y = -0.5x + 1</math></p> <p>(B2 for <math>(L =) -\frac{1}{2}x + 1</math><br/><b>or</b> for <math>y = -\frac{1}{2}x + c</math><br/><b>or</b> for <math>y = mx + 1</math> where <math>m \neq 0</math><br/><b>or</b> for a correct equation in the incorrect form eg <math>2y + x = 2</math>)</p> <p>(B1 for <math>(L =) -\frac{1}{2}x + c</math><br/><b>or</b> <math>(L =) mx + 1</math> where <math>m \neq 0</math><br/><b>or</b> <math>m = -\frac{1}{2}</math> <b>or</b> gradient = <math>-\frac{1}{2}</math> oe eg <math>\frac{3 - (-1)}{-4 - 4}</math> )</p> |
|    |  |                         |   | <b>Total 3 marks</b>                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |

