

Mathematics A

General Certificate of Secondary Education

Unit **A501/01**: Mathematics A (Foundation Tier)

Mark Scheme for January 2013

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

OCR will not enter into any discussion or correspondence in connection with this mark scheme.

© OCR 2013

Annotations

Annotation	Meaning
	Correct
	Incorrect
	Benefit of doubt
	Follow through
	Ignore subsequent working (after correct answer obtained), provided method has been completed
	Method mark awarded 0
	Method mark awarded 1
	Method mark awarded 2
	Accuracy mark awarded 1
	Independent mark awarded 1
	Independent mark awarded 2
	Misread
	Special case
	Omission sign

These should be used whenever appropriate during your marking.

The **M**, **A**, **B**, etc annotations must be used on your standardisation scripts for responses that are not awarded either 0 or full marks.

It is vital that you annotate these scripts to show how the marks have been awarded.

It is not mandatory to use annotations for any other marking, though you may wish to use them in some circumstances.

Subject-Specific Marking Instructions

1. **M** marks are for using a correct method and are not lost for purely numerical errors.
A marks are for an accurate answer and depend on preceding **M** (method) marks. Therefore **M0 A1** cannot be awarded.
B marks are independent of **M** (method) marks and are for a correct final answer, a partially correct answer, or a correct intermediate stage.
SC marks are for special cases that are worthy of some credit.
2. Unless the answer and marks columns of the mark scheme specify **M** and **A** marks etc, or the mark scheme is 'banded', then if the correct answer is clearly given and is not from wrong working **full marks** should be awarded.

Do not award the marks if the answer was obtained from an incorrect method, ie incorrect working is seen and the correct answer clearly follows from it.

3. Where follow through (**FT**) is indicated in the mark scheme, marks can be awarded where the candidate's work follows correctly from a previous answer whether or not it was correct.

Figures or expressions that are being followed through are sometimes encompassed by single quotation marks after the word *their* for clarity, eg FT $180 \times (\text{their '37' } + 16)$, or FT $300 - \sqrt{(\text{their '5^2' } + 7^2)}$. Answers to part questions which are being followed through are indicated by eg FT $3 \times \text{their (a)}$.

For questions with FT available you must ensure that you refer back to the relevant previous answer. You may find it easier to mark these questions candidate by candidate rather than question by question.

4. Where dependent (**dep**) marks are indicated in the mark scheme, you must check that the candidate has met all the criteria specified for the mark to be awarded.
5. The following abbreviations are commonly found in GCSE Mathematics mark schemes.
 - **figs 237**, for example, means any answer with only these digits. You should ignore leading or trailing zeros and any decimal point eg 237000, 2.37, 2.370, 0.00237 would be acceptable but 23070 or 2374 would not.
 - **isw** means **ignore subsequent working** after correct answer obtained and applies as a default.
 - **nfw** means **not from wrong working**.
 - **oe** means **or equivalent**.
 - **rot** means **rounded or truncated**.
 - **seen** means that you should award the mark if that number/expression is seen anywhere in the answer space, including the answer line, even if it is not in the method leading to the final answer.
 - **soi** means **seen or implied**.

6. In questions with no final answer line, make no deductions for wrong work after an acceptable answer (ie **isw**) unless the mark scheme says otherwise, indicated for example by the instruction 'mark final answer'.
7. In questions with a final answer line following working space,
 - (i) if the correct answer is seen in the body of working and the answer given on the answer line is a clear transcription error allow full marks unless the mark scheme says 'mark final answer'. Place the annotation ✓ next to the correct answer.
 - (ii) if the correct answer is seen in the body of working but the answer line is blank, allow full marks. Place the annotation ✓ next to the correct answer.
 - (iii) if the correct answer is seen in the body of working but a completely different answer is seen on the answer line, then accuracy marks for the answer are lost. Method marks could still be awarded. Use the M0, M1, M2 annotations as appropriate and place the annotation ✕ next to the wrong answer.
8. As a general principle, if two or more methods are offered, mark only the method that leads to the answer on the answer line. If two (or more) answers are offered, mark the poorer (poorest).
9. When the data of a question is consistently misread in such a way as not to alter the nature or difficulty of the question, please follow the candidate's work and allow follow through for **A** and **B** marks. Deduct 1 mark from any **A** or **B** marks earned and record this by using the MR annotation. **M** marks are not deducted for misreads.
10. Unless the question asks for an answer to a specific degree of accuracy, always mark at the greatest number of significant figures even if this is rounded or truncated on the answer line. For example, an answer in the mark scheme is 15.75, which is seen in the working. The candidate then rounds or truncates this to 15.8, 15 or 16 on the answer line. Allow full marks for the 15.75.
11. Ranges of answers given in the mark scheme are always inclusive.
12. For methods not provided for in the mark scheme give as far as possible equivalent marks for equivalent work. If in doubt, consult your Team Leader.
13. Anything in the mark scheme which is in square brackets [...] is not required for the mark to be earned, but if present it must be correct.

Question			Answer	Marks	Part Marks and Guidance	
1	(a)		75	1		
	(b)		27 and 16	1	Both required	
	(c)		16	1		
	(d)		75 and 56	1	Both required	Condone 131
	(e)		7	1		
2	(a)		240	1		
	(b)		11:05 or 2305	1	Accept am or pm etc; accept 1105, 11.05, etc; accept '5 past 11'	
3	(a)		(4, 2)	1		
	(b)		(-5, 3) plotted	1	Condone no/wrong labels if point correct and no 'choice'	
	(c)		(0, -4) plotted	1	Condone no/wrong labels if point correct and no 'choice'	
4			<i>a</i> obtuse <i>b</i> a right angle <i>c</i> reflex	3	1 each	
5	(a)		School	1		
	(b)	(i)	North or N	1		

Question			Answer	Marks	Part Marks and Guidance	
		(ii)	Left or L Right or R Left or L	2	Accept N or NW Accept E or NE B1 for two correct	
6	(a)		134 or 1.34 m	2	M1 for 6.7×20 or for figs 134	
	(b)	(i)	401 and 'Yes'	2	B1 for 401 [and 'No'] Or M1 for adding all five and correct conclusion FT <i>their</i> sum	Allow 2 for estimation method with enough detail to show correct result Allow suitable conclusion also mentioning luggage, etc
		(ii)	80.2 oe	2FT	FT from <i>their</i> (b)(i) M1 for <i>their</i> sum/5	80200 g is equivalent
		(iii)	114	1		
	(c)		60	2	M1 for 1 litre = 1000 ml seen or used or for petrol quantity/50 (may be after conversion attempt) soi by figs 6	eg M1 for 3000
7	(a)		82 or 1 h 22 [min]	1		
	(b)		Frequencies: 2, 12, 6, 0, 1	2	Must be in Frequency column isw B1 for three or four frequencies correct or for all correct tallies in Tally column	

Question			Answer	Marks	Part Marks and Guidance	
	(c)		All heights correct, or correct FT <i>their</i> frequencies	1		Accept freehand
			Bars the same width and with consistent gaps	1	Allow no gaps	Allow omission of a label/space for 70-79, but space must be zero or equal to other bar widths
			Bars labelled correctly	1		
8			B and 25 days, with correct result for A and with correct working for C up to at least 28 to 29 days	6	<p>B5 if correct results for A and B and with correct working for C up to at least 28 to 29 days, but no correct conclusion</p> <p>Or B1 for A lasts 50 days AND B2 for B lasts 25 days Or M1 for 6 a day seen or used AND M1 for $(120 - 5 \times 7)/3$ or $85/3$ or 119 B1 for 28 to 29 or 35 to 36</p>	<p>Accept results in week and days, eg 7 weeks and 1 day for A, but isw after correct number of days</p> <p>Alternative strategy: may work out for eg C and check how much medicine used for that number of days on A and B – allow equivalent marks for each calculation eg B 25 days, with A has used 250 ml and C has used 89 capsules earns all 6 marks</p>
9			UK median = 157, SA median = 153 so UK taller [on average] or No	3	<p>B2 for both medians correct and wrong or no conclusion or for one median correct and correct conclusion FT <i>their</i> wrong median Or B1 for one median correct Or SC1 for both medians clearly indicated on diagrams</p>	Alternate method: equivalent credit for one median correct and showing correctly that less/more than half of other distribution is this height, and then correct conclusion
10	(a)		$8a + 4$ or $4(2a + 1)$ as final answer	2	B1 for one term correct in final answer or for correct version seen and then wrongly 'simplified'	

Question			Answer	Marks	Part Marks and Guidance	
	(b)		$25c + 15r$ or $5(5c + 3r)$ as final answer	2	Condone $t =$, $c25$, $25 \times c$, etc B1 for one term correct in final answer or for correct version seen and then wrongly 'simplified' or spurious 'p'	
	(c)		$[x =] -3$	2	M1 for $5x = -15$ oe or for <i>their</i> answer FT <i>their</i> $ax = b$, with one of a and b correct Or B1 for correct embedded final answer	eg $5x + 15 = 0$ or $x = \frac{2-17}{5}$ or better No FT for $a = 1$ or $b = 0$
	(d)		$18y + 30$ as final answer	1		
	(e)		$5(y - 3)$ as final answer	1	oe Condone omission of final bracket; allow inclusion of multiplication sign	
11			Angle 77° correct	1	Tolerance $\pm 2^\circ$	
			12.2 cm drawn accurately, FT <i>their</i> angle	1	Tolerance ± 2 mm	
			Remaining vertex in correct position FT, with compass arcs drawn correctly	2	B1FT if no compass arcs Or M1FT if correct arcs with error in one of the lengths If they ignore line given and start again, mark accordingly, but for the first mark their line must be 8.5 to 8.9 cm	Use deviation of top left hand vertex from ideal, if in tolerance, to help judge acceptable position for final vertex If in doubt of tolerance, check with the protractor and/or ruler instead of the multi-line overlay
12	(a)		33.6 , $\frac{168}{5}$ or $33\frac{3}{5}$	2	B1 for other answers rounding to 33.6 or for both 282.24 and 8.4 seen oe as fractions	B0 for correct answer seen then spoilt since obtainable from $3.6 \times 2 + 13.2 \times 2$

Question			Answer	Marks	Part Marks and Guidance	
	(b)		$2^3 \times 3 \times 5$	2	Product required but indices need not be used M1 for 2, 3, 5 and no others or for factor tree or division with at least two of 2, 3 and 5 found as factors	
13			998 and 200 correctly on answer lines	3	<p>SC2 for $5 \times 200 - 2 = 998$ seen with answer lines not completed correctly (eg final answer wrong or they may not realise 200th term)</p> <p>Or B1 for 998 on an answer line And M1 for 200 on an answer line or for $5n - 2 = 998$ or $5n = 1000$ or for at least two correct trials of $5n - 2$ with outcomes between 900 and 1100 for clear values of n, with n an integer</p> <p>If 0 in question, then SC1 for 3, 8 and 13 found (first three terms) or for any three trials of $5n - 2$ with correct outcomes for clear values of n, with n an integer</p>	SC2 for eg $n = 200 \rightarrow 998$ oe

OCR (Oxford Cambridge and RSA Examinations)
1 Hills Road
Cambridge
CB1 2EU

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; 1 Hills Road, Cambridge, CB1 2EU
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2013

