

GCSE (9–1)

Combined Science A (Gateway Science)

J250/04: Paper 4 (Foundation Tier)

General Certificate of Secondary Education

Mark Scheme for June 2019

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2019

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

Seen needs to be placed on Page 24, and in the spaces after.

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science A:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

For answers to Section A if an answer box is blank ALLOW correct indication of answer e.g. circled or underlined.

Question	Answer	Marks	AO element	Guidance
1	A	1	1.1	
2	A	1	1.1	
3	C	1	1.1	
4	B	1	2.1	
5	B	1	1.1	
6	A	1	2.1	
7	A	1	1.1	
8	D	1	1.2	
9	B	1	2.1	
10	B	1	2.2	

Question			Answer	Marks	AO element	Guidance
11	(a)	(i)	Sodium ✓	1	2.1	
		(ii)	Any one from: Use a safety screen ✓ Use a small piece of D/sodium ✓ Use a fume cupboard ✓ Wear (safety) goggles ✓ Use tongs to pick up D/sodium ✓ Use cold water ✓	1	2.2	ALLOW children far away ALLOW eye protection IGNORE masks
		(iii)	Hydrogen: Lighted splint (into gas) and (loud/squeaky) pop / AW ✓ Oxygen: glowing splint (into gas) and splint does not relight / AW ✓	2	2×3.2b	ALLOW add flame IGNORE squeaky pop test IGNORE light and blow out a splint
		(iv)	easy to lose 1 electron / easy to form a positive ion ✓	1	1.1	ALLOW lose electrons easily/readily ALLOW they have 1 electron in outer shell
	(b)	(i)	FIRST CHECK ANSWER ON ANSWER LINE If answer = 3 award 2 marks $1.532 \div 0.534 / 2.8689.....$ ✓ $= 3$ ✓	2	2×2.2	ALLOW 2.8/2.9 ALLOW a correctly evaluated and rounded one sf answer from an incorrect method (e.g. $1.532 - 0.534 = 0.998$ and answer given as 1)

Question			Answer	Marks	AO element	Guidance
		(ii)	(Density = $(\frac{1}{2} (0.968 + 0.855)) = 0.9(115) \text{ (g/cm}^3\text{)} \checkmark$	1	2.2	ALLOW correct rounding or truncating
		(iii)	Accept 1.40 – 2.80 (g/cm ³) $\checkmark$	1	3.2a	
	(c)	(i)	$2\text{KBr} + \text{Cl}_2 \rightarrow 2\text{KCl} + \text{Br}_2 \checkmark$	1	2.2	BOTH required ALLOW multiples
		(ii)	Potassium bromide $\checkmark$	1	2.1	
		(iii)	Bromine less reactive (than chlorine) / ORA $\checkmark$ Bromine displaced/replaced by chlorine $\checkmark$	2	2×1.1	Chlorine is more reactive (than bromine) Chlorine displaces bromine DO NOT ALLOW chloride / bromide

Question			Answer	Marks	AO element	Guidance
12	(a)	(ii)	= ✓	1	1.1	ALLOW equal(s)
	(b)		The reaction can go both ways/forwards and backwards/backwards ✓	1	1.1	ALLOW the reaction /it can (be made to) go backwards / products to reactants IGNORE it can be undone/it changes back to original state /reversible/in reverse
	(c)	(i)	(Burning) fossil fuels (in power plants/industry) ✓ (using) diesel/petrol (in vehicles) ✓ (using) diesel/petrol (in generators) ✓ (using) fuel oil (in ships) ✓ volcanoes✓	1	1.1	ALLOW named fossil fuel
		(ii)	Any two from: damages/kills/destroy / trees / crops / habitats ✓ damages/kills aquatic / marine animals / acidifies waterways ✓ corrosion of buildings / statues / limestone / marble ✓ corrodes metals ✓ respiratory/breathing problems/asthma ✓	2	2×1.1	IGNORE pollution IGNORE acid rain IGNORE greenhouse gas/global warming/climate change IGNORE kills animals unqualified IGNORE harmful ALLOW deforestation ALLOW erodes buildings IGNORE harmful unqualified /dangerous/toxic

Question		Answer	Marks	AO element	Guidance
	(d)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 49.9 (%) award 3 marks</p> <p>$\{32.0 \div 64.1\} \times 100 \checkmark$ $= 49.92199 \dots \checkmark$ $= 49.9 (\%) (1dp) \checkmark$</p>	3	<p>2×2.2</p> <p>1.2</p>	<p>ALLOW for 2 marks: $32.0 \div 64.1 = 0.49921 \dots \checkmark$ $= 0.5 \checkmark$</p> <p>OR</p> <p>$16 \div 64.1 = 24.96 \checkmark$ $= 25.0 \checkmark$</p> <p>OR</p> <p>A method with one error</p> <p>ALLOW for 1 mark $\% S \quad \{32.1 \div 64.1\} \times 100 = 50.1(\%) \checkmark$</p> <p>OR</p> <p>$16/48.1 \times 100 = 33.3 (\%) \checkmark$</p> <p>ALLOW a correctly evaluated and rounded answer from an incorrect method using both 16 and 32.1 to give an answer with 1 dp (e.g. $16/32.1 = 49.8$)</p>
	(e)	<p>FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 3100 (kilotonnes) award 2 marks</p> <p>In 1975: amount ≈ 3200 In 2015: amount $\approx 100 \checkmark$</p> <p>Decrease = $3200 - 100 = 3100$ (kilotonnes) $\checkmark$</p>	2	2×2.2	<p>ALLOW 3050 – 3150 inclusive for 2 marks</p> <p>ALLOW ecf from one incorrect value provided subtraction shown for 1 mark</p>

[illegible]

Question	Answer	Marks	AO element	Guidance
14	<p>* Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</p> <p>Level 3 (5–6marks) Detailed explanation relating boiling points from table to intermolecular forces and average number of carbon atoms per chain.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Detailed explanation relating boiling points from table to average number of carbon atoms per chain. OR Detailed explanation relating boiling points from table to intermolecular forces. OR Detailed explanation relating intermolecular forces and average number of carbon atoms per chain.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) An attempt to relate boiling points from table to average number of carbon atoms per chain. OR An attempt to relate boiling points from table to intermolecular forces. OR An attempt to relate intermolecular forces and average number of carbon atoms per chain.</p>	6	3×3.1a 3×1.1	<p>AO1.1 Demonstrate knowledge and understanding of scientific ideas concerning the separation of crude oil by fractional distillation</p> <ul style="list-style-type: none"> • Longer/larger/more carbon hydrocarbons have stronger inter-molecular forces • Stronger/more intermolecular forces result in a higher boiling point • More energy needed to overcome stronger intermolecular forces • Different fractions condense at different heights/ boiling points/temperatures so get separated • Longer/larger hydrocarbons have stronger inter-molecular forces <p>AO3.1a Analyse information and ideas to interpret data from table</p> <ul style="list-style-type: none"> • Fractions with lower boiling points condense further up column • Column cooler at the top/hotter at the bottom • As column height increases, boiling points decrease / ORA • As column height increases, number of carbon atoms per chain decreases /ORA • larger molecules have higher b.pt. / ORA

Question			Answer	Marks	AO element	Guidance
			<p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>			

Question			Answer	Marks	AO element	Guidance
15	(a)		Less waste sent to landfill ✓ (Because) more is recycled / more is burned (to produce energy) / public more aware of recycling/environmental issues due to landfill / want to reduce greenhouse gases / conserve finite resources / less bin collections for landfill ✓	2	3.1a 2.1	Description and explanation are required for 2 marks
			Or More waste recycled ✓ (because) less waste sent to landfill / public more aware of recycling/environmental issues due to landfill / conserve finite resources / government promotion/ less bin collections for landfill ✓		3.1a 2.1	
			Or More is burned (to produce energy) ✓ (because) less waste sent to landfill / Save fossil fuels / (it is an) alternative/renewable resource ✓		3.1a 2.1	ALLOW other valid explanations

Question			Answer	Marks	AO element	Guidance
	(b)		Any one from: expensive ✓ (hot) water wasted/used ✓ (material) needs cleaning ✓ need collecting/transporting/sorting/separating ✓ lots of/more energy / fuel wasted/used ✓ time consuming ✓ pollution/emissions produced ✓ quality deteriorates ✓	1	1.1	IGNORE not all materials can be recycled

Question			Answer	Marks	AO element	Guidance
16	(a)		$\text{Mg} + 2\text{HCl} \rightarrow \text{MgCl}_2 + \text{H}_2$ Formulae ✓ Balancing ✓	2	2.1 2.2	ALLOW any correct multiple, including fractions ALLOW = / $\rightleftharpoons$ instead of $\rightarrow$ NOT and / & instead of + balancing mark is dependent on the correct formulae but ALLOW 1 mark (M2) for a balanced equation with a minor error in subscripts / formulae eg $\text{MG} + 2\text{HCl} \rightarrow \text{MgCl}_2 + \text{H}_2$
	(b)	(i)	Concentration (of the acid) ✓	1	3.3a	IGNORE volume/amount
		(ii)	Any two from: (Keep) mass/amount of Mg (constant/ the same) ✓ (Keep) temperature (constant/ the same) ✓ (Keep) surface area (of Mg the constant/ the same) ✓	2	2×3.3a	IGNORE volume of acid ALLOW (Keep) size/length of Mg (constant/ the same) ALLOW (Keep) type of acid (the same) ✓ ALLOW 1 mark for magnesium unqualified if no other mark given.

Question		Answer	Marks	AO element	Guidance
	(c)	<p>Any one from: Stopwatch not reset ✓</p> <p>Equipment not washed out (properly after use) ✓</p> <p>Concentration of acid incorrect ✓</p> <p>Volume/amount of acid incorrect or mass/amount Mg added incorrect ✓</p> <p>reaction mixture not stirred consistently / AW ✓</p>	1	3.3a	<p>ALLOW stopwatch started or stopped late/early ALLOW stopwatch misread ALLOW timed incorrectly</p> <p>ALLOW different sizes of magnesium</p> <p>IGNORE references to temperature</p>
	(d)	<p>As concentration increases, rate of reaction increases / time for reaction decreases / ORA ✓</p> <p>(Greater concentration means) more particles in same volume / ORA ✓</p> <p>So more collisions per second / greater chance of a collision / more frequent collisions / ORA ✓</p>	3	<p>3.2a</p> <p>1.1</p> <p>1.1</p>	<p>ALLOW molecules/ions/atoms for particles through out</p> <p>ALLOW Rate stays constant after 0.8 (mol/dm³) / at higher concentration</p> <p>ALLOW more crowded particles / AW</p> <p>DO NOT ALLOW particles have more energy</p> <p>AW</p>

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2019

