

GCSE (9-1)

Combined Science B (Twenty First Century)

Unit **J260/02**: Chemistry

General Certificate of Secondary Education

Mark Scheme for June 2018

OCR (Oxford Cambridge and RSA) is a leading UK awarding body, providing a wide range of qualifications to meet the needs of candidates of all ages and abilities. OCR qualifications include AS/A Levels, Diplomas, GCSEs, Cambridge Nationals, Cambridge Technicals, Functional Skills, Key Skills, Entry Level qualifications, NVQs and vocational qualifications in areas such as IT, business, languages, teaching/training, administration and secretarial skills.

It is also responsible for developing new specifications to meet national requirements and the needs of students and teachers. OCR is a not-for-profit organisation; any surplus made is invested back into the establishment to help towards the development of qualifications and support, which keep pace with the changing needs of today's society.

This mark scheme is published as an aid to teachers and students, to indicate the requirements of the examination. It shows the basis on which marks were awarded by examiners. It does not indicate the details of the discussions which took place at an examiners' meeting before marking commenced.

All examiners are instructed that alternative correct answers and unexpected approaches in candidates' scripts must be given marks that fairly reflect the relevant knowledge and skills demonstrated.

Mark schemes should be read in conjunction with the published question papers and the report on the examination.

© OCR 2018

Annotations available in RM Assessor

Annotation	Meaning
	Correct response
	Incorrect response
	Omission mark
	Benefit of doubt given
	Contradiction
	Rounding error
	Error in number of significant figures
	Error carried forward
	Level 1
	Level 2
	Level 3
	Benefit of doubt not given
	Noted but no credit given
	Ignore

Abbreviations, annotations and conventions used in the detailed Mark Scheme (to include abbreviations and subject-specific conventions).

Annotation	Meaning
/	alternative and acceptable answers for the same marking point
✓	Separates marking points
DO NOT ALLOW	Answers which are not worthy of credit
IGNORE	Statements which are irrelevant
ALLOW	Answers that can be accepted
()	Words which are not essential to gain credit
—	Underlined words must be present in answer to score a mark
ECF	Error carried forward
AW	Alternative wording
ORA	Or reverse argument

Subject-specific Marking Instructions**INTRODUCTION**

Your first task as an Examiner is to become thoroughly familiar with the material on which the examination depends. This material includes:

- the specification, especially the assessment objectives
- the question paper
- the mark scheme.

You should ensure that you have copies of these materials.

You should ensure also that you are familiar with the administrative procedures related to the marking process. These are set out in the OCR booklet **Instructions for Examiners**. If you are examining for the first time, please read carefully **Appendix 5 Introduction to Script Marking: Notes for New Examiners**.

Please ask for help or guidance whenever you need it. Your first point of contact is your Team Leader.

The breakdown of Assessment Objectives for GCSE (9-1) in Combined Science B:

	Assessment Objective
AO1	Demonstrate knowledge and understanding of scientific ideas and scientific techniques and procedures.
AO1.1	Demonstrate knowledge and understanding of scientific ideas.
AO1.2	Demonstrate knowledge and understanding of scientific techniques and procedures.
AO2	Apply knowledge and understanding of scientific ideas and scientific enquiry, techniques and procedures.
AO2.1	Apply knowledge and understanding of scientific ideas.
AO2.2	Apply knowledge and understanding of scientific enquiry, techniques and procedures.
AO3	Analyse information and ideas to interpret and evaluate, make judgements and draw conclusions and develop and improve experimental procedures.
AO3.1	Analyse information and ideas to interpret and evaluate.
AO3.1a	Analyse information and ideas to interpret.
AO3.1b	Analyse information and ideas to evaluate.
AO3.2	Analyse information and ideas to make judgements and draw conclusions.
AO3.2a	Analyse information and ideas to make judgements.
AO3.2b	Analyse information and ideas to draw conclusions.
AO3.3	Analyse information and ideas to develop and improve experimental procedures.
AO3.3a	Analyse information and ideas to develop experimental procedures.
AO3.3b	Analyse information and ideas to improve experimental procedures.

Question			Answer	Marks	AO element	Guidance																					
1	(a)		He swapped the position of some elements to fit the pattern of properties ✓ He left gaps for undiscovered elements ✓	2	2 x 1.1																						
	(b)		<table><tr><td>Name of element</td><td>Fluorine</td><td>Sodium</td></tr><tr><td>Group number</td><td>7 / 17 ✓</td><td></td></tr><tr><td>Atomic number</td><td></td><td></td></tr><tr><td>Relative Atomic Mass</td><td></td><td>23 ✓</td></tr><tr><td>Number of protons</td><td></td><td>11 ✓</td></tr><tr><td>Number of electrons</td><td>9 ✓</td><td></td></tr><tr><td>Number of neutrons</td><td></td><td>12 ✓</td></tr></table>	Name of element	Fluorine	Sodium	Group number	7 / 17 ✓		Atomic number			Relative Atomic Mass		23 ✓	Number of protons		11 ✓	Number of electrons	9 ✓		Number of neutrons		12 ✓	5	1 x 1.1 4 x 2.1	
Name of element	Fluorine	Sodium																									
Group number	7 / 17 ✓																										
Atomic number																											
Relative Atomic Mass		23 ✓																									
Number of protons		11 ✓																									
Number of electrons	9 ✓																										
Number of neutrons		12 ✓																									

Question			Answer	Marks	AO element	Guidance
2	(a)			3	3 x 1.1	All correct = 3 3 correct = 2 2 correct = 1
			Hydrogen and oxygen combine to form water.			
			Ice melts to form water.			
			Water vapour condenses to form water.			
	(b)		Methane burns to form water and carbon dioxide.	3	3 x 1.1	One mark per row For distance between particles if close together not indicated for liquids, look for responses that clearly indicate progression from solid to liquid to gas. For solid ALLOW Do not move / moves slightly / For gas ALLOW move randomly / fast / rapidly / IGNORE more energy / bounce
	(c)			2	2 x 1.1	If no other marks scored ALLOW idea that the stronger the forces between molecules / particles the higher the boiling point / ORA ✓ ALLOW heat for energy

Question			Answer	Marks	AO element	Guidance
3	(a)		Hydrocarbons ✓	1	1.1	
	(b)	(i)	Carbons increase by one ✓ Hydrogens increase by two ✓	2	2 x 2.1	ALLOW Carbon and Hydrogen BOTH increase for 1 mark only ✓
		(ii)	Pentane ✓ melting point is below 20°C ✓ boiling point is above 20°C ✓	3	3.2b 2.1 x 2	ALLOW becomes a liquid at -130°C ✓ ALLOW becomes a gas at +36°C ✓ ALLOW 20°C is between the melting point and boiling point (of pentane) for 2 marks ✓✓
		(iii)	Melting points increase ✓ Boiling points increase ✓	2	2 x 2.1	ALLOW both increase for 2 marks ✓✓
		(iv)	Propane ✓ Melting point lower than expected / trend would give ✓	2	3.2b 2.1	
	(c)		C ₈ ✓ H ₁₈ ✓	2	2.1 2.2	
	(d)		Fractional distillation ✓	1	1.1	
	(e)		Two electrons shared with each hydrogen ✓ No extra electrons ✓	2	2 x 2.2	diagrams showing 4 outer electrons from C and each H with 1 outer electron but NOT paired up scores 1 mark ✓

Question			Answer	Marks	AO element	Guidance
4	(a)	(i)	Copper is unreactive ✓	1	1.1	
	(b)		Copper carbonate ✓ Copper hydroxide ✓	2	2 x 2.1	
	(c)	(i)	Filtration ✓	1	1.2	
		(ii)	Heats solution ✓ To evaporate water / liquid ✓ Until crystals begin to form / solution is saturated ✓ leave to cool / leave to stand ✓	4	2 x 1.2 2 x 2.2	ALLOW “use a Bunsen burner” only if used to describe a heating process “heat to dryness” CONS MP3 and MP4
	(d)		FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 2 (kg) award 2 marks $(4.0 \div 10) \times 5$ ✓ = 2 (kg) ✓	2	2 x 2.2	

Question			Answer	Marks	AO element	Guidance
5	(a)			3	3 x 1.1	
			Statement			
			True for diamond			
			True for graphite			
			True for both			
			Every bond in the structure is the same.			
			Solid conducts electricity.			
			Atoms are joined in a giant structure.			
	(b)		Atoms in graphite are in layers ✓	2	2 x 1.1	
			Forces between layers in graphite are weak ✓			

Question	Answer	Marks	AO element	Guidance
6*	<p><i>Please refer to the marking instructions on page 4 of this mark scheme for guidance on how to mark this question.</i></p> <p>Level 3 (5–6 marks) Chooses nylon. AND Justifies choice by discussing the advantages or disadvantages of nylon, and by comparing with the other fibres.</p> <p><i>There is a well-developed line of reasoning which is clear and logically structured. The information presented is relevant and substantiated.</i></p> <p>Level 2 (3–4 marks) Makes a choice AND Justifies the choice by comparing with another fibre. OR Justifies choice by discussing the advantages or disadvantages of chosen fibre.</p> <p><i>There is a line of reasoning presented with some structure. The information presented is relevant and supported by some evidence.</i></p> <p>Level 1 (1–2 marks) Makes a choice with an advantage or disadvantage</p> <p><i>There is an attempt at a logical structure with a line of reasoning. The information is in the most part relevant.</i></p> <p>0 marks <i>No response or no response worthy of credit.</i></p>	6	3.1b x 4 3.2b x 2	<p>Indicative scientific points may include: AO3.1b Comparisons of advantages and disadvantages of the fibres</p> <p>For example:</p> <ul style="list-style-type: none"> • Manila renewable source • Kevlar/nylon not from renewable source • manila/Kevlar heavier than nylon • manila/Kevlar do not stretch very much • manila absorbs too much water • nylon/Kevlar absorb little water • Kevlar very strong • manila is the weakest <p>AO3.2b links these advantages and disadvantages to choice of best fibre</p> <p>For example:</p> <ul style="list-style-type: none"> • Nylon is the lightest because less dense • Nylon has the best stretch • Nylon absorbs less water so light when wet • Nylon less strong than Kevlar but other properties better • Kevlar strongest but poor stretch • Manila because from renewable source but other properties worse

Question			Answer	Marks	AO element	Guidance															
7	(a)		<table><tr><th>Statement</th><th>True</th><th>False</th></tr><tr><td>A formulation is a fixed mixture of pure substances.</td><td>✓</td><td></td></tr><tr><td>A formulation contains all the same type of atoms.</td><td></td><td>✓</td></tr><tr><td>A pure substance contains only one compound or element.</td><td>✓</td><td></td></tr><tr><td>All pure substances are safe to eat.</td><td></td><td>✓</td></tr></table>	Statement	True	False	A formulation is a fixed mixture of pure substances.	✓		A formulation contains all the same type of atoms.		✓	A pure substance contains only one compound or element.	✓		All pure substances are safe to eat.		✓	2	2 x 1.1	4 correct = 2 marks 3 or 2 correct = 1 mark 1 or 0 correct = 0 mark
Statement	True	False																			
A formulation is a fixed mixture of pure substances.	✓																				
A formulation contains all the same type of atoms.		✓																			
A pure substance contains only one compound or element.	✓																				
All pure substances are safe to eat.		✓																			
	(b)	(i)	Hydrochloric acid → Calcium chloride + carbon dioxide + water ✓	1	2.1																
		(ii)	Tablet dissolves / gets smaller ✓	1	1.2																
		(iii)	Turns limewater cloudy ✓	1	1.2																
	(c)	(i)	208.04(g) ✓	1	1.2																
		(ii)	1.8(0) (g) ✓	1	1.2																
	(d)		Any two from: Crush the tablets ✓ Stir the solution ✓ Add a catalyst ✓ Heat the solution ✓ Use more <u>concentrated</u> acid ✓	2	2x 3.3b	 IGNORE use stronger acid															
	(e)	(i)	2.5(g) ✓	1	1.2																

Question			Answer	Marks	AO element	Guidance
		(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 1.10(g) award 2 marks appropriate marks on graph ✓ 1.1(0) (g) ✓	2	2 x 2.2	ALLOW ecf from e(i) provided that the appropriate construction lines are drawn onto their graph and the value is read correctly from the y-axis. ALLOW +/- ½ square (1.08 – 1.12 scores 2 marks)
8	(a)		neutralisation ✓	1	1.1	
	(b)		BAED (C) B first and D last ✓ AE together in that order ✓	2	2 x 1.2	
	(c)	(i)	pipette ✓	1	1.2	
		(ii)	burette ✓	1	1.2	
	(d)	(i)	add acid until nearly at rough trial/20-22cm ³ ✓ then add acid dropwise / slowly / idea of getting more precise reading for repeats ✓	2	2 x 1.2	
		(ii)	1.4 (cm ³) ✓	1	2.2	ALLOW 22.1 – 23.5 (cm ³) ✓
		(iii)	22.1(cm ³) ✓ Much lower than the rest ✓	2	2 x 2.2	ALLOW repeat 3 ✓ ALLOW value is not close to the others/AW ✓
		(iv)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 23.5(cm³) award 3 marks (23.4+23.5+23.5)/3 ✓ Correct evaluation of calculation = 23.466 ✓ conversion to 3sf = 23.5 (cm ³) ✓	3	3 x 2.2	If other volumes from table are included then first marking point lost but other marking points can be awarded on error carried forward.

Question			Answer	Marks	AO element	Guidance
9	(a)			3	3 x 1.1	Mark links to states and links to colours separately. all correct links = 3 marks 4/5 correct links = 2 marks 2/3 correct links = 1 mark
	(b)	(i)	Less reactive down the group / ORA ✓	1	3.1a	ALLOW reactions take longer / react less / more energy needed down the group.
		(ii)	(Yes because) chlorine is less reactive than fluorine ✓ More reactive than bromine ✓	2	2 x 3.1b	ALLOW chlorine is between fluorine and bromine for 1 mark.
	(c)	(i)	2K AND 2KBr ✓	1	2.2	ALLOW correct multiples
		(ii)	(Magnesium) 2 electrons in outer shell, (Aluminium) 3 electrons in outer shell ✓ Mg ²⁺ , Al ³⁺ ✓ Mg Br ₂ , Al Br ₃ ✓	3	3 x 2.1	1 mark per column ALLOW Mg ⁺² , Al ⁺³

Question			Answer	Marks	AO element	Guidance
10	(a)		Provide alternative route ✓ With lower activation energy ✓	2	2 x 1.1	
	(b)		Low volume - less catalyst needed / less expensive ✓ High surface area - more (chance of) collision / reaction ✓	2	2 x 2.1	ALLOW less metal ✓
	(c)	(i)	Smaller particle size has bigger surface area to volume ratio / 10 x particle size is 1/10 th surface area to volume ratio ✓	1	3.1a	
		(ii)	FIRST CHECK THE ANSWER ON ANSWER LINE If answer = 0.6 (nm⁻¹) award 4 marks 10 x 10 / 100 (calculation of surface area of 1 face) ✓ (10 x 10) x 6 / 600 (calculation of total surface area) ✓ 10x10x10 / 1000 (calculation of volume) ✓ Surface area ÷ volume correctly evaluated ✓	4	4 x 2.2	ALLOW 0.6 : 1 / 6 : 10 for 4 marks

OCR (Oxford Cambridge and RSA Examinations)
The Triangle Building
Shaftesbury Road
Cambridge
CB2 8EA

OCR Customer Contact Centre

Education and Learning

Telephone: 01223 553998

Facsimile: 01223 552627

Email: general.qualifications@ocr.org.uk

www.ocr.org.uk

For staff training purposes and as part of our quality assurance programme your call may be recorded or monitored

Oxford Cambridge and RSA Examinations
is a Company Limited by Guarantee
Registered in England
Registered Office; The Triangle Building, Shaftesbury Road, Cambridge, CB2 8EA
Registered Company Number: 3484466
OCR is an exempt Charity

OCR (Oxford Cambridge and RSA Examinations)
Head office
Telephone: 01223 552552
Facsimile: 01223 552553

© OCR 2018

 **Cambridge
Assessment**

