M1. (a) (i) Z

1

(ii) X

1

(b) (i) moving randomly

1

(ii) stronger than

1

(c) (i) evaporation

1

(ii) any **one** from:

- becomes windy
- temperature increases
  accept (becomes) sunny"the sun" alone is insufficient
- less humid

1

[6]

M2. (a) (i) random distribution of circles in the box with at least 50 % of circles touching

1

random distribution of circles occupies more than 50 % of the space

judged by eye

1

(ii) (large) gaps between particles

accept particles do not touch

accept particles are spread out

1

(so) easy to push particles closer (together)

or

forces between particles are negligible / none

an answer in terms of number of particles is insufficient

1

(b) (i) (both are) random

accept a correct description of random eg unpredictable or move around freely or in all directions

they take up all the space is insufficient

they are spread out is insufficient

they move in straight lines is insufficient

1

(ii) (speed also) increases

1

[6]

M3.(a) Student A's measurements had a higher resolution

1

Student B was more likely to misread the temperature

1

(b) a random error

1

(c) 8.4 °C

1

(d) 740 (seconds)

allow answers in the range 730 – 780

1

(e) 0.40 × 199 000

1

79 600 (J)

1

*accept 79 600 (J) with no working shown for **2** marks*

(f) stearic acid has a higher temperature than the surroundings

accept stearic acid is hotter than the surroundings

1

temperature will decrease until stearic acid is the same as the room temperature / surroundings

1

[9]