M1. (a) (i) £150

gets 2

Else 1000 – (250 + 350 + 100 + 150) or 1000 – 850

gets 1

2

(ii) (Named) floor covering
OR Insulation under floor

for 1 mark

1

(b) (i) Draught proof doors or fibre glass in loft or in cavity
For draught proofing

gains 1 mark

Very low cost/easy to install
Repays for itself quickly/cost recuperated quickly
Reasonable energy saving

any 2 for 1 mark each

For loft insulation

Second lowest installation cost/easy to install
Reasonable large energy savings for this cost
Reasonable payback time

gains 1 mark

For foam filled cavity
Biggest energy/cash saving
Cost effective

any 2 for 1 mark each

3

(ii) **Double glazing**

gains 1 mark

Costs most

Saves least energy
Least cost effective

any 2 for 1 mark each

3

[9]

M2. (a) conduction

*do **not** accept conductor*

1

(b) the freezer

both parts needed

greater <u>temperature</u> difference (between freezer and room)

*do **not** accept because it is the coldest*

1

(c) any **two** from:

- poor absorber of heat / radiation

  accept does not absorb heat poor emitter of heat / radiation is neutral

- reflects heat / radiation (from room away from fridge-freezer)

- reduces heat transfer <u>into</u> the fridge-freezer

- reduces power consumption of fridge-freezer

  *do **not** accept it is a bad conductor / good insulator*

2

[4]

M3. (i) currents of moving liquids/gases/fluids carrying/transferring energy
(can name fluid)

1

(ii) liquids/gases **expand** when their temperature rises/when they are heated

the **density** of the heated liquid/gas is then **less** than that of the colder liquid/gas which has not been heated

the warmer/less dense liquid/gas **then rises** through the colder/denser liquid/gas

the **colder/denser liquid/gas falls** to replace the liquid/gas which has risen, and in turn becomes heated

for 1 mark each

4

[5]

M4. (a) ions / electrons gain (kinetic) energy

accept atom / particles / molecules for ion
accept ions vibrate faster
accept ions vibrate with a bigger amplitude
accept ions vibrate more
do not accept ions move faster

1

(free) electrons transfer energy by collision with ions
or energy transferred by collisions between vibrating ions

1

(b) move faster or take up more space

*do **not** accept start to move / vibrate*

1

(warmer) water expands **or** becomes less dense (than cooler water)

*do **not** accept answers in terms of particles expanding*

1

warm water rises (through colder water) **or** colder water falls to take its place

1

(c) transfer of energy by waves / infrared (radiation)

accept rays for waves
*do **not** accept transfer of energy by electromagnetic waves*
ignore reference to heat

1

[6]

M5. (a) there are strong forces (of attraction) between the particles in a solid

accept molecules / atoms for particles throughout
accept bonds for forces

1

(holding) the particles close together

particles in a solid are less spread out is insufficient

1

or

(holding) the particles in a fixed pattern / positions

but in a gas the forces between the particles are negligible

accept very small / zero for negligible
accept bonds for forces

1

so the particles spread out (to fill their container)

accept particles are not close together
gas particles are not in a fixed position is insufficient

1

(b) (i) particles are (shown) leaving (the liquid / container)

accept molecules / atoms for particles throughout
accept particles are escapingparticles are getting further apart is insufficient

1

(ii) *accept molecules / atoms for particles throughout*
accept speed / velocity for energy throughout

particles with most energy leave the (surface of the) liquid

accept fastest particles leave the liquid

1

so the <u>mean / average</u> energy of the remaining particles goes down

1

and the lower the average energy (of the particles) the lower the temperature (of the liquid)

1

[8]

M6. (a) any **two** from:

- (air) particles / molecules / atoms gain energy
- (air) particles / molecules / atoms move faster
  *do **not** accept move more*
  *do **not** accept move with a bigger amplitude / vibrate more*
- (air) particles / molecules / atoms move apart
- air expands
  ignore particles expand
- air becomes less dense
  ignore particles become less dense
- warm / hot air / gases / particles rise
  *do **not** accept heat rises*
  answers in terms of heat particles negates any of the mark points that includes particles

2

(b) (i) any **two** from

- free / mobile electrons gain (kinetic) energy
  accept free / mobile electrons move faster
  accept vibrate faster for gain energy
- free electrons collide with other (free) electrons / ions / atoms / particles
- atoms / ions / particles collide with other atoms / ions / particles
  answers in terms of heat particles negates this mark point

2

(ii) (faster) energy / heat transfer to room(s) / house
accept room(s) / house gets warm(er)
accept lounge / bedroom / loft for rooms

1

[5]

M7. (a) air near freezer compartment is cooled or loses energy

accept air at the top is cold

1

cool air is (more) dense or particles close(r) together (than warmer air)

*do **not** allow the particles get smaller / condense*

1

so (cooler) air falls

1

air (at bottom) is displaced / moves upwards / rises

*do **not** allow heat rises*

accept warm air (at the bottom) rises

1

(b) if volume is doubled, energy use is not doubled

or

volume ÷ energy not a constant ratio

1

correct reference to data, eg 500 is 2×250 but 630 not 2×300

1

(c) accept suitable examples, eg

advantage:

- reduces emissions into atmosphere
- lower input power or uses less energy or wastes less energy
- costs less to run

cost of buying or installing new fridge is insufficient

ignore reference to size of fridge

1

disadvantage:

- land fill
- energy waste in production
- cost or difficulty of disposal
- transport costs

1

[8]

M8. (a) conduction

1

(b) 35 000

1

(c) 500

*their (b) = 2 x c x 35 correctly calculated scores **2** marks*

*allow **1** mark for correct substitution,*

ie 35000 = 2 x c x 35

or

their (b) = 2 x c x 35

2

J / kg°C

1

(d) energy lost to surroundings

or

energy needed to warm heater

accept there is no insulation (on the copper block)

*do **not** accept answers in terms of human error or poor results or defective equipment*

1

[6]

M9. (a) conduction

1

(b) (i) there is a bigger temperature difference between the water and the surrounding air

accept the water is hottest / hotter

1

so the transfer of energy (from hot water) is faster

accept heat for energy

ignore temperature falls the fastest

1

(ii) 120

*allow **1** mark for converting kJ to J correctly, ie 4 032 000*

or

correctly calculating temperature fall as 8°C

or

allow **2** marks for correct substitution, ie 4 032 000 = m × 4200 × 8

answers of 0.12, 19.2 **or** 16.6 gain **2** marks

answers of 0.019 **or** 0.017 gain **1** mark

3

(iii) water stays hot for longer

1

so heater is on for less time

accept so less energy needed to heat water

1

so cost of the jacket is soon recovered from) lower energy costs / bills

accept short payback time

1

[9]