M1. (a) north (pole)

accept N

north (pole)

both needed for mark

1

(b) reverses

accept changes direction

1

(c) (i) first finger:
(direction of) (magnetic) field

1

second finger:
(direction of) (conventional) current

1

(ii) into (plane of the) paper

1

(iii) less current in wire

accept less current / voltage / more resistance / thinner wire

1

weaker field

allow weaker magnets / magnets further apart

*do **not** accept smaller magnets*

1

rotation of magnets (so) field is no longer perpendicular to wire

1

(d) (i) reverse one of the magnets

*do **not** accept there are no numbers on the scale*

1

(ii) systematic or zero error

accept all current values will be too big

accept it does not return to zero

accept it does not start at zero

1

[10]

M2. (a) motor (effect)

1

(b) (i) wire kicks further (forward)

accept moves for kicks

accept moves more

accept 'force (on the wire) increased'

1

(ii) wire kicks back(wards) / into (the space in) the (horseshoe) magnet

accept moves for kicks

accept 'direction of force reversed'

1

[3]

M3. (a) (i) current produces a magnetic field (around XY)

accept current (in XY) is perpendicular to the (permanent)

magnetic field

1

(creating) a force (acting) on XY / wire / upwards

reference to Fleming's left hand rule is insufficient

1

(ii) motor (effect)

1

(iii) vibrate / move up and down

1

5 times a second

only scores if first mark point scores

*allow for **1** mark only an answer 'changes direction 5 times a second'*

1

(b) 0.005

*allow **1** mark for calculating moment of the weight as 0.04 (Ncm)andallow **1** mark for correctly stating principle of moments**or**allow **2** marks for correct substitution*

*ie F × 8 = 2 × 0.02 **or** F × 8 = 0.04*

3

[8]

M4. (a) motor effect

1

(b) increase the strength of the magnet

or

increase the current

1

(c) $4.8 \times 10^{-4} = F \times 8 \times 10^{-2}$

1

$F = 6 \times 10^{-3}$ (N)

1

$6 \times 10^{-3} = B \times 1.5 \times 5 \times 10^{-2}$

1

$B = \frac{6 \times 10^{-3}}{7.5 \times 10^{-2}}$

1

$B = 8 \times 10^{-2}$ or 0.08

1

*allow 8×10^{-2} **or** 0.08 with no working shown for **5** marks*
*a correct method with correct calculation using an incorrect value of F gains **3** marks*

Tesla

accept T

1

do not accept t

[8]

M5. (a) hydraulic (system)

1

(b) 15.40×10^2

or

1540

*allow **1** mark for correct substitution, ie*

$8.75 \times 10^4 = \frac{F}{1.76 \times 10^{-2}}$

or

$87\ 500 = \frac{F}{0.0176}$

or

$F = 8.75 \times 10^4 \times 1.76 \times 10^{-2}$

or

$F = 87\ 500 \times 0.0176$

2

(c) any **one** environmental **advantage**:

stating a converse statement is insufficient, or a disadvantage of the usual oil, ie the usual oil is non-renewable

plant oil is renewable

using plant oil will conserve (limited) supplies **or** extend lifetime of the usual / crude oil.

plant oil releases less carbon dioxide (when it is being produced / processed)

plant oil will add less carbon dioxide to the atmosphere (when it is being produced / processed, than the usual oil)

plant oil removes carbon dioxide from **or** adds oxygen to the air when it is growing

stating that plant oil is carbon neutral is insufficient

1

(d) (the current flowing through the coil) creates a magnetic field (around the coil)

1

(this magnetic field) interacts with the permanent magnetic field
or
current carrying conductor is in a (permanent) magnetic field

it must be clear which magnetic field is which

1

this produces a (resultant) force (and coil / cone moves)

1

when the direction of the current changes, the direction of the force changes to the opposite direction

*accept for **2** marks the magnetic field of the coil interacts with the permanent magnetic field*

1

[8]