

Mark Scheme (Results)

October 2016

Pearson Edexcel International GCE
in Biology (WBI02) Paper 1

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

October 2016

Publications Code WBI02_01_1610_MS

All the material in this publication is copyright

© Pearson Education Ltd 2016

General Marking Guidance

- This mark scheme provides a list of acceptable answers for this paper. Candidates will receive credit for all correct responses but will be penalised if they give more than one answer where only one is required (e.g. putting an additional cross in a set of boxes). If a candidate produces more written answers than the required number (two instead of one, three instead of two etc), only the first answers will be accepted. Free responses are marked for the effective communication of the correct answer rather than for quality of language but it is possible that, on some occasions, the quality of English or poor presentation can impede communication and lose candidate marks. It is sometimes possible for a candidate to produce a written response that does not feature in the mark scheme but which is nevertheless correct. If this were to occur, an examiner would, of course, give full credit to that answer.
- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Question Number	Answer	Mark
1(a)(i)	1. The only correct answer is B <i>A is not correct because golgi modify proteins and do not carry out aerobic respiration</i> <i>C is not correct because secretory vesicles transport proteins out of the cell and do not carry out aerobic respiration</i> <i>D is not correct because sER transport proteins through the cytoplasm and do not carry out aerobic respiration</i>	(1)

Question Number	Answer	Mark
1(a)(ii)	1. The only correct answer is C <i>A is not correct because centrioles organise formation of the spindle fibres</i> <i>B is not correct because lysosomes store digestive enzymes</i> <i>D is not correct because vacuoles do not carry out protein synthesis</i>	(1)
Question Number	Answer	Mark
1(a)(iii)	1. The only correct answer is A <i>B is not correct because mitochondria carry out aerobic respiration and do not contain thylakoids</i> <i>C is not correct because there are no thylakoids present in the nucleus</i> <i>D is not correct because rER consists of membrane-bound sacs with ribosomes attached</i>	(1)

Question Number	Answer	Mark
1(a)(iv)	1. The only correct answer is A <i>B is not correct because there are numerous mitochondria inside cells</i> <i>C is not correct because nucleoli disintegrate during mitosis</i> <i>D is not correct because several small vacuoles may be found in animal cells and one large vacuole in plant cells</i>	(1)

Question Number	Answer	Mark
1(a)(v)	1. The only correct answer is B <i>A is not correct because lysosomes have a single membrane</i> <i>C is not correct because lysosomes have a single membrane</i> <i>D is not correct because is not correct because vacuoles have a single membrane</i>	(1)

Question Number	Acceptable Answers	Additional Guidance	Mark
1(b)	1. both consist of {membrane bound sacs / cisternae } ; 2. in both the { cisternae / eq } are interconnected / eq ; 3. rER has (80s) ribosomes and sER does not ;	interconnected cisternae gains mp 1 and 2	(2)

(Total for Question 1 = 7 marks)

Question Number	Acceptable Answers	Additional Guidance	Mark
2(a)	1. (circular) plasmid ; 2. nucleoid / circular {chromosome / DNA } ; 3. (slime) capsule ; 4. flagellum ; 5. pili ; 6. {small / 70 S} ribosomes ; 7. mesosomes / invaginations; 8. {murein / peptidoglycan} cell wall ; 9. glycogen {granules / eq} ;	Only award marks if reasonable looking structure is labelled IGNORE correct labels to poor diagrams 4 IGNORE tail number of flagella 8 IGNORE cell wall unqualified	(3)

Question Number	Acceptable Answers	Additional Guidance	Mark
2(b)(i)	1. role of {a species / <i>S. acidicaldarius</i> } in its { habitat / environment / community / ecosystem} ; 2. living in { high temperature / 75-80°C } AND { low pH / pH 2-3 / acidic conditions } ; 3. providing food (for next trophic level) / decomposition / eq;	2 ACCEPT hot springs	(2)

Question Number	Acceptable Answers	Additional Guidance	Mark
2(b)(ii)	1. analysis of {organic molecules / DNA / RNA / proteins / enzymes / phospholipids / ribosomes } ; 2. idea of making a comparison with other types of Archaea and bacteria ;	1 IGNORE irrelevant answers	(2)

(Total for Question 2 = 7 marks)

Question Number	Acceptable Answers	Additional Guidance	Mark
3(a)(i)	1. $24 - 19 / 5$; 2. $(5 \times 100 \div 19 =)$ 26 / 26.3 / 26.32 (%) ;	Allow full marks for correct answer with no working	(2)

Question Number	Acceptable Answers	Additional Guidance	Mark
3(a)(ii)	as a control / to enable comparison (to no honey) / to show that the honey was having the affect ;	DO NOT ACCEPT control variable	(1)

Question Number	Acceptable Answers	Additional Guidance	Mark
3(a)(iii)	1. use the same concentration of honey for Manuka and Ulmo ; 2. same { volume of honey / diameter of wells in agar / size of (honey-soaked) paper discs } ; 3. idea of {inoculating with / seeding with / producing a lawn of / eq} same bacteria (on agar) ; 4. description of aseptic technique, e.g. use of sterile {equipment / water} ; 5. incubated at the same temperature AND for the same length of time 6. measure zones of inhibition / eq ; 7. idea of repeating {measurements of zones / experiment} to calculate a mean ;	1 ACCEPT same range of concentrations 3 DO NOT ACCEPT on petri dish 4 ACCEPT idea of maintaining aerobic conditions 5 ACCEPT stated values in range of 20 to 30°C and 1 to 7 days 6. IGNORE observe 7 ACCEPT average	(5)

Question Number	Acceptable Answers	Additional Guidance	Mark
3(b)(i)	{tube / generative / male } nucleus ;	ACCEPT chromosome, nucleolus, mitochondrion, sperm nucleus,	(1)

Question Number	Acceptable Answers	Additional Guidance	Mark
3(b)(ii)	1. idea of transferring genetic material from one flower to another ; 2. nuclear division within the pollen to produce (haploid) {gametes / male nuclei} ; 3. pollen tube { grows / creates pathway} through the style ; 4. by enzymes produced by the {pollen tube / pollen tube nucleus} ; 5. from stigma to { micropyle / embryo sac / ovule / egg cell } ;	5 piece this together	(4)

(Total for Question 3 = 13 marks)

Question Number	Acceptable Answers	Additional Guidance	Mark
4(a)	- embryonic stem cells are { totipotent / pluripotent / eq } and cells of a tissue are not ; - embryonic stem cells are { undifferentiated / unspecialised / eq} and cells of a tissue are {differentiated / specialised / eq} ; - cells of a tissue work together for a particular function and stem cells do not / eq ; - stem cells { are capable of continuous division / have no Hayflick limit } and cells of a tissue are not ;	NB piece together	(3)

Question Number	Acceptable Answers	Additional Guidance	Mark
*4(b)	(QWC – Spelling of technical terms (<i>shown in italics</i>) must be correct and the answer must be organised in a logical sequence) 1. idea that the <i>enzyme</i> is transported (through the <i>cell / cytoplasm</i>) in the rER ; 2. idea that in the rER <i>enzyme</i> is folded; 3. idea of <i>enzyme</i> being packaged into (transport) <i>vesicles</i> (by the rER) to { move to / fuse with / eq } the <i>Golgi apparatus</i> ; 4. credit description of modification ; 5. idea of <i>enzyme</i> being transferred in (<i>secretory</i>) <i>vesicles</i> from the <i>Golgi apparatus</i> to the cell (surface) <i>membrane</i> ; 6. <i>vesicles</i> (containing <i>enzyme</i>) fuse with cell (surface) <i>membrane</i> / <i>exocytosis</i> ;	QWC emphasis – spelling 2 e.g. forms {3-D shape, <i>secondary / tertiary</i> structure } 4 ACCEPT e.g. addition / removal of <i>sugars, glycosides, carbohydrate</i>, or activation of <i>enzyme</i> 5. IGNORE lysosomes	(5)

Question Number	Acceptable Answers	Additional Guidance	Mark
4(c)	1. idea of { monitoring research / ensuring research is necessary } ; 2. issue licences (for stem cell research) ; 3. idea of monitoring sources of stem cells ; 4. ensure that only early stage embryos are used as sources of stem cells ; 5. prevention of unethical use of stem cells ;	2 ACCEPT idea of giving permission for the research 4 in the UK this is up to 14 days 5 e.g. human cloning, genetic manipulation	(3)

(Total for Question 4 = 11 marks)

Question Number	Acceptable Answers	Additional Guidance	Mark
5(a)(i)	1. calcium deficiency results in fewer seed heads per plant than magnesium deficiency; 2. calcium deficiency results in fewer grains per seed head than magnesium deficiency ; 3. calcium deficiency results in lower grain yield than magnesium deficiency; 4. credit correct manipulation of figures to quantify the difference between the effect of calcium deficiency and magnesium deficiency (for mp 1 / 2 / 3) ;	ACCEPT converse throughout 4. e.g. 0.9 fewer seed heads, 3 fewer grains per seed head, 1.4g lower yield	(2)

Question Number		Additional Guidance	Mark
5(a)(ii)	1. magnesium required for chlorophyll production ; 2. (less chlorophyll results in) less photosynthesis ; 3. less {glucose / starch} produced / eq ;	3 ACCEPT GALP / hexose / carbohydrate	(2)

Question Number	Acceptable Answers	Additional Guidance	Mark
5(a)(iii)	1. calcium required for { pectin / pectate } ; 2. idea that without {calcium / pectin / pectate} the cell walls will be weaker ; 3. so plants will have stunted growth / eq ;		(2)

Question Number	Acceptable Answers	Additional Guidance	Mark
5(b)	1. made up of { many / eq } (α) glucose (monomers) / polymer of glucose / polysaccharide ; 2. so lots of energy can be stored ; 3. amylose is { coiled / helical / eq } ; 4. making starch very compact ; 5. so lots of {energy / glucose} can be stored in one place ; 6. amylopectin is branched ; 7. so breakdown is faster / eq ; 8. starch is insoluble ; 9. so has no osmotic effect / eq ;		(4)

(Total for Question 5 = 10 marks)

Question Number	Acceptable Answers	Additional Guidance	Mark
6(a)(i)	1. {range / different number / variety / eq}of alleles for height ; 2. in a human {population / species /gene pool } ;		(2)

Question Number	Answer	Mark
6(a)(ii)	1. The only correct answer is A <i>B is not correct because genes are transcribed and mRNA is translated</i> <i>C is not correct because genes are switched on</i> <i>D is not correct because genes are switched on and then transcribed</i>	(1)

Question Number	Acceptable Answers	Additional Guidance	Mark
6(a)(iii)	1. idea that it determines which proteins are produced by the cell ; 2. idea that these proteins determine {structure / function} (of the cell) ;		(2)

Question Number	Acceptable Answers	Additional Guidance	Mark
6(b)(i)	1. socio economic factors ; 2. pollution ; 3. disease ; 4. health care ; 5. exposure to sunlight ;	1. e.g. poverty, child labour 2. e.g. exposure to lead	(2)

Question Number	Acceptable Answers	Additional Guidance	Mark
6(b)(ii)	1. more milk consumed results in greater change in height ; 2. comment on the significance of data ; 3. credit correct manipulation of data ;	1 ACCEPT converse 2 e.g. S.D is lower with less milk consumed, no overlap in data 3 e.g. <500 range is 18.3 – 19.3 and for >500 range is 20.2 – 22.4, mean with more milk is 2.5cm higher	(3)

Question Number	Acceptable Answers	Additional Guidance	Mark
6(b)(iii)	1. sample size small ; 2. results not shown separately for boys and girls ; 3. no exact measure of how much milk consumed ; 4. idea that there is no other information given about the group control of variables ;	2 ACCEPT boys and girls have different growth rates 4 ACCEPT height is affected by other variables	(2)

(Total for Question 6 = 12 marks)

Question Number	Acceptable Answers	Additional Guidance	Mark
7(a)	(QWC – Spelling of technical terms (<i>shown in italics</i>) must be correct and the answer must be organised in a logical sequence) 1. removal of { 5-10 mm of root tips / (apical) meristem } ; 2. use of acid ; 3. reference to appropriate stain, e.g. toluidine blue, orcein ; 4. idea of teasing cells apart with a needle ; 5. idea of placing the root tip on microscope slide, covering and squashing ; 6. idea of heating slide to intensify the { colour / stain } ;	QWC emphasis is on logical sequence 2 ACCEPT e.g. HCl 3 ACCEPT Feulgens, Schiffs reagent, acetocarmine	(4)

Question Number	Answer	Mark
7(b)	1. The only correct answer is B <i>A is not correct because starch does not contain nitrogen</i> <i>C is not correct because glucose does not contain nitrogen</i> <i>D is not correct because starch does not contain nitrogen</i>	(1)

Question Number	Acceptable Answers	Additional Guidance	Mark
7(c)(i)	1. thick walls ; 2. lack of {cytoplasm / nucleus / cell contents} / hollow cells ; 3. idea of location in vascular bundle ;		(2)

Question Number	Acceptable Answers	Additional Guidance	Mark
7(c)(ii)	1. transport water ; 2. transport mineral ions ; 3. provide support ;	2. ACCEPT named e.g. of mineral ion	(2)

(Total for Question 7 = 9 marks)

Question Number	Acceptable Answers	Additional Guidance	Mark																
8(a)	1. greater biodiversity (overall) of endemic species than non-endemic ; 2. idea that the difference is greatest (between endemic and non-endemic) in reptiles ; 3. idea that the difference is least (between endemic and non-endemic) in mammals; 4. credit correct manipulation of figures ;	<table border="1"> <thead> <tr> <th>Animal</th><th>Endemic</th><th>Non-end</th><th>Difference</th></tr> </thead> <tbody> <tr> <td>Amphibian</td><td>80</td><td>25</td><td>55</td></tr> <tr> <td>Mammal</td><td>110</td><td>67</td><td>43</td></tr> <tr> <td>Reptile</td><td>207</td><td>46</td><td>161</td></tr> </tbody> </table> +/- 3	Animal	Endemic	Non-end	Difference	Amphibian	80	25	55	Mammal	110	67	43	Reptile	207	46	161	(2)
Animal	Endemic	Non-end	Difference																
Amphibian	80	25	55																
Mammal	110	67	43																
Reptile	207	46	161																

Question Number	Answer	Mark
8(b)	1. The only correct answer is B <i>A is not correct because $196 \times 100 / 576 = 34.03$</i> <i>C is not correct because $196 \times 100 / 576 = 34.03$</i> <i>D is not correct because $196 \times 100 / 576 = 34.03$</i>	(1)

Question Number	Answer	Mark
8(c)(i)	1. The only correct answer is B <i>A is not correct because adopting to feed is not a structural adaptation</i> <i>C is not correct because adopting to feed is not a physiological adaptation</i> <i>D is not correct because adopting to feed is not a selective adaptation</i>	(1)

Question Number	Acceptable Answers	Additional Guidance	Mark
8(c)(ii)	1. by natural selection ; 2. idea of a mutation (in the DNA); 3. idea that tamaraw with better night vision are more successful at { feeding (at night) / avoiding hunters / eq}; 4. tamaraws with better night vision are more likely to survive and reproduce ; 5. these alleles are passed onto the offspring ; 6. these alleles become more common in the population /eq ;		(4)

Question Number	Acceptable Answers	Additional Guidance	Mark
8(c)(iii)	1. ban in hunting (allowed numbers to increase) ; 2. (captive breeding and) reintroduction (increased population) ; 3. idea of {improved / no more loss of} habitat (leading to increased numbers) ; 4. credit appropriate explanation for the decrease in numbers during this time period ;		(3)

(Total for Question 8 =11 marks)