

Please write clearly in block capitals.

Centre number

--	--	--	--	--

Candidate number

--	--	--	--

Surname

Forename(s)

Candidate signature

I declare this is my own work.

A-level FURTHER MATHEMATICS

Paper 1

Friday 22 May 2020

Morning

Time allowed: 2 hours

Materials

- You must have the AQA formulae and statistical tables booklet for A-level Mathematics and A-level Further Mathematics.
- You should have a scientific calculator that meets the requirements of the specification. (You may use a graphical calculator.)

Instructions

- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer each question in the space provided for that question. If you require extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do **not** write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information

- The marks for questions are shown in brackets.
- The maximum mark for this paper is 100.

Advice

- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
TOTAL	



Answer **all** questions in the spaces provided.

- 1** Which of the integrals below is **not** an improper integral?

Circle your answer.

[1 mark]

$$\int_0^{\infty} e^{-x} dx$$

$$\int_0^2 \frac{1}{1-x^2} dx$$

$$\int_0^1 \sqrt{x} dx$$

$$\int_0^1 \frac{1}{\sqrt{x}} dx$$

- 2** Which one of the matrices below represents a rotation of 90° about the x -axis?

Circle your answer.

[1 mark]

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & -1 \end{bmatrix}$$

$$\begin{bmatrix} -1 & 0 & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & 1 \\ 0 & 1 & 0 \end{bmatrix}$$

$$\begin{bmatrix} 1 & 0 & 0 \\ 0 & 0 & -1 \\ 0 & 1 & 0 \end{bmatrix}$$



3 The quadratic equation $ax^2 + bx + c = 0$ ($a, b, c \in \mathbb{R}$) has real roots α and β .

One of the four statements below is incorrect.

Which statement is **incorrect**?

Tick (✓) **one** box.

[1 mark]

$$c = 0 \Rightarrow \alpha = 0 \text{ or } \beta = 0$$

☐

$$c = a \Rightarrow \alpha \text{ is the reciprocal of } \beta$$

☐

$$b < 0 \text{ and } c < 0 \Rightarrow \alpha > 0 \text{ and } \beta > 0$$

☐

$$b = 0 \Rightarrow \alpha = -\beta$$

☐

Turn over for the next question

Turn over ►



$$z^4 - 2z^3 + pz^2 + rz + 80 = 0$$

4 (a) Express $z^4 - 2z^3 + pz^2 + rz + 80$ as the product of two quadratic factors with real coefficients.

[4 marks]

[illegible]

4 (b) Find the value of p and the value of r .

[2 marks]

Turn over for the next question

Turn over ►



[5 marks]

[illegible]

5 (b)

$$x^2 - y^2 = 4$$

Describe fully a sequence of two transformations which maps the graph of H_2 onto the graph of H_1

[4 marks]

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Turn over ►



6 Let w be the root of the equation $z^7 = 1$ that has the smallest argument α in the interval $0 < \alpha < \pi$

6 (a) Prove that w^n is also a root of the equation $z^7 = 1$ for any integer n .


[1 mark]

6 (b) Prove that $1 + w + w^2 + w^3 + w^4 + w^5 + w^6 = 0$

[2 marks]

6 (c) Show the positions of w , w^2 , w^3 , w^4 , w^5 , and w^6 on the Argand diagram below.

[2 marks]



$$\cos \frac{2\pi}{7} + \cos \frac{4\pi}{7} + \cos \frac{6\pi}{7} = -\frac{1}{2}$$
[illegible]

$$7x - 3y + 4z = 2$$

[3 marks]

[illegible]

In each case fully justify your answer, stating whether or not the equations of the planes form a consistent system.

[illegible]

The three roots of the equation

where k is a constant, form an arithmetic sequence.

Find the roots of the equation.

[6 marks]

[illegible]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

Turn over ►



9

$(x \in \mathbb{R}, x \neq -4)$

9 (a)

[5 marks]

[illegible]

- 9 (b)** Find the coordinates of the two stationary points of the graph of $y = f(x)$

[2 marks]

- 9 (c)** Show that the graph of $y = f(x)$ has an oblique asymptote and find its equation.

[2 marks]


Question 9 continues on the next page

Turn over ►



9 (d) Sketch the graph of $y = f(x)$ on the axes below.

[4 marks]



Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



[8 marks]

$$\frac{dy}{dx} + \frac{2y}{x} = \frac{x+3}{x(x-1)(x^2+3)} \quad (x > 1)$$

[illegible]

Give your answer in the form $y = f(x)$

[illegible]

11 The lines l_1 , l_2 and l_3 are defined as follows.

$$l_1 : \left(\mathbf{r} - \begin{bmatrix} 1 \\ 5 \\ -1 \end{bmatrix} \right) \times \begin{bmatrix} -2 \\ 1 \\ -3 \end{bmatrix} = \mathbf{0}$$

$$l_2 : \left(\mathbf{r} - \begin{bmatrix} -3 \\ 2 \\ 7 \end{bmatrix} \right) \times \begin{bmatrix} 2 \\ -1 \\ 3 \end{bmatrix} = \mathbf{0}$$

$$l_3 : \left(\mathbf{r} - \begin{bmatrix} -5 \\ 12 \\ -4 \end{bmatrix} \right) \times \begin{bmatrix} 4 \\ 0 \\ 9 \end{bmatrix} = \mathbf{0}$$

11 (a) (i) Explain how you know that two of the lines are parallel.

[1 mark]



[5 marks]

[illegible]

[5 marks]

[illegible]

Turn over for the next question

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**

Turn over ►



[6 marks]

$$\cosh^{-1}\left(\frac{x}{a}\right) = \ln\left(\frac{x + \sqrt{x^2 - a^2}}{a}\right) \quad \text{for } a > 0$$

[illegible]

This image shows a blank sheet of white paper with horizontal ruling lines. The lines are evenly spaced and extend across the width of the page. There are no margins, text, or other markings on the paper.

$$\cosh^{-1}\left(\frac{x}{a}\right) \quad \text{or} \quad \ln(x + \sqrt{x^2 - a^2}) + c$$

Explain why Ronald is wrong.

[2 marks]

Do not write
outside the
box

13 Two light elastic strings each have one end attached to a particle B of mass $3c$ kg, which rests on a smooth horizontal table.

The other ends of the strings are attached to the fixed points A and C , which are 8 metres apart.

ABC is a horizontal line.



String AB has a natural length of 4 metres and a stiffness of $5c$ newtons per metre.

String BC has a natural length of 1 metre and a stiffness of c newtons per metre.

The particle is pulled a distance of $\frac{1}{3}$ metre from its equilibrium position towards A, and released from rest.

13 (a) Show that the particle moves with simple harmonic motion.

[8 marks]

[illegible]

- 13 (b)** Find the speed of the particle when it is at a point P , a distance $\frac{1}{4}$ metre from the equilibrium position. Give your answer to two significant figures.

[4 marks]

Turn over ►



[illegible]

There are no questions printed on this page

*Do not write
outside the
box*

**DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED**



*Do not write
outside the
box*

[illegible]

Question number	Additional page, if required. Write the question numbers in the left-hand margin.
	Copyright information For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.aqa.org.uk. Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and AQA will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team. Copyright © 2020 AQA and its licensors. All rights reserved.

