OCR
Oxford Cambridge and RSA

Tuesday 13 October 2020 – Morning

AS Level Chemistry A

H032/02 Depth in chemistry

Time allowed: 1 hour 30 minutes

You must have:
- the Data Sheet for Chemistry A

You can use:
- a scientific or graphical calculator
- an HB pencil

H032/02

Please write clearly in black ink. **Do not write in the barcodes.**

Centre number | | | | | | Candidate number | | | | |

First name(s) _____

Last name _____

INSTRUCTIONS
- Use black ink. You can use an HB pencil, but only for graphs and diagrams.
- Write your answer to each question in the space provided. If you need extra space use the lined pages at the end of this booklet. The question numbers must be clearly shown.
- Answer **all** the questions.
- Where appropriate, your answer should be supported with working. Marks might be given for using a correct method, even if your answer is wrong.

INFORMATION
- The total mark for this paper is **70**.
- The marks for each question are shown in brackets **[ ]**.
- Quality of extended response will be assessed in questions marked with an asterisk (*).
- This document has **16** pages.

ADVICE
- Read each question carefully before you start your answer.

© OCR 2020 [601/5256/4]
DC (MS/JG) 210731/6 **R**
OCR is an exempt Charity

Answer **all** the questions.

1 This question is about nickel and its compounds.

(a) Nickel reacts with dilute hydrochloric acid in a redox reaction.

$Ni(s) + 2HCl(aq) \longrightarrow NiCl_2(aq) + H_2(g)$

Explain, in terms of the number of electrons transferred, whether nickel is oxidised or reduced.

.....

.....

..... **[1]**

(b) A student completely reacts 0.192 g of nickel with 0.150 mol dm^{-3} $HCl(aq)$.

(i) Calculate the minimum volume, in cm^3, of 0.150 mol dm^{-3} $HCl(aq)$ that the student needs for the reaction.

Give your answer to **3** significant figures.

minimum volume of $HCl(aq)$ = ... cm^3 **[3]**

(ii) Calculate the volume of $H_2(g)$, in cm^3, that would be produced at RTP.

volume of $H_2(g)$ = ... cm^3 **[1]**

(iii) The student repeats the experiment with 0.192 g of magnesium instead of nickel, using the same volume of 0.150 mol dm^{-3} $HCl(aq)$ as in **(b)(i)**.

State and explain whether the volume of $H_2(g)$ produced would be greater than, smaller than, or the same as, the value you have calculated in **(b)(ii)**.

.....

.....

.....

..... **[2]**

© OCR 2020

(c)* A student is provided with samples of three nickel compounds.

One sample is nickel(II) bromide, another is nickel(II) sulfate and the third is nickel(II) carbonate. The student doesn't know which sample is which.

Describe the tests that the student could carry out to identify the anion (negative ion) in each sample, and write equations for any reactions. **[6]**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Additional answer space if required

.....

.....

.....

.....

.....

.....

.....

© OCR 2020

2 Enthalpy changes of combustion can be determined directly by experiment.

(a) Explain the term **enthalpy change of combustion**, $\Delta_c H$.


.....

.....

.....

..... **[2]**

(b) A student carries out an experiment to determine the enthalpy change of combustion of cyclohexane, C_6H_{12}, using the apparatus shown in the diagram.



In the experiment, 0.525 g of cyclohexane are burnt, and the temperature of the 200 cm^3 of water changes from 21.0 °C to 41.0 °C.

Calculate the enthalpy change of combustion, $\Delta_c H$, of cyclohexane in $kJ\,mol^{-1}$.

Give your answer to **3** significant figures.

$\Delta_c H$ = ... $kJ\,mol^{-1}$ **[4]**

© OCR 2020

(c) The student finds that their experimental value for $\Delta_c H$ is less exothermic than the value in a data book.

The student evaluates the experimental results.

(i) The uncertainty in each thermometer reading is ±0.5 °C and the uncertainty in the measured volume of water is ±2 cm^3.

Determine whether the temperature **change** or the measured volume of water has the greater percentage uncertainty.

[2]

(ii) Suggest **two** reasons, apart from measurement uncertainties, why the experimental value for $\Delta_c H$ is less exothermic than the data book value.

Reason 1 .....

.....

Reason 2 .....

.....

[2]

(iii) In the experiment the water in the beaker was heated for 5 minutes. The student thought that the experiment could be improved by heating the water for 10 minutes.

Explain whether the accuracy in the student's calculated value for $\Delta_c H$ may or may **not** be improved by heating for longer.

.....

.....

.....

.....

..... **[2]**

© OCR 2020

3 This question is about some elements in Period 4 of the periodic table.

(a) The table shows the melting point and electrical conductivity of two elements in Period 4.

Element	Melting Point / °C	Electrical conductivity
Calcium	842	Good
Bromine	–7	Poor

Use your knowledge of structure and bonding to explain the properties in the table.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

..... **[5]**

© OCR 2020

(b) Calcium reacts with bromine to form calcium bromide, $CaBr_2$.

(i) Draw a '*dot-and-cross*' diagram to show the bonding in $CaBr_2$.

Show **outer** electrons only.

[2]

(ii) The reaction of barium with bromine is more vigorous than the reaction of calcium with bromine.

Explain why.

.....

.....

.....

.....

.....

..... **[3]**

© OCR 2020

(c) The Period 4 element selenium is in the same group of the periodic table as oxygen.

Selenium and oxygen both form compounds with hydrogen with the formulae H_2Se and H_2O respectively.

(i) H_2Se can be prepared by reacting aluminium selenide, Al_2Se_3, with water. Aluminium hydroxide and hydrogen selenide are formed.

Write the equation for this reaction.

..... **[1]**

(ii) The boiling points of H_2O and H_2Se are shown below.

Compound	Boiling point / °C
H_2O	100
H_2Se	–41

Explain why H_2O has a higher boiling point than H_2Se.

.....

.....

.....

.....

..... **[3]**

(d) Bromine reacts with concentrated sodium hydroxide at 50 °C as in the equation below.

$3Br_2 + 6NaOH \longrightarrow 5NaBr + NaBrO_3 + 3H_2O$

(i) Write the systematic name for $NaBrO_3$.

..... **[1]**

(ii) This reaction is an example of disproportionation.

Use oxidation numbers to explain why. Include the meaning of the term **disproportionation**.

.....

.....

.....

.....

..... **[3]**

© OCR 2020


BLANK PAGE

PLEASE DO NOT WRITE ON THIS PAGE

© OCR 2020

4 Nitrosyl chloride, NOCl, is used in the industrial manufacture of nylon.

(a) The '*dot-and-cross*' diagram for nitrosyl chloride is shown below.



Predict the O=N–Cl bond angle and explain why NOCl has this bond angle.

Bond angle .....

Explanation .....

.....

.....

.....

..... **[3]**

(b) Nitrosyl chloride, NOCl, dissociates into nitrogen monoxide and chlorine as in the equilibrium below.

$2NOCl(g) \rightleftharpoons 2NO(g) + Cl_2(g)$ $\Delta H = +77.0\,kJ\,mol^{-1}$

Nitrosyl chloride is added to a container, which is then sealed.
The container is heated to 400 °C, and equilibrium is allowed to be reached.

(i) Write the expression for the equilibrium constant, K_c, for this equilibrium.

[1]

(ii) In the equilibrium mixture at 400 °C, the equilibrium concentration of $Cl_2(g)$ is found to be $0.17\,mol\,dm^{-3}$.

The student calculates that the equilibrium concentration of NO(g) is $0.34\,mol\,dm^{-3}$.

Explain how the student obtained this value for [NO(g)].

.....

.....

..... **[1]**

© OCR 2020

(iii) At 400 °C, K_c = 0.015 mol dm^{-3}.

Calculate the equilibrium concentration of NOCl(g) at 400 °C.

equilibrium concentration of NOCl(g) = ... mol dm^{-3} **[2]**

(iv) The temperature of the equilibrium mixture is increased above 400 °C while keeping the pressure constant.

State and explain the effect on the equilibrium concentration of nitrogen monoxide, NO(g), with these new conditions.

.....


.....

.....


..... **[2]**

© OCR 2020


5 This question is about the alcohols **A–F** shown below.




A




B




C



D



E



F

(a) Which of the alcohols **A–F** are secondary alcohols?

..... **[2]**

(b) Complete a balanced equation for the complete combustion of alcohol **C**.

$CH_3CH_2CH(OH)CH_3$ + ... $\rightarrow$ ..... + ... **[1]**

(c) What is the systematic name of alcohol **B**?

..... **[1]**

(d) Alcohol **A** can be prepared by the alkaline hydrolysis of the bromoalkane, $(CH_3)_2CHCH_2CH_2Br$. The hydrolysis with aqueous NaOH is shown in **equation 5.1**.

$(CH_3)_2CHCH_2CH_2Br + NaOH \rightarrow (CH_3)_2CHCH_2CH_2OH + NaBr$ **equation 5.1**

alcohol A

A student gently heats a mixture of $(CH_3)_2CHCH_2CH_2Br$ and NaOH(aq) for 25 minutes.


(i) Calculate the atom economy for the preparation of alcohol **A** in **equation 5.1**.

atom economy = ... % **[2]**

© OCR 2020

(ii) Outline the mechanism for the alkaline hydrolysis of $(CH_3)_2CHCH_2CH_2Br$.
The structure of $(CH_3)_2CHCH_2CH_2Br$ has been provided.

Show curly arrows, relevant lone pairs and dipoles, and the products.



[3]

(iii) Name this type of mechanism.

..... **[1]**

(e) The student decides to prepare alcohol **A** using the same method as in **(d)** but using the chloroalkane $(CH_3)_2CHCH_2CH_2Cl$ instead of the bromoalkane, $(CH_3)_2CHCH_2CH_2Br$.

State and explain how the rates of hydrolysis of the chloroalkane and the bromoalkane would differ.

.....

.....


.....

.....

..... **[2]**

© OCR 2020


(f)* The structures of **A–F** are repeated below.




A




B




C



D



E




F

Compound **X** is one of the alcohols **A–F**.


A student refluxes compound **X** with acidified potassium dichromate(VI) as an oxidising agent. A pure sample of the organic product **Y** is obtained from the resulting mixture.

The mass spectrum and IR spectrum of **Y** are shown below.

Mass spectrum of Y



IR spectrum of Y



© OCR 2020

Using this information, identify compound **X** and product **Y**, and write an equation for the formation of product **Y** from compound **X**. You may use [O] to represent the oxidising agent.

In your answer you should make clear how your conclusions are linked to the evidence. **[6]**

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

Additional answer space if required

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

END OF QUESTION PAPER

© OCR 2020

ADDITIONAL ANSWER SPACE

If additional space is required, you should use the following lined page(s). The question number(s) must be clearly shown in the margin(s).

OCR
Oxford Cambridge and RSA

Copyright Information

OCR is committed to seeking permission to reproduce all third-party content that it uses in its assessment materials. OCR has attempted to identify and contact all copyright holders whose work is used in this paper. To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced in the OCR Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download from our public website (www.ocr.org.uk) after the live examination series.

If OCR has unwittingly failed to correctly acknowledge or clear any third-party content in this assessment material, OCR will be happy to correct its mistake at the earliest possible opportunity.

For queries or further information please contact The OCR Copyright Team, The Triangle Building, Shaftesbury Road, Cambridge CB2 8EA.

OCR is part of the Cambridge Assessment Group; Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.

© OCR 2020