Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
3	
4	
TOTAL	

General Certificate of Education
Advanced Level Examination
June 2012

Physics A PHYA5/2D

Unit 5D Turning Points in Physics
Section B

Monday 18 June 2012 9.00 am to 10.45 am

For this paper you must have:
- a calculator
- a ruler
- a Data and Formulae Booklet (enclosed).

Time allowed
- The total time for both sections of this paper is 1 hour 45 minutes. You are advised to spend approximately 50 minutes on this section.

Instructions
- Use black ink or black ball-point pen.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- Do all rough work in this book. Cross through any work you do not want to be marked.
- Show all your working.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this section is 35.
- You are expected to use a calculator where appropriate.
- A *Data and Formulae Booklet* is provided as a loose insert.
- You will be marked on your ability to:
  – use good English
  – organise information clearly
  – use specialist vocabulary where appropriate.


Do not write outside the box

Section B

The maximum mark for this section is 35 marks. You are advised to spend approximately 50 minutes on this section.

1 A narrow beam of electrons is directed into the region between two parallel plates, **P** and **Q**. When a constant potential difference is applied between the two plates, the beam curves downwards towards plate **Q** as shown in **Figure 1**.

Figure 1



1 (a) Explain why the beam curves downwards at an increasing angle to its initial direction.

.....

.....

.....

.....

.....

.....

(3 marks)

1 (b) A uniform magnetic field is then applied at right angles to both the beam and the electric field between the plates **P** and **Q**. As a result, the downward deflection of the beam is increased.

1 (b) (i) The arrangement is to be used to determine the speed of the electrons in the beam. Describe what adjustments to the flux density B of the magnetic field should be made to reduce the deflection of the beam to zero.

.....

.....

.....

(1 mark)

Do not write outside the box

1 (b) (ii) Explain why the electrons pass undeflected through the fields when their speed v is given by

$$v = \frac{V}{Bd}$$

where V is the potential difference between plates **P** and **Q** and d is the perpendicular distance between the plates.

.....

.....

.....

.....

.....

.....

(2 marks)

1 (c) The beam of electrons was produced by thermionic emission from a heated filament. When the potential difference between the anode and the filament was 4200 V, the speed of the electrons in the beam was $3.9 \times 10^7\ \text{m s}^{-1}$.

Use this information to determine the specific charge of the electron.

.....

.....

.....

.....

.....

.....

.....

.....

answer = ... C kg^{-1}

(3 marks)

9

Do not write outside the box

2 (a) Describe, in terms of electric and magnetic fields, a plane polarised electromagnetic wave travelling in a vacuum. You may wish to draw a labelled diagram.

.....

.....

.....

.....

.....

.....

.....

(3 marks)

2 (b) In his theory of electromagnetic waves, Maxwell predicted that the speed of all electromagnetic waves travelling through free space is given by

$$c = \frac{1}{\sqrt{\mu_o \varepsilon_o}}$$

where μ_o is the permeability of free space and ε_o is the permittivity of free space.

Explain why this prediction led to the conclusion that light waves are electromagnetic waves.

.....

.....

.....

.....


.....

(2 marks)

Do not write outside the box

2 (c) Hertz discovered how to produce and detect radio waves. **Figure 2** shows a transmitter of radio waves, **T**, and a detector **D**. The detector loop and the transmitter aerial are in the same vertical plane.

Figure 2



2 (c) (i) Explain why an alternating emf is induced in the loop when it is in this position.

.....

.....

.....

.....

.....

.....

.....

(3 marks)

2 (c) (ii) Explain why an alternating emf **cannot** be detected if the detector loop is turned through 90° about the axis **XY**.

.....

.....

.....

(1 mark)

9

Do not write outside the box

3 (a) Light has a dual wave-particle nature. State and outline a piece of evidence for the wave nature of light and a piece of evidence for its particle nature. For each piece of evidence, outline a characteristic feature that has been observed or measured and give a short explanation of its relevance to your answer. Details of experiments are not required.

The quality of your written communication will be assessed in your answer.

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(6 marks)

Do not write outside the box

3 (b) An electron is travelling at a speed of $0.890\,c$ where c is the speed of light in free space.

3 (b) (i) Show that the electron has a de Broglie wavelength of 1.24×10^{-12} m.

(2 marks)

3 (b) (ii) Calculate the energy of a photon of wavelength 1.24×10^{-12} m.

answer = ... J

(1 mark)

3 (b) (iii) Calculate the kinetic energy of an electron with a de Broglie wavelength of 1.24×10^{-12} m.
Give your answer to an appropriate number of significant figures.

answer = ... J


(2 marks)

11

Do not write outside the box

4 **Figure 3** represents the Michelson-Morley interferometer. Interference fringes are seen by an observer looking through the viewing telescope.

Figure 3



4 (a) Explain why the interference fringes shift their position if the distance from either of the two mirrors to the semi-silvered block is changed.

.....

.....

.....

.....

.....

.....

(2 marks)

Do not write outside the box

4 (b) Michelson and Morley predicted that the interference fringes would shift when the apparatus was rotated through 90°. When they tested their prediction, no such fringe shift was observed.

4 (b) (i) Why was it predicted that a shift of the fringes would be observed?

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

(3 marks)

4 (b) (ii) What conclusion was drawn from the observation that the fringes did not shift?

.....

.....

.....

.....

(1 mark)

6

END OF QUESTIONS

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Copyright © 2012 AQA and its licensors. All rights reserved.