| Centre Number | | | | | | Candidate Number | | | | |
|---|---|---|---|---|---|---|---|---|---|---|
| Surname | | | | | | | | | | |
| Other Names | | | | | | | | | | |
| Candidate Signature | | | | | | | | | | |

| For Examiner's Use | |
|---|---|
| Examiner's Initials | |
| Question | Mark |
| 1 | |
| 2 | |
| 3 | |
| 4 | |
| 5 | |
| 6 | |
| 7 | |
| 8 | |
| 9 | |
| 10 | |
| TOTAL | |

General Certificate of Education
Advanced Level Examination
June 2013

# Mathematics MPC3

## Unit Pure Core 3

## Thursday 6 June 2013 9.00 am to 10.30 am

**For this paper you must have:**
- the blue AQA booklet of formulae and statistical tables.

You may use a graphics calculator.

### Time allowed
- 1 hour 30 minutes

### Instructions
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer each question in the space provided for that question. If you require extra space, use an AQA supplementary answer book; do **not** use the space provided for a different question.
- Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

### Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.


### Advice
- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- You do not necessarily need to use all the space provided.

Do not write outside the box

Answer **all** questions.

Answer each question in the space provided for that question.

**1** The diagram below shows the graphs of $y = |2x - 3|$ and $y = |x|$.




**(a)** Find the $x$-coordinates of the points of intersection of the graphs of $y = |2x - 3|$ and $y = |x|$. *(3 marks)*

**(b)** Hence, or otherwise, solve the inequality

$$|2x - 3| \geqslant |x| \qquad \textit{(2 marks)}$$

QUESTION PART REFERENCE

**Answer space for question 1**

Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 1**

Do not write outside the box

**2 (a)** Given that $y = x^4 \tan 2x$, find $\dfrac{\mathrm{d}y}{\mathrm{d}x}$. *(3 marks)*

**(b)** Find the gradient of the curve with equation $y = \dfrac{x^2}{x - 1}$ at the point where $x = 3$. *(3 marks)*

QUESTION PART REFERENCE

**Answer space for question 2**

Do not write outside the box

QUESTION PART REFERENCE

## Answer space for question 2

Do not write outside the box

**3 (a)** The equation $e^{-x} - 2 + \sqrt{x} = 0$ has a single root, $\alpha$.

Show that $\alpha$ lies between 3 and 4. *(2 marks)*

**(b)** Use the recurrence relation $x_{n+1} = (2 - e^{-x_n})^2$, with $x_1 = 3.5$, to find $x_2$ and $x_3$, giving your answers to three decimal places. *(2 marks)*

**(c)** The diagram on the opposite page shows parts of the graphs of $y = (2 - e^{-x})^2$ and $y = x$, and a position of $x_1$.

On the diagram, draw a staircase or cobweb diagram to show how convergence takes place, indicating the positions of $x_2$ and $x_3$ on the $x$-axis. *(2 marks)*

QUESTION PART REFERENCE


**Answer space for question 3**

Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 3**

**(c)**



Do not write outside the box

**4** By forming and solving a quadratic equation, solve the equation

$$8\sec x - 2\sec^2 x = \tan^2 x - 2$$

in the interval $0 < x < 2\pi$, giving the values of $x$ in radians to three significant figures. *(7 marks)*

QUESTION PART REFERENCE

**Answer space for question 4**


Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 4**

Do not write outside the box

**5** The diagram shows a sketch of the graph of $y = \sqrt{27 + x^3}$.




**(a)** The area of the shaded region, bounded by the curve, the $x$-axis and the lines $x = 0$ and $x = 4$, is given by $\int_0^4 \sqrt{27 + x^3}\,\mathrm{d}x$.

Use the mid-ordinate rule with **five** strips to find an estimate for this area. Give your answer to three significant figures. *(4 marks)*

**(b)** With the aid of a diagram, explain whether the mid-ordinate rule applied in part **(a)** gives an estimate which is smaller than or greater than the area of the shaded region. *(2 marks)*

QUESTION PART REFERENCE

**Answer space for question 5**

Do not write outside the box

QUESTION PART REFERENCE

## Answer space for question 5

Do not write outside the box

**6 (a)** Sketch the graph of $y = \cos^{-1} x$, where $y$ is in radians. State the coordinates of the end points of the graph. *(2 marks)*


**(b)** Sketch the graph of $y = \pi - \cos^{-1} x$, where $y$ is in radians. State the coordinates of the end points of the graph. *(2 marks)*

QUESTION PART REFERENCE

**Answer space for question 6**


**(a)**

$y = \cos^{-1} x$




**(b)**

$y = \pi - \cos^{-1} x$




Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 6**

Do not write outside the box

**7** The diagram shows a sketch of the curve with equation $y = \mathrm{f}(x)$.




**(a)** On **Figure 1**, below, sketch the curve with equation $y = -\mathrm{f}(3x)$, indicating the values where the curve cuts the coordinate axes. *(2 marks)*

**(b)** On **Figure 2**, on the opposite page, sketch the curve with equation $y = \mathrm{f}(|x|)$, indicating the values where the curve cuts the coordinate axes. *(3 marks)*

**(c)** Describe a sequence of two geometrical transformations that maps the graph of $y = \mathrm{f}(x)$ onto the graph of $y = \mathrm{f}\left(-\frac{1}{2}x\right)$. *(4 marks)*


QUESTION PART REFERENCE

**(a)**

**Answer space for question 7**

**Figure 1**

$y = -\mathrm{f}(3x)$




Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 7**

**(b)**


**Figure 2**




**(c)**

Do not write outside the box

**8** The curve with equation $y = \mathrm{f}(x)$, where $\mathrm{f}(x) = \ln(2x - 3)$, $x > \frac{3}{2}$, is sketched below.




**(a)** The inverse of f is $\mathrm{f}^{-1}$.

**(i)** Find $\mathrm{f}^{-1}(x)$. *(3 marks)*

**(ii)** State the range of $\mathrm{f}^{-1}$. *(1 mark)*

**(iii)** Sketch, on the axes given on the opposite page, the curve with equation $y = \mathrm{f}^{-1}(x)$, indicating the value of the $y$-coordinate of the point where the curve intersects the $y$-axis. *(2 marks)*

**(b)** The function g is defined by

$$\mathrm{g}(x) = \mathrm{e}^{2x} - 4, \quad \text{for all real values of } x$$

**(i)** Find $\mathrm{gf}(x)$, giving your answer in the form $(ax - b)^2 - c$, where $a$, $b$ and $c$ are integers. *(3 marks)*

**(ii)** Write down an expression for $\mathrm{fg}(x)$, and hence find the exact solution of the equation $\mathrm{fg}(x) = \ln 5$. *(3 marks)*

QUESTION PART REFERENCE

**Answer space for question 8**

Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 8**

.....

.....

.....

.....

.....

.....

.....

.....

.....


.....

.....

.....

.....

**(a)(iii)**



Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 8**


Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 8**

Do not write outside the box

**9** The shape of a vase can be modelled by rotating the curve with equation $16x^2 - (y - 8)^2 = 32$ between $y = 0$ and $y = 16$ completely **about the *y*-axis**.




The vase has a base.

Find the volume of water needed to fill the vase, giving your answer as an exact value. *(5 marks)*

QUESTION PART REFERENCE

**Answer space for question 9**

Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 9**

Do not write outside the box

**10 (a) (i)** By writing $\ln x$ as $(\ln x) \times 1$, use integration by parts to find $\int \ln x \, dx$. *(4 marks)*

**(ii)** Find $\int (\ln x)^2 \, dx$. *(4 marks)*

**(b)** Use the substitution $u = \sqrt{x}$ to find the exact value of

$$\int_1^4 \frac{1}{x + \sqrt{x}} \, dx$$ *(7 marks)*

QUESTION PART REFERENCE

**Answer space for question 10**

Do not write outside the box

QUESTION PART REFERENCE

**Answer space for question 10**

Do not write outside the box

QUESTION PART REFERENCE

## Answer space for question 10

**END OF QUESTIONS**

Copyright © 2013 AQA and its licensors. All rights reserved.