Centre Number						Candidate Number				
Surname										
Other Names										
Candidate Signature										

For Examiner's Use	
Examiner's Initials	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
TOTAL	

General Certificate of Education
Advanced Level Examination
June 2010

Mathematics MPC4

Unit Pure Core 4

Tuesday 15 June 2010 9.00 am to 10.30 am

For this paper you must have:
- the blue AQA booklet of formulae and statistical tables.

You may use a graphics calculator.

Time allowed
- 1 hour 30 minutes

Instructions
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- Write the question part reference (eg (a), (b)(i) etc) in the left-hand margin.
- You must answer the questions in the spaces provided. Do not write outside the box around each page.
- Show all necessary working; otherwise marks for method may be lost.
- Do all rough work in this book. Cross through any work that you do not want to be marked.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 75.

Advice
- Unless stated otherwise, you may quote formulae, without proof, from the booklet.

Do not write outside the box

Answer **all** questions in the spaces provided.

1 (a) The polynomial $f(x)$ is defined by $f(x) = 8x^3 + 6x^2 - 14x - 1$.

Find the remainder when $f(x)$ is divided by $(4x - 1)$. *(2 marks)*

(b) The polynomial $g(x)$ is defined by $g(x) = 8x^3 + 6x^2 - 14x + d$.

(i) Given that $(4x - 1)$ is a factor of $g(x)$, find the value of the constant d. *(2 marks)*

(ii) Given that $g(x) = (4x - 1)(ax^2 + bx + c)$, find the values of the integers a, b and c. *(3 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

2 A curve is defined by the parametric equations

$$x = 1 - 3t, \qquad y = 1 + 2t^3$$

(a) Find $\frac{dy}{dx}$ in terms of t. *(3 marks)*

(b) Find an equation of the normal to the curve at the point where $t = 1$. *(4 marks)*

(c) Find a cartesian equation of the curve. *(2 marks)*

QUESTION PART REFERENCE



Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

3 (a) (i) Express $\dfrac{7x-3}{(x+1)(3x-2)}$ in the form $\dfrac{A}{x+1}+\dfrac{B}{3x-2}$. *(3 marks)*

(ii) Hence find $\displaystyle\int \frac{7x-3}{(x+1)(3x-2)}\,\mathrm{d}x$. *(2 marks)*

(b) Express $\dfrac{6x^2+x+2}{2x^2-x+1}$ in the form $P+\dfrac{Qx+R}{2x^2-x+1}$. *(3 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

4 (a) (i) Find the binomial expansion of $(1+x)^{\frac{3}{2}}$ up to and including the term in x^2.

(2 marks)

(ii) Find the binomial expansion of $(16+9x)^{\frac{3}{2}}$ up to and including the term in x^2.

(3 marks)

(b) Use your answer to part **(a)(ii)** to show that $13^{\frac{3}{2}} \approx 46 + \frac{a}{b}$, stating the values of the integers a and b.

(2 marks)

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

5 (a) (i) Show that the equation $3\cos 2x + 2\sin x + 1 = 0$ can be written in the form

$$3\sin^2 x - \sin x - 2 = 0$$

(3 marks)

(ii) Hence, given that $3\cos 2x + 2\sin x + 1 = 0$, find the possible values of $\sin x$.

(2 marks)

(b) (i) Express $3\cos 2x + 2\sin 2x$ in the form $R\cos(2x - \alpha)$, where $R > 0$ and $0° < \alpha < 90°$, giving α to the nearest 0.1°. *(3 marks)*

(ii) Hence solve the equation

$$3\cos 2x + 2\sin 2x + 1 = 0$$

for all solutions in the interval $0° < x < 180°$, giving x to the nearest 0.1°.

(3 marks)

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

6 A curve has equation $x^3y + \cos(\pi y) = 7$.

(a) Find the exact value of the x-coordinate at the point on the curve where $y = 1$. *(2 marks)*

(b) Find the gradient of the curve at the point where $y = 1$. *(5 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

7 The point A has coordinates $(4, -3, 2)$.

The line l_1 passes through A and has equation $\mathbf{r} = \begin{bmatrix} 4 \\ -3 \\ 2 \end{bmatrix} + \lambda \begin{bmatrix} 2 \\ 0 \\ 1 \end{bmatrix}$.

The line l_2 has equation $\mathbf{r} = \begin{bmatrix} -1 \\ 3 \\ 4 \end{bmatrix} + \mu \begin{bmatrix} 1 \\ -2 \\ -1 \end{bmatrix}$.

The point B lies on l_2 where $\mu = 2$.

(a) Find the vector $\overrightarrow{AB}$. *(3 marks)*

(b) (i) Show that the lines l_1 and l_2 intersect. *(4 marks)*

(ii) The lines l_1 and l_2 intersect at the point P. Find the coordinates of P. *(1 mark)*

(c) The point C lies on a line which is parallel to l_1 and which passes through the point B. The points A, B, C and P are the vertices of a parallelogram.

Find the coordinates of the two possible positions of the point C. *(4 marks)*

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

8 (a) Solve the differential equation

$$\frac{dx}{dt} = -\frac{1}{5}(x+1)^{\frac{1}{2}}$$

given that $x = 80$ when $t = 0$. Give your answer in the form $x = f(t)$. *(6 marks)*

(b) A fungus is spreading on the surface of a wall. The proportion of the wall that is unaffected after time t hours is x%. The rate of change of x is modelled by the differential equation

$$\frac{dx}{dt} = -\frac{1}{5}(x+1)^{\frac{1}{2}}$$

At $t = 0$, the proportion of the wall that is unaffected is 80%. Find the proportion of the wall that will still be unaffected after 60 hours. *(2 marks)*

(c) A biologist proposes an alternative model for the rate at which the fungus is spreading on the wall. The total surface area of the wall is $9\,m^2$. The surface area that is **affected** at time t hours is $A\,m^2$. The biologist proposes that the rate of change of A is proportional to the product of the surface area that is affected and the surface area that is unaffected.

(i) Write down a differential equation for this model.

(You are not required to solve your differential equation.) *(2 marks)*

(ii) A solution of the differential equation for this model is given by

$$A = \frac{9}{1 + 4e^{-0.09t}}$$

Find the time taken for 50% of the area of the wall to be affected. Give your answer in hours to three significant figures. *(4 marks)*

QUESTION PART REFERENCE

.....

.....

.....

.....

.....

.....

.....

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

Do not write outside the box

QUESTION PART REFERENCE

END OF QUESTIONS

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Copyright © 2010 AQA and its licensors. All rights reserved.