Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	3	/	0	1	Signature	

Paper Reference(s)

6663/01

Edexcel GCE

Core Mathematics C1

Advanced Subsidiary

Friday 9 January 2009 – Morning

Time: 1 hour 30 minutes



Examiner's use only

Team Leader's use only

Question Number	Leave Blank
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
Total	

Materials required for examination
Mathematical Formulae (Green)

Items included with question papers
Nil

Calculators may NOT be used in this examination.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature.
Check that you have the correct question paper.
Answer ALL the questions.
You must write your answer for each question in the space following the question.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.
Full marks may be obtained for answers to ALL questions.
The marks for individual questions and the parts of questions are shown in round brackets: e.g. **(2)**.
There are 11 questions in this question paper. The total mark for this paper is 75.
There are 28 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.
You should show sufficient working to make your methods clear to the Examiner.
Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Edexcel Limited copyright policy.
©2009 Edexcel Limited.

Printer's Log. No.
N30081A
W850/R6663/57570 3/3/3/3

N 3 0 0 8 1 A 0 1 2 8

Turn over

edexcel
advancing learning, changing lives

BLANK PAGE

N30081A0228

Leave blank

1. (a) Write down the value of $125^{\frac{1}{3}}$.

(1)

(b) Find the value of $125^{-\frac{2}{3}}$.

(2)

(Total 3 marks)

Q1

Leave blank

2. Find $\int \left(12x^5 - 8x^3 + 3\right) \mathrm{d}x$, giving each term in its simplest form.

(4)

Q2

(Total 4 marks)

Leave blank

3. Expand and simplify $(\sqrt{7} + 2)(\sqrt{7} - 2)$.

(2)

(Total 2 marks)

Q3

Leave blank

4. A curve has equation $y = f(x)$ and passes through the point (4, 22).

Given that

$$f'(x) = 3x^2 - 3x^{\frac{1}{2}} - 7,$$

use integration to find $f(x)$, giving each term in its simplest form.

(5)

N 3 0 0 8 1 A 0 6 2 8

Leave blank

Question 4 continued

(Total 5 marks)

Q4

Leave blank

5.




Figure 1

Figure 1 shows a sketch of the curve C with equation $y = f(x)$. There is a maximum at (0, 0), a minimum at (2, –1) and C passes through (3, 0).

On separate diagrams sketch the curve with equation

(a) $y = f(x + 3)$,

(3)

(b) $y = f(-x)$.

(3)

On each diagram show clearly the coordinates of the maximum point, the minimum point and any points of intersection with the x-axis.

N 3 0 0 8 1 A 0 8 2 8

Question 5 continued

Leave blank

Q5

(Total 6 marks)

Leave blank

6. Given that $\frac{2x^2 - x^{\frac{3}{2}}}{\sqrt{x}}$ can be written in the form $2x^p - x^q$,

(a) write down the value of p and the value of q.

(2)

Given that $y = 5x^4 - 3 + \frac{2x^2 - x^{\frac{3}{2}}}{\sqrt{x}}$,

(b) find $\frac{dy}{dx}$, simplifying the coefficient of each term.

(4)

N 3 0 0 8 1 A 0 1 0 2 8

Leave blank

Question 6 continued

(Total 6 marks)

Q6

Leave blank

7. The equation $kx^2 + 4x + (5 - k) = 0$, where k is a constant, has 2 different real solutions for x.

(a) Show that k satisfies

$$k^2 - 5k + 4 > 0.$$

(3)

(b) Hence find the set of possible values of k.

(4)

N 3 0 0 8 1 A 0 1 2 2 8

Leave blank

Question 7 continued

(Total 7 marks)

Q7

Leave blank

8. The point $P\ (1, a)$ lies on the curve with equation $y = (x + 1)^2(2 - x)$.

(a) Find the value of a.

(1)

(b) On the axes below sketch the curves with the following equations:

(i) $y = (x + 1)^2(2 - x)$,

(ii) $y = \frac{2}{x}$.


On your diagram show clearly the coordinates of any points at which the curves meet the axes.

(5)

(c) With reference to your diagram in part (b) state the number of real solutions to the equation

$$(x+1)^2(2-x) = \frac{2}{x}.$$

(1)



N 3 0 0 8 1 A 0 1 4 2 8

Leave blank

Question 8 continued

(Total 7 marks)

Q8

Leave blank

9. The first term of an arithmetic series is a and the common difference is d.

The 18th term of the series is 25 and the 21st term of the series is $32\frac{1}{2}$.

(a) Use this information to write down two equations for a and d.

(2)

(b) Show that $a = -17.5$ and find the value of d.

(2)

The sum of the first n terms of the series is 2750.

(c) Show that n is given by

$$n^2 - 15n = 55 \times 40.$$

(4)

(d) Hence find the value of n.

(3)

N 3 0 0 8 1 A 0 1 6 2 8

Question 9 continued

Leave blank

Leave blank

Question 9 continued

Leave blank

Question 9 continued

(Total 11 marks)

Q9

Leave blank

10. The line l_1 passes through the point A (2, 5) and has gradient $-\frac{1}{2}$.

(a) Find an equation of l_1, giving your answer in the form $y = mx + c$.

(3)

The point B has coordinates (–2, 7).

(b) Show that B lies on l_1.

(1)

(c) Find the length of AB, giving your answer in the form $k\sqrt{5}$, where k is an integer.

(3)

The point C lies on l_1 and has x-coordinate equal to p.

The length of AC is 5 units.

(d) Show that p satisfies

$$p^2 - 4p - 16 = 0.$$

(4)

Question 10 continued

Leave blank

Leave blank

Question 10 continued

Leave blank

Question 10 continued

(Total 11 marks)

Q10

Leave blank

11. The curve C has equation

$$y = 9 - 4x - \frac{8}{x}, \qquad x > 0 .$$

The point P on C has x-coordinate equal to 2.

(a) Show that the equation of the tangent to C at the point P is $y = 1 - 2x$.

(6)

(b) Find an equation of the normal to C at the point P.

(3)

The tangent at P meets the x-axis at A and the normal at P meets the x-axis at B.

(c) Find the area of triangle APB.

(4)

N 3 0 0 8 1 A 0 2 4 2 8

Question 11 continued

Leave blank

Leave blank

Question 11 continued

N 3 0 0 8 1 A 0 2 6 2 8

Question 11 continued

Leave blank

Q11

(Total 13 marks)

TOTAL FOR PAPER: 75 MARKS

END

BLANK PAGE

N30081A02828