Centre No.						Paper Reference							Surname	Initial(s)
Candidate No.						6	6	6	5	/	0	1	Signature	

Paper Reference(s)

6665/01

Edexcel GCE

Core Mathematics C3

Advanced

Monday 23 January 2012 – Morning

Time: 1 hour 30 minutes

Examiner's use only

Team Leader's use only

Question Number	Leave Blank
1	
2	
3	
4	
5	
6	
7	
8	
Total	

Materials required for examination
Mathematical Formulae (Pink)

Items included with question papers
Nil

Candidates may use any calculator allowed by the regulations of the Joint Council for Qualifications. Calculators must not have the facility for symbolic algebra manipulation or symbolic differentiation/integration, or have retrievable mathematical formulae stored in them.

Instructions to Candidates

In the boxes above, write your centre number, candidate number, your surname, initials and signature.
Check that you have the correct question paper.
Answer ALL the questions.
You must write your answer for each question in the space following the question.
When a calculator is used, the answer should be given to an appropriate degree of accuracy.

Information for Candidates

A booklet 'Mathematical Formulae and Statistical Tables' is provided.
Full marks may be obtained for answers to ALL questions.
The marks for individual questions and the parts of questions are shown in round brackets: e.g. **(2)**.
There are 8 questions in this question paper. The total mark for this paper is 75.
There are 24 pages in this question paper. Any blank pages are indicated.

Advice to Candidates

You must ensure that your answers to parts of questions are clearly labelled.
You should show sufficient working to make your methods clear to the Examiner.
Answers without working may not gain full credit.

This publication may be reproduced only in accordance with Pearson Education Ltd copyright policy.
©2012 Pearson Education Ltd.

Printer's Log. No.
P40084A
W850/R6665/57570 5/7/5/

P 4 0 0 8 4 A 0 1 2 4

Turn over

PEARSON

Leave blank

1. Differentiate with respect to x, giving your answer in its simplest form,

(a) $x^2 \ln(3x)$

(4)

(b) $\dfrac{\sin 4x}{x^3}$

(5)

Leave blank

Question 1 continued

Q1

(Total 9 marks)

Leave blank

2.




Figure 1

Figure 1 shows the graph of equation $y = \mathrm{f}(x)$.

The points $P(-3, 0)$ and $Q(2, -4)$ are stationary points on the graph.

Sketch, on separate diagrams, the graphs of

(a) $y = 3\mathrm{f}\left(x + 2\right)$

(3)

(b) $y = \left|\mathrm{f}\left(x\right)\right|$

(3)

On each diagram, show the coordinates of any stationary points.

Leave blank

Question 2 continued

Q2

(Total 6 marks)

Leave blank

3. The area, A mm^2, of a bacterial culture growing in milk, t hours after midday, is given by

$$A = 20\,e^{1.5t}, \quad t \geqslant 0$$

(a) Write down the area of the culture at midday.

(1)

(b) Find the time at which the area of the culture is twice its area at midday. Give your answer to the nearest minute.

(5)

Leave blank

Question 3 continued

Q3

(Total 6 marks)

Leave blank

4. The point P is the point on the curve $x = 2\tan\left(y + \frac{\pi}{12}\right)$ with y-coordinate $\frac{\pi}{4}$.

Find an equation of the normal to the curve at P.

(7)

Leave blank

Question 4 continued

Q4

(Total 7 marks)

Leave blank

5. Solve, for $0 \leqslant \theta \leqslant 180°$,

$$2\cot^2 3\theta = 7\operatorname{cosec} 3\theta - 5$$

Give your answers in degrees to 1 decimal place.

(10)

Leave blank

Question 5 continued

Q5

(Total 10 marks)

Leave blank

6. $$\mathrm{f}\left(x\right)=x^2-3x+2\cos\left(\tfrac{1}{2}x\right),\quad 0\leqslant x\leqslant \pi$$

(a) Show that the equation $\mathrm{f}(x)=0$ has a solution in the interval $0.8<x<0.9$

(2)

The curve with equation $y=\mathrm{f}(x)$ has a minimum point P.

(b) Show that the x-coordinate of P is the solution of the equation

$$x=\frac{3+\sin\left(\tfrac{1}{2}x\right)}{2}$$

(4)

(c) Using the iteration formula

$$x_{n+1}=\frac{3+\sin\left(\tfrac{1}{2}x_n\right)}{2},\quad x_0=2$$

find the values of x_1, x_2 and x_3, giving your answers to 3 decimal places.

(3)

(d) By choosing a suitable interval, show that the x-coordinate of P is 1.9078 correct to 4 decimal places.

(3)

Leave blank

Question 6 continued

Leave blank

Question 6 continued

Leave blank

Question 6 continued

Q6

(Total 12 marks)

Leave blank

7. The function f is defined by

$$f : x \mapsto \frac{3(x+1)}{2x^2+7x-4} - \frac{1}{x+4}, \qquad x \in \mathbb{R}, x > \frac{1}{2}$$

(a) Show that $f(x) = \frac{1}{2x-1}$

(4)

(b) Find $f^{-1}(x)$

(3)

(c) Find the domain of f^{-1}

(1)

$$g(x) = \ln(x+1)$$

(d) Find the solution of $fg(x) = \frac{1}{7}$, giving your answer in terms of e.

(4)

Leave blank

Question 7 continued

Leave blank

Question 7 continued

Leave blank

Question 7 continued

Q7

(Total 12 marks)

Leave blank

8. (a) Starting from the formulae for $\sin(A+B)$ and $\cos(A+B)$, prove that

$$\tan(A+B)=\frac{\tan A+\tan B}{1-\tan A\tan B}$$

(4)

(b) Deduce that

$$\tan\left(\theta+\frac{\pi}{6}\right)=\frac{1+\sqrt{3}\tan\theta}{\sqrt{3}-\tan\theta}$$

(3)

(c) Hence, or otherwise, solve, for $0\leqslant\theta\leqslant\pi$,

$$1+\sqrt{3}\tan\theta=\left(\sqrt{3}-\tan\theta\right)\tan\left(\pi-\theta\right)$$

Give your answers as multiples of π.

(6)

Leave blank

Question 8 continued

Leave blank

Question 8 continued

Leave blank

Question 8 continued

Leave blank

Question 8 continued

Q8

(Total 13 marks)

TOTAL FOR PAPER: 75 MARKS

END