edexcel
advancing learning, changing lives

Mark Scheme (Results)
Summer 2010

GCE

GCE Mechanics M5 (6681/01)

Edexcel Limited. Registered in England and Wales No. 4496750
Registered Office: One90 High Holborn, London WC1V 7BH

A PEARSON COMPANY

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

http://www.edexcel.com/Aboutus/contact-us/

Summer 2010


Publications Code UA024481

All the material in this publication is copyright
© Edexcel Ltd 2010

edexcel


June 2010
6681 Mechanics M5
Mark Scheme

Question Number	Scheme	Marks
1	$\frac{d\mathbf{r}}{dt} - 2\mathbf{r} = 4e^{t}\,\mathbf{j}$	
	$IF = e^{-2t}$	
	$e^{-2t}(\frac{d\mathbf{r}}{dt} - 2\mathbf{r}) = e^{-2t}.4e^{t}\,\mathbf{j}$	M1
	$\frac{d(\mathbf{r}e^{-2t})}{dt} = 4e^{-t}\,\mathbf{j}$	
	$\mathbf{r}e^{-2t} = \int 4e^{-t}\,\mathbf{j}\,dt$	DM1
	$= -4e^{-t}\,\mathbf{j}\ (+\,\mathbf{C})$	A1
	$t = 0, \mathbf{r} = -3\mathbf{j} \Rightarrow \mathbf{C} = \mathbf{j}$	DM1
	$e^{-2t}\mathbf{r} = (1 - 4e^{-t})\mathbf{j}$ or $\mathbf{r} = (e^{2t} - 4e^{t})\mathbf{j}$	A1
	$(1 - 4e^{-t}) = 0$ or $(e^{2t} - 4e^{t}) = 0$	DM1
	$t = \ln 4$, 1.4 or better	A1
		7
2		
(a)	Mass of disc removed = m	B1
	$\frac{1}{2}4m(4a)^2 + 4m(4a)^2$	M1 A1
	$\frac{1}{2}m(2a)^2 + m(5a)^2$	M1 A1
	$I = \frac{1}{2}4m(4a)^2 + 4m(4a)^2 - (\frac{1}{2}m(2a)^2 + m(5a)^2)$	DM1
	$= 69ma^2$ *	A1
		(7)
(b)	$4m.0 = 3m\bar{x} - ma$	M1
	$\bar{x} = \frac{1}{3}a$ (from O)	A1
	$\frac{1}{2}69ma^2\Omega^2 = 3mg(4a - \frac{1}{3}a)(1 - \cos\frac{2\pi}{3})$	M1 A2
	$\Omega = \sqrt{\frac{11g}{23a}}$	A1
		(6)
		13

Question Number	Scheme	Marks
3		
(a)	$\delta A = \frac{8x}{3}\delta x$	M1 A1
	$\delta m = \frac{8x}{3}\delta x.\frac{m}{12a^2}$ or $\delta m = \frac{8x}{3}\delta x.\rho$	DM1
	$\delta I = \frac{8x}{3}\delta x.\frac{m}{12a^2}x^2 \quad (=\frac{2m}{9a^2}x^3\delta x)$	A1
	$I = \int_0^{3a} \frac{2m}{9a^2}x^3 \, \mathrm{d}x$	M1
	$= \frac{2m}{9a^2}\left[\frac{x^4}{4}\right]_0^{3a}$	
	$= \frac{9ma^2}{2}*$	A1
		(6)
(b)	$I_A = \frac{9ma^2}{2} + \frac{8ma^2}{3} = \frac{43ma^2}{6}$ (perp axes rule)	M1 A1
	$I_A = I_G + m(2a)^2$ (parallel axes rule)	DM1 A1
	$I_D = I_G + ma^2$ (parallel axes rule)	A1
	$I_D = \frac{43ma^2}{6} - 3ma^2 = \frac{25ma^2}{6}$	A1
	$mga\sin\theta = -\frac{25ma^2}{6}\ddot{\theta}$	M1
	$\ddot{\theta} = -\frac{6g}{25a}\sin\theta$	A1
		(8)
(c)	For small θ, $\ddot{\theta} = -\frac{6g}{25a}\theta$ SHM	M1
	$T = 2\pi\sqrt{\frac{25a}{6g}} = 5\pi\sqrt{\frac{2a}{3g}}$	A1
		(2)
		16

Question Number	Scheme	Marks
4		
(a) (i)	$\mathbf{R} = (\mathbf{i} + 2\mathbf{j} + 3\mathbf{k}) + (3\mathbf{i} + \mathbf{j} + 2\mathbf{k})$ $= (4\mathbf{i} + 3\mathbf{j} + 5\mathbf{k})$	M1 A1 (2)
(a) (ii)	$(x\mathbf{i} + y\mathbf{j} + z\mathbf{k}) \times (4\mathbf{i} + 3\mathbf{j} + 5\mathbf{k}) = (2\mathbf{i} + \mathbf{k}) \times (\mathbf{i} + 2\mathbf{j} + 3\mathbf{k}) + (\mathbf{j} + 2\mathbf{k}) \times (3\mathbf{i} + \mathbf{j} + 2\mathbf{k})$ $(5y - 3z)\mathbf{i} + (4z - 5x)\mathbf{j} + (3x - 4y)\mathbf{k} = (-2\mathbf{i} - 5\mathbf{j} + 4\mathbf{k}) + (6\mathbf{j} - 3\mathbf{k})$ $(5y - 3z)\mathbf{i} + (4z - 5x)\mathbf{j} + (3x - 4y)\mathbf{k} = (-2\mathbf{i} + \mathbf{j} + \mathbf{k})$ a solution is $x = 0, y = -\frac{1}{4}, z = \frac{1}{4}$; $x = \frac{1}{3}, y = 0, z = \frac{2}{3}$; $x = -\frac{1}{5}, y = -\frac{2}{5}, z = 0$ $\mathbf{r} = -\frac{1}{4}\mathbf{j} + \frac{1}{4}\mathbf{k} + \lambda(4\mathbf{i} + 3\mathbf{j} + 5\mathbf{k})$	M1 A2 B1 M1 A1 ft (6)
(b)	$(\mathbf{i} + 2\mathbf{j} + \mathbf{k}) \times (4\mathbf{i} + 3\mathbf{j} + 5\mathbf{k}) + \mathbf{G} = (-2\mathbf{i} + \mathbf{j} + \mathbf{k})$ $(7\mathbf{i} - \mathbf{j} - 5\mathbf{k}) + \mathbf{G} = (-2\mathbf{i} + \mathbf{j} + \mathbf{k})$ $\mathbf{G} = (-9\mathbf{i} + 2\mathbf{j} + 6\mathbf{k})$ $\lvert\mathbf{G}\rvert = \sqrt{(-9)^2 + 2^2 + 6^2}$ $= 11$ (Nm)	M1 A1 A1 M1 A1 ft (5) **13**

Question Number	Scheme	Marks
5		
(a)	$\frac{\mathrm{d}r}{\mathrm{d}t} = \lambda \Rightarrow r = \lambda t + a$	B1
	$(m+\delta m)(v+\delta v) - mv = mg\delta t$	M1 A1
	$\frac{\mathrm{d}v}{\mathrm{d}t} + \frac{v}{m}\frac{\mathrm{d}m}{\mathrm{d}t} = g$	DM1 A1
	$\frac{\mathrm{d}m}{\mathrm{d}t} = 4\pi r^2(\rho)\lambda$	A1 (B1)
	$\frac{\mathrm{d}v}{\mathrm{d}t} + \frac{3v}{4\pi r^3\rho}4\pi r^2\rho\lambda = g \Rightarrow \frac{\mathrm{d}v}{\mathrm{d}t} + \frac{3v\lambda}{r} = g$	DM1
	$\frac{\mathrm{d}v}{\mathrm{d}t} + \frac{3v\lambda}{\lambda t + a} = g$ *	A1
		(8)
(b)	$R = \mathrm{e}^{\int \frac{3\lambda}{\lambda t+a}\mathrm{d}t} = \mathrm{e}^{3\ln(\lambda t+a)} = \mathrm{e}^{\ln(\lambda t+a)^3} = (\lambda t+a)^3$	M1 A1
	$v(\lambda t+a)^3 = g\int(\lambda t+a)^3\mathrm{d}t$	DM1
	$v(\lambda t+a)^3 = \frac{1}{4\lambda}g(\lambda t+a)^4$	A1
	$t = 0, v = 0 \Rightarrow C = -\frac{1}{4\lambda}ga^4$	DM1
	$\lambda t + a = 3a$	DM1
	$v = \frac{1}{4\lambda}g(3a) - \frac{1}{4\lambda}\frac{ga^4}{27a^3} = \frac{20ag}{27\lambda}$	A1
		(7)
		15

Question Number	Scheme	Marks
6		
(a)	MI of disc about $L = \frac{1}{4}m(2a)^2 + m(2a)^2 = 5ma^2$	M1 A1
	CAM: $m3\sqrt{ag}.2a = (5ma^2 + m(2a)^2)\omega$	M1 A1 ft
	$\omega = \frac{2}{3}\sqrt{\frac{g}{a}}$	A1
		(5)
(b)	 $M(A),\ 0 = I\ddot{\theta}$	B1
	$\ddot{\theta} = 0$	
	$R(\leftarrow), X = 2m2a\ddot{\theta} = 0$	B1
	$R(\uparrow), Y - 2mg = 2m2a\dot{\theta}^2$	M1 A1
	$Y = 2mg + 4ma\frac{4g}{9a}$	DM1
	$= \frac{34mg}{9}$	A1
		(6)
		11

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481

Email publications@linneydirect.com

Order Code UA024481 Summer 2010

For more information on Edexcel qualifications, please visit www.edexcel.com/quals

Edexcel Limited. Registered in England and Wales no.4496750
Registered Office: One90 High Holborn, London, WC1V 7BH