edexcel
advancing learning, changing lives

Mark Scheme (Results)
Summer 2010

GCE

GCE Statistics S4 (6686/01)

Edexcel Limited. Registered in England and Wales No. 4496750
Registered Office: One90 High Holborn, London WC1V 7BH

A PEARSON COMPANY

Edexcel is one of the leading examining and awarding bodies in the UK and throughout the world. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers.

Through a network of UK and overseas offices, Edexcel's centres receive the support they need to help them deliver their education and training programmes to learners.

For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our website at www.edexcel.com.

If you have any subject specific questions about the content of this Mark Scheme that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

http://www.edexcel.com/Aboutus/contact-us/

Summer 2010

Publications Code UA024771

All the material in this publication is copyright
© Edexcel Ltd 2010

edexcel

June 2010
Statistics S4 6686
Mark Scheme


Question Number		Scheme	Marks
Q1	(a)	$H_0 : \sigma_1^2 = \sigma_2^2,\ H_1 : \sigma_1^2 \neq \sigma_2^2$	B1
		critical values $F_{6,7} = 3.87$ $\left(\frac{1}{F_{6,7}} = 0.258\right)$	B1
		$\frac{s_2^2}{s_1^2} = \frac{5.2^2}{4.1^2}; = 1.61$ $\left(\frac{s_1^2}{s_2^2} = \frac{4.1^2}{5.2^2} = 0.622\right)$	M1; A1
		Since 1.61 (0.622) is not in the critical region we accept H_0 and conclude there is no evidence that the two variances are different	A1ft (5)
	(b)	$Sp^2 = \frac{7\times 4.1^2 + 6\times 5.2^2}{7+6} = 21.53\ldots$	M1A1
		t_{13}=3.012	B1
		99% CI = $(17.9 - 15.9) \pm 3.012 \times \sqrt{21.53} \times \sqrt{\frac{1}{8}+\frac{1}{7}}$	M1A1ft
		$= \pm(9.23, -5.233)$, [or accept: [0,9.23] or [-9.23,0]] awrt 9.23, -5.23	A1A1 (7)
	(c)	a person will be quicker at the task second time through/ times not independent/ familiar with the task/groups are not independent	B1 (1)
			[13]

Notes
B1 Allow $\sigma_1 = \sigma_2$ and $\sigma_1 \neq \sigma_2$
B1 must match their F
M1 for $\frac{s_2^2}{s_1^2}$ or other way up
A1 awrt 1.61(0.622)
M1 A1 Sp^2 may be seen in part a
B1 3.012 only

M1 for $(17.9 - 15.9) \pm$ t value $\times \sqrt{S_p^{\ 2}} \times \sqrt{\frac{1}{8}+\frac{1}{7}}$
A1ft their Sp^2
A1 awrt 9.23/-9.23 A1 awrt -5.23/5.23
(c) B1 any correct sensible comment

Question Number	Scheme	Marks
Q2 (a)	The differences in the mean heart rates are normally distributed.	B1 (1)
(b)	D = standing up – lying down	
	H_0: $\mu_D = 5$ H_1: $\mu_D > 5$	B1
	d: 9, 6, 4, 2, 8, 9, 3, 5, 7, 7	M1
	$\bar{d} = 6$; $s_d = \sqrt{\frac{414 - 10\times 36}{9}} = 2.45$	M1;M1
	$t_9 = \frac{6-5}{2.45/\sqrt{10}} = 1.29$	M1A1
	$t_9(5\%) = 1.833$	B1
	insignificant. There is no evidence to suggest that heart rate rises by more than 5 beats when standing up.	A1 ft (8)
		[9]

Notes
must have "The differences in (mean heart rate) are normally distributed)
B1 both correct allow $\mu_D - 5 > 0$ ($\mu_D = -5$ H_1: $\mu_D < -5$)
M1 finding differences
M1 finding $\bar{d}$
M1 $\sqrt{\frac{\sum d^2 - 10\times(\bar{d})^2}{9}}$ o.e
M1 $\pm\left(\frac{6-5}{s_d/\sqrt{10}}\right)$ need to see full expression with numbers in
A1 awrt ± 1.29 .
B1 ± 1.833 only
A1 ft their CV and t. Need context. Heart rate and 5 beats

Question Number		Scheme	Marks
Q3	(a)	$X \sim B(5, p)$ Size = P(reject H_0/ $p = 0.05$) = P($X > 1$/ $p = 0.05$) = 1 – 0.9774 = 0.0226	M1 A1 (2)
	(b)	Power = 1 – P(0) – P(1) $= 1 - (1-p)^5 - 5(1-p)^4 p$ $= 1 - (1-p)^4 (1 - p + 5p)$ $= 1 - (1-p)^4 (1 + 4p)$	M1 M1 A1cso (3)
	(c)	$Y \sim B(10, p)$ P (Type I error) = P($Y > 2$/ $p = 0.05$) = 1 – 0.9885 = 0.0115	M1 A1 (2)
	(d)	$s = 0.18$	B1 (1)
	(e)		B1ft (1)

Question Number	Scheme	Marks
(f)	**i** intersection 0.12 – 0.13 "their graphs intersection"	B1ft
	ii if $p > 0.12$ the deputy's test is more powerful.	B1 (2)
(g)	More powerful for $p < 0.12$ and p unlikely to be above 0.12	
	Allow it would cost more/take longer/more to sample	B1 (1)
		[12]
	Notes (a) M1 for finding P (X>1) A1 awrt 0.0226 (b) M1 for 1-P(0) – P(1) M1 for $1 – (1 – p)^5 – 5(1 – p)^4p$ A1 cso (a) M1 for finding P(Y > 2) A1 awrt0.0115 (b) B1 0.18 cao (c) B1 graph. ft their value of s (d) B1 ft their intersection. B1 deputy test more powerful o.e. (e) If give first statement they must suggest p unlikely to be above 0.12	

Question Number	Scheme	Marks
Q4 (a)	$\bar{x} = \frac{291}{15} = 19.4 \quad s = \sqrt{\frac{5968 - 15\bar{x}^2}{14}} = 4.800$	M1M1
	i $t_{14} = 2.145$	B1
	$95\%\ \text{CI} = 19.4 \pm 2.145 \times \frac{4.800}{\sqrt{15}}$	M1 A1ft
	$= (16.7, 22.1)$	A1A1
	ii 95% CI is given by	
	$\frac{14 \times 4.800^2}{26.119} < \sigma^2 < \frac{14 \times 4.800^2}{5.629}$	M1 B1B1
	(12.4, 57.3) accept 12.3	A1A1 (12)
(b)	Require $P(X > 23) = P\left(Z > \frac{23-\mu}{\sigma}\right)$ to be as large as possible OR $\frac{23-\mu}{\sigma}$ to be as small as possible; both imply highest σ and μ. $\frac{23 - 22.1}{\sqrt{57.3..}} = 0.124$	M1M1
	$P(Z > 0.124) = 1 - 0.5478$	M1
	$= 0.4522$	A1 (4)
		[16]

Notes

(a)(i) M1 $\frac{291}{15}$

M1 $\sqrt{\frac{5968 - 15\bar{x}^2}{14}}$

B1 2.145

M1 $(19.4) \pm t \times \frac{\text{"}their\ s\text{"}}{\sqrt{15}}$

A1ft $19.4 \pm 2.145 \times \frac{\text{"}their\ s\text{"}}{\sqrt{15}}$

A1 awrt 16.7

A1 awrt 22.1

$\frac{14 \times s^2}{\chi^2}$

(ii) M1

B1 26.119

B1 5.629

A1 awrt12.4/12.3

A1 awrt 57.3

(b) M1 use of highest mean and sigma

M1 standardising using values of mean and sigma from intervals

M1 finding 1 – P(z > their value)

A1 awrt 0.45

Question Number	Scheme	Marks
Q5 (a)	H_0: $\mu = 70$ [accept ≤ 70], H_1: $\mu > 70$	B1
	$t = \dfrac{71.2 - 70}{3.4/\sqrt{20}} = 1.58$	M1A1
	critical value $t_{19}(5\%) = 1.729$	B1
	not significant, insufficient evidence to confirm manufacturer's claim	A1 ft (5)
(b)	H_0: $\sigma^2 = 16$, H_1: $\sigma^2 \neq 16$	B1
	test statistic $\dfrac{(n-1)s^2}{\sigma^2}$ =, $\dfrac{219.64}{16} = 13.7..$	M1 A1
	critical values $\chi^2_{19}(5\%)$ upper tail $= 32.852$, $\chi^2_{19}(5\%)$ lower tail $= 8.907$ not significant	B1 B1
	Insufficient evidence to suggest that the variance of the miles per gallon of the panther is different from that of the Tiger.	A1ft (6)
		[11]

Notes

(a) B1 both hypotheses using μ

M1 $\dfrac{71.2 - 70}{3.4/\sqrt{20}}$

A1 awrt 1.73

A1 correct conclusion ft their *t* value and CV

(b) B1 both hypotheses and 16. accept $\sigma = 4$ and $\sigma \neq 4$

M1 $\dfrac{(19) \times 3.4^2}{16}$ allow $\dfrac{(19) \times 3.4^2}{4}$

A1 awrt 13.7

B1 32.852

B1 8.907

A1 correct contextual comment

NB those who use $\sigma^2 = 4$ throughout can get B0 M1 A0B1 B1 A1

Question Number	Scheme	Marks
Q6 (a)	$X_1 \sim \text{Po}(3\lambda)$ $X_2 \sim \text{Po}(7\lambda)$ $X_3 \sim \text{Po}(10\lambda)$	M1
	$\text{E}(\hat{\lambda}) = k\,[\text{E}(X_1) + \text{E}(X_2) + \text{E}(X_3)]$ $= 20\lambda k$	M1
	$\hat{\lambda}$ unbiased therefore $20\lambda k = \lambda$	M1
	$k = \frac{1}{20}$	A1 (4)
(b)	$\text{Var}(\hat{\lambda}) = \frac{1}{20^2}\text{Var}(X_1 + X_2 + X_3)$	M1
	$= \frac{1}{20^2}(3\lambda + 7\lambda + 10\lambda)$	M1
	$= \frac{\lambda}{20}$	A1ft (3)
(c)	$Y \sim \text{Po}(4\lambda)$ $\text{E}\left(\frac{1}{4}\bar{Y}\right) = \frac{1}{4} \times 4\lambda = \lambda$ therefore unbiased	M1 A1 (2)
(d)	$\text{Var}\left(\frac{1}{4}\bar{Y}\right) = \frac{1}{16} \times \frac{4\lambda}{n}$	M1 B1
	$= \frac{\lambda}{4n}$	A1 (3)
(e)	$\frac{\lambda}{4n} < \frac{\lambda}{20}$	M1
	$n > 5$ therefore $n = 6$	A1 (2) **[14]**

Question Number	Scheme	Marks
Q6	Notes (a) M1 all 3 needed. Poisson and mean M1 adding their means M1 putting their E($\hat{\lambda}$) = λ A1 cao (b) M1 use of k^2Var (X_1+ X_2+ X_3) M1 using their means from part(a) as Variances and adding together A1 cao (c) M1 use of 4λ A1 cso plus conclusion. Accept working out bias to = 0 (d) M1 $\frac{1}{16} \times \text{Var}\overline{Y}$ B1 for $\text{Var}\overline{Y} = \frac{4\lambda}{n}$ A1 cao (e) M1 for $\text{Var}\left(\frac{1}{4}\overline{Y}\right) < \text{Var}(\hat{\lambda})$ A1 n = 6	

Further copies of this publication are available from
Edexcel Publications, Adamsway, Mansfield, Notts, NG18 4FN

Telephone 01623 467467
Fax 01623 450481

Email publications@linneydirect.com

Order Code UA024771 Summer 2010

For more information on Edexcel qualifications, please visit www.edexcel.com/quals

Edexcel Limited. Registered in England and Wales no.4496750
Registered Office: One90 High Holborn, London, WC1V 7BH