GCE Examinations

Advanced Subsidiary / Advanced Level

Decision Mathematics
Module D2

Paper A

MARKING GUIDE

This guide is intended to be as helpful as possible to teachers by providing concise solutions and indicating how marks should be awarded. There are obviously alternative methods that would also gain full marks.

Method marks (M) are awarded for knowing and using a method.

Accuracy marks (A) can only be awarded when a correct method has been used.

(B) marks are independent of method marks.



Written by Craig Hunter, Edited by Shaun Armstrong

© Solomon Press

These sheets may be copied for use solely by the purchaser's institute.

D2 Paper A – Marking Guide

1.

		B			row minimum
		I	II	III	
A	I	$^{-}3$	4	0	$^{-}3$
	II	2	2	1	1
	III	3	$^{-}2$	$^{-}1$	$^{-}2$
column maximum		3	4	1	

M1 A1

max (row min) = min (col max) = 1 $\therefore$ saddle point M1

$\therefore$ *A* should play II all the time, *B* should play III all the time M1 A1 **(5)**

---

2. *(a)*

x_{11} – number of crates from *A* to *D*
x_{12} – number of crates from *A* to *E*
x_{13} – number of crates from *A* to *F*
x_{21} – number of crates from *B* to *D*
x_{22} – number of crates from *B* to *E*
x_{23} – number of crates from *B* to *F*
x_{31} – number of crates from *C* to *D* B1
x_{32} – number of crates from *C* to *E*
x_{33} – number of crates from *C* to *F*

(b) minimise
$z = 19x_{11} + 22x_{12} + 13x_{13} + 18x_{21} + 14x_{22} + 26x_{23} + 27x_{31} + 16x_{32} + 19x_{33}$ B2

(c)

$x_{11} + x_{12} + x_{13} = 42$ number of crates at *A*
$x_{21} + x_{22} + x_{23} = 26$ number of crates at *B*
$x_{31} + x_{32} + x_{33} = 32$ number of crates at *C*
$x_{11} + x_{21} + x_{31} = 29$ number of crates required by *D*
$x_{12} + x_{22} + x_{32} = 47$ number of crates required by *E* M1 A1
$x_{13} + x_{23} + x_{33} = 24$ number of crates required by *F*
$x_{ij} \geq 0$ for all i, j
reference to balance B1 **(6)**

© *Solomon Press*

3.

Stage	State	Destination	Cost	Total cost
1	Marquee	Deluxe Cuisine	20 24	20* 24
	Castle	Deluxe Castle Cuisine	21 15 22	21 15* 22
	Hotel	Deluxe Cuisine Hotel	18 23 19	18* 23 19
2	Church	Marquee Castle Hotel	2 5.5 3	2 + 20 = 22 5.5 + 15 = 20.5* 3 + 18 = 21
	Castle	Marquee Castle	3 5	3 + 20 = 23 5 + 15 = 20*
	Registry Office	Marquee Castle Hotel	3.5 6 2	3.5 + 20 = 23.5 6 + 15 = 21 2 + 18 = 20*
3	Home	Castle Church Registry	3 5 1	3 + 20.5 = 23.5 5 + 20 = 25 1 + 20 = 21*

M1 A1

M1 A2

A1

minimum cost with
ceremony – Registry Office
reception – Hotel
catering – Deluxe — M1 A1

cost = £2100 — A1 **(9)**

© *Solomon Press*

4. (i)

order:	1	4	8	2	3	6	5	7
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*
A	–	85	59	31	47	52	74	41
B	85	–	104	73	51	68	43	55
C	59	104	–	54	62	88	61	45
D	31	73	54	–	40	59	65	78
E	47	51	62	40	–	56	71	68
F	52	68	88	59	56	–	53	49
G	74	43	61	65	71	53	–	63
H	41	55	45	78	68	49	63	–

M1 A2

tour: *ADEBGFHCA*
upper bound = 31 + 40 + 51 + 43 + 53 + 49 + 45 + 59 = 371 km A1

(ii) e.g. beginning at *A*

order:	1	4	7	2	3	6	5	
	A	*B*	*C*	*D*	*E*	*F*	*G*	*H*
A	–	85	59	31	47	52	74	41
B	85	–	104	73	51	68	43	55
C	59	104	–	54	62	88	61	45
D	31	73	54	–	40	59	65	78
E	47	51	62	40	–	56	71	68
F	52	68	88	59	56	–	53	49
G	74	43	61	65	71	53	–	63
H	41	55	45	78	68	49	63	–

M1 A2

weight of MST = 31 + 40 + 51 + 43 + 52 + 54 = 271 A1

lower bound = weight of MST + two edges of least weight from *H*
= 271 + 41 + 45 = 357 km M1 A1

$\therefore\ 357 \leq d \leq 371$ A1 **(11)**


© *Solomon Press*

5. *(a)* let X play strategies X_1 and X_2 with proportions p and $(1 - p)$

expected payoff to X against each of Y's strategies:

Y_1 $\quad 10p - 4(1 - p) = 14p - 4$
Y_2 $\quad 4p - (1 - p) = 5p - 1$ M1 A1
Y_3 $\quad 3p + 9(1 - p) = 9 - 6p$

giving



B2

it is not worth player Y considering strategy Y_1 B1

for optimal strategy $5p - 1 = 9 - 6p$

$\therefore 11p = 10,\ p = \frac{10}{11}$

$\therefore$ X should play X_1 $\frac{10}{11}$ of time and X_2 $\frac{1}{11}$ of time M1 A1

(b) let Y play strategies Y_2 and Y_3 with proportions q and $(1 - q)$

expected loss to Y against each of X's strategies:

X_1 $\quad 4q + 3(1 - q) = q + 3$
X_2 $\quad -q + 9(1 - q) = 9 - 10q$ M1 A1

for optimal strategy $q + 3 = 9 - 10q$

$\therefore 11q = 6,\ q = \frac{6}{11}$

$\therefore$ Y should not play Y_1, should play Y_2 $\frac{6}{11}$ of time and Y_3 $\frac{5}{11}$ of time M1 A1

(c) value $= (5 \times \frac{10}{11}) - 1 = 3\frac{6}{11}$ M1 A1 **(13)**

© *Solomon Press*

6. need to maximise so subtract all values from 55 giving M1

				row min.
18	26	11	4	4
10	25	12	14	10
23	28	16	5	5
12	30	4	0	0

reducing rows gives:

14	22	7	0
0	15	2	4
18	23	11	0
12	30	4	0

M1 A1

col min.	0	15	2	0

reducing columns gives:

14	7	5	0
~~0~~	~~0~~	~~0~~	~~4~~
18	8	9	0
12	15	2	0

M1 A1

2 lines required to cover all zeros, apply algorithm B1

12	5	3	0
~~0~~	~~0~~	~~0~~	~~6~~
16	6	7	0
10	13	0	0

(N.B. a different choice of lines will lead to the same final assignment)

M1 A1

3 lines required to cover all zeros, apply algorithm

7	0^*	3	0
~~0^*~~	~~0~~	~~5~~	~~11~~
~~11~~	~~1~~	~~7~~	~~0^*~~
~~5~~	~~8~~	~~0^*~~	~~0~~

M1 A1

4 lines required to cover all zeros so allocation is possible B1

R_1 goes to A_2
R_2 goes to A_1
R_3 goes to A_4
R_4 goes to A_3

M1 A1 **(13)**

© *Solomon Press*

7. *(a)*

	W_A	W_B	W_C	Available
W_1	5	5		10
W_2		7	1	8
W_3			7	7
Required	5	12	8	

M1 A1

(b) taking $R_1 = 0$, $R_1 + K_1 = 7 \ \therefore K_1 = 7$ $R_1 + K_2 = 8 \ \therefore K_2 = 8$
$R_2 + K_2 = 6 \ \therefore R_2 = {}^{-}2$ $R_2 + K_3 = 5 \ \therefore K_3 = 7$ M1 A2
$R_3 + K_3 = 7 \ \therefore R_3 = 0$

	$K_1 = 7$	$K_2 = 8$	$K_3 = 7$
$R_1 = 0$	(0)	(0)	10
$R_2 = {}^{-}2$	9	(0)	(0)
$R_3 = 0$	11	5	(0)

improvement indices, $I_{ij} = C_{ij} - R_i - K_j$

$\therefore \ I_{13} = 10 - 0 - 7 = 3$
$I_{21} = 9 - ({}^{-}2) - 7 = 4$
$I_{31} = 11 - 0 - 7 = 4$ M1 A1
$I_{32} = 5 - 0 - 8 = {}^{-}3$

(c) applying algorithm let $\theta = 7$, giving

	W_A	W_B	W_C
W_1	5	5	
W_2		$7 - \theta$	$1 + \theta$
W_3		θ	$7 - \theta$

	W_A	W_B	W_C
W_1	5	5	
W_2			8
W_3		7	

M1 A1

no. of rows + no. of cols – 1 = 3 + 3 – 1 = 5
in this solution only 4 cells are occupied, less than 5 $\therefore$ degenerate B1

(d) placing 0 in (2, 2) so it is occupied
taking $R_1 = 0$, $R_1 + K_1 = 7 \ \therefore K_1 = 7$ $R_1 + K_2 = 8 \ \therefore K_2 = 8$
$R_2 + K_2 = 6 \ \therefore R_2 = {}^{-}2$ $R_2 + K_3 = 5 \ \therefore K_3 = 7$ M1 A1
$R_3 + K_2 = 5 \ \therefore R_3 = {}^{-}3$

	$K_1 = 7$	$K_2 = 8$	$K_3 = 7$
$R_1 = 0$	(0)	(0)	10
$R_2 = {}^{-}2$	9	(0)	(0)
$R_3 = {}^{-}3$	11	(0)	7

$\therefore \ I_{13} = 10 - 0 - 7 = 3$
$I_{21} = 9 - ({}^{-}2) - 7 = 4$
$I_{31} = 11 - ({}^{-}3) - 7 = 7$ M1 A1
$I_{33} = 7 - ({}^{-}3) - 7 = 3$

all improvement indices are non-negative $\therefore$ pattern is optimal B1

5 lorries from W_1 to W_A, 5 lorries from W_1 to W_B,
8 lorries from W_2 to W_C, 7 lorries from W_3 to W_B A1

(e) total cost = $10 \times [(5 \times 7) + (5 \times 8) + (8 \times 5) + (7 \times 5)]$ = £1500 M1 A1 **(18)**

Total **(75)**

© *Solomon Press*

Performance Record – D2 Paper A

Question no.	**1**	**2**	**3**	**4**	**5**	**6**	**7**	Total
Topic(s)	game, stable soln.	transport., formulate lin. prog.	dynamic prog., min.	TSP, nearest neighbour	game, graphical method	allocation, max.	transport., n-w corner, stepping-stone, degeneracy	
Marks	5	6	9	11	13	13	18	75
Student								

© *Solomon Press*