

CANDIDATE
NAME

--

CENTRE
NUMBER

--	--	--	--	--

CANDIDATE
NUMBER

--	--	--	--

MATHEMATICS

9709/21

Paper 2 Pure Mathematics 2 **(P2)**

May/June 2019

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: List of Formulae (MF9)

READ THESE INSTRUCTIONS FIRST

Write your centre number, candidate number and name in the spaces at the top of this page.

Write in dark blue or black pen.

You may use an HB pencil for any diagrams or graphs.

Do not use staples, paper clips, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer **all** the questions in the space provided. If additional space is required, you should use the lined page at the end of this booklet. The question number(s) must be clearly shown.

Give non-exact numerical answers correct to 3 significant figures, or 1 decimal place in the case of angles in degrees, unless a different level of accuracy is specified in the question.

The use of an electronic calculator is expected, where appropriate.

You are reminded of the need for clear presentation in your answers.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

The total number of marks for this paper is 50.

This document consists of **12** printed pages.



1 Show that $\ln(x^3 - 4x) - \ln(x^2 - 2x) \equiv \ln(x + 2)$.

[3]

[illegible]

- 2 (i) Solve the inequality $|3x - 5| < |x + 3|$.

[4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (ii) Hence find the greatest integer n satisfying the inequality $|3^{0.1n+1} - 5| < |3^{0.1n} + 3|$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

3 Find the equation of the normal to the curve

$$x^2 \ln y + 2x + 5y = 11$$

at the point $(3, 1)$.

[7]

[illegible]

- 4 (a) Find $\int \tan^2 3x \, dx$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

- (b) Find the exact value of $\int_0^1 \frac{e^{3x} + 4}{e^x} \, dx$. Show all necessary working. [4]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

5 The polynomial $p(x)$ is defined by

$$p(x) = 5x^3 + ax^2 + bx - 16,$$

where a and b are constants. It is given that $(x - 2)$ is a factor of $p(x)$ and that the remainder is 27 when $p(x)$ is divided by $(x + 1)$.

(i) Find the values of a and b .


[5]

This image shows a full page of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page, typical of notebook or legal stationery. There are no margins, text, or other markings on the page.

(ii) Hence factorise $p(x)$ completely.

[3]

This image shows a full page of white paper with horizontal dashed lines, typical of primary school writing paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.



-
- This image shows a full page of white paper with horizontal dashed lines, typical of primary-ruled notebook paper. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

- (ii) Show that the x -coordinate of the point M satisfies the equation $x = \sqrt{(0.6x + 4x^{-1})}$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (iii) Use an iterative formula, based on the equation in part (ii), to find the x -coordinate of M correct to 3 significant figures. Give the result of each iteration to 5 significant figures. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- 7 (i) Show that $2 \operatorname{cosec} 2\theta \cot \theta \equiv \operatorname{cosec}^2 \theta$. [3]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (ii) Hence show that $\operatorname{cosec}^2 15^\circ \tan 15^\circ = 4$. [2]

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

- (iii) Solve the equation $2 \operatorname{cosec} \phi \cot \frac{1}{2}\phi + \operatorname{cosec} \frac{1}{2}\phi = 12$ for $-360^\circ < \phi < 360^\circ$. Show all necessary working. [5]

This image shows a full page of white paper with horizontal dotted lines. The lines are evenly spaced and run across the width of the page, providing a guide for handwriting practice. There are no margins, text, or other markings on the page.

[illegible]

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.