

MARK SCHEME for the May/June 2014 series

0625 PHYSICS

0625/22

Paper 2 (Core Theory), maximum raw mark 80

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge will not enter into discussions about these mark schemes.

Cambridge is publishing the mark schemes for the May/June 2014 series for most IGCSE, GCE Advanced Level and Advanced Subsidiary Level components and some Ordinary Level components.

Page 2	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	22

NOTES ABOUT MARK SCHEME SYMBOLS & OTHER MATTERS

B marks	are independent marks, which do not depend on any other marks. For a B mark to be scored, the point to which it refers must actually be seen in the candidate's answer.
M marks	are method marks upon which accuracy marks (A marks) later depend. For an M mark to be scored, the point to which it refers must be seen in a candidate's answer. If a candidate fails to score a particular M mark, then none of the dependent A marks can be scored.
C marks	are compensatory method marks which can be scored even if the points to which they refer are not written down by the candidate, provided subsequent working gives evidence that they must have known it, e.g. if an equation carries a C mark and the candidate does not write down the actual equation but does correct working which shows he knew the equation, then the C mark is scored.
A marks	are accuracy or answer marks which either depend on an M mark, or which are one of the ways which allow a C mark to be scored.
c.a.o.	means "correct answer only".
e.c.f.	means "error carried forward". This indicates that if a candidate has made an earlier mistake and has carried his incorrect value forward to subsequent stages of working, he may be given marks indicated by e.c.f. provided his subsequent working is correct, bearing in mind his earlier mistake. This prevents a candidate being penalised more than once for a particular mistake, but only applies to marks annotated "e.c.f."
e.e.o.o.	means "each error or omission".
Brackets ()	around words or units in the mark scheme are intended to indicate wording used to clarify the mark scheme, but the marks do not depend on seeing the words or units in brackets, e.g. 10(J) means that the mark is scored for 10, regardless of the unit given.
<u>Underlining</u>	indicates that this <u>must</u> be seen in the answer offered, or something very similar.
OR/or	indicates alternative answers, any one of which is satisfactory for scoring the marks.
Spelling	Be generous about spelling and use of English. If an answer can be understood to mean what we want, give credit.
Significant figures	Answers are acceptable to any number of significant figures ≥ 2 , except if specified otherwise, or if only 1 sig. fig. is appropriate.
Units	Incorrect units are not penalised, except where specified. More commonly, marks are allocated for specific units.
Fractions	These are only acceptable where specified.
Extras	Ignore extras in answers if they are irrelevant; if they contradict an otherwise correct response or are forbidden by mark scheme, use right + wrong = 0.
Ignore	indicates that something which is not correct is disregarded and does not cause a right plus wrong penalty.
Not/NOT	indicates that an incorrect answer is not to be disregarded, but cancels another otherwise correct alternative offered by the candidate, i.e. right plus wrong penalty applies.

Page 3	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	22

1	(a) area under graph OR $\frac{1}{2}(u + v) t$	C1
	$\frac{1}{2} \times 40 \times 8$	C1
	160 (m)	A1
	(b) 315 + candidate's (a)	C1
	distance = speed $\times$ time OR distance/time in words, symbols or numbers	C1
	(315 + 160)/80 OR (315 + candidate's (a))/80	C1
	(5.9) 38(m/s)	A1
	(c) (i) steady/same/constant/uniform speed	B1
	(ii) slowing down/decelerating/negative acceleration	B1
	[Total: 9]	
2	(a) measuring cylinder/graduated cylinder	B1
	(b) balance, accept spring balance, accept (weighing) scales	B1
	(c) find mass of empty cylinder	B1
	find mass of cylinder + liquid	B1
	subtract values NOT if stated the wrong way round	B1
	accept valid alternative methods	
	(d) density = mass/volume, in words, symbols or numbers	C1
	$62.4 \div 80$	C1
	0.78 OR 780	A1
	g/cm ³ OR kg/m ³ as appropriate	B1
	[Total: 9]	

Page 4	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	22

- 3 (a) equal (size/magnitude)/the same (size), ignore opposite
NOT same direction B1
- (b) it would (start to) sink (if weight>upthrust) B1
- (c) moves (forward) C1
accelerates forward/increases speed/moves faster A1
- (d) slows down, IGNORE stops (moving) B1
- [Total: 5]**
- 4 (a) idea of expansion/gets bigger B1
- (b) particles have more energy/vibrate faster B1
ignore move quickly or move faster
particles move apart/space between particles increases B1
NOT particles expand
- (c) contracts/gets smaller/shrinks B1
IGNORE fits tightly
- (d) idea of being pushed together B1
accept move/stick together/compressed
accept pulled tight/together
- [Total: 5]**
- 5 (a) (i) wax melts (faster) on copper rod B1
wax melts less (far)/not at all/slower on plastic rod B1
comparison needed
- (ii) IGNORE any statements about conduction of electricity
copper is a (good) (thermal) conductor B1
plastic is an insulator/poor conductor B1
- (b) (only) faster/high (k.)e./most energetic particles B1
escape/go into the air or leave the water (surface) B1
(this means) average (k.) e. of water decreases/falls B1
accept internal energy/thermal energy for k.e.
- [Total: 7]**

Page 5	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	22

- 6 (a) speed = distance/time in words, symbols or numbers **OR** distance / speed C1
- 330/5000 C1
- 0.066 (s), allow 0.07 (s) (to one significant figure) A1
- (b) man with hammer hears one sound
accept hears the sound almost instantly / first B1
- other man hears two sounds **OR** 1 through air and 1 through rail B1
NOT hears two sounds, one is an echo
- any one from:
hears sound through rail before sound through air
calculation of time difference between sounds
because (speed of sound) in metal/steel faster than (speed of) sound in air B1
- [Total: 6]**
- 7 (a) (i) correct idea $\pm$ 1 line C1
- correct distance A1
- (ii) (slinky spring) moved backwards and forwards owtte B1
- (b) (i) correct idea e.g. crest to crest **NOT** just 2 peaks marked C1
- (ii) idea of bigger (vertical) distance between crest and trough B1
- (c) (i) no change / nothing B1
- (ii) less / shorter / smaller / decreases B1
- [Total: 7]**
- 8 (a) (i) any one from: aluminium, copper, gold, iron B1
- (ii) any one from: ebonite, glass, plastic, silk B1
- (iii) iron B1
- (iv) any one from: ebonite, glass, plastic, silk B1

Page 6	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	22

- (b) accept correct alternative methods
- stroke with pole of magnet B1
- in one direction B1
- OR** (alternative answer)
- place in solenoid / coil (B1)
- current in one direction / battery / d.c. (B1)

[Total: 6]

- 9 (a) (i) ammeter **NOT** ampmeter
accept multimeter on current range B1
- (ii) 2nd box ticked, current B1
- (b) (i) 1st box ticked, charge B1
- (ii) 1. $(R =) R_1 + R_2$ in words, symbols or numbers C1
- 24 (Ω) A1
2. $V = IR$ in any form **OR** V/R C1
- 12/24 e.c.f. C1
- 0.5 e.c.f. A1
- A **OR** amp(s) **OR** ampere(s) B1
- (c) bottom box ticked, 0 V B1

[Total: 10]

- 10 (a) lamp will blow / burn out
accept blow up / glow too / very brightly ignore bright / won't work B1
- (b) (i) transformer shown with one coil across input and other coil across output
accept any reasonable attempt at transformer symbol B1
- (ii) factor of 2 e.g. 12/6, 6/12 or 2:1 ignore units C1
- 1:2 **OR** 1 to 2 A1

Page 7	Mark Scheme	Syllabus	Paper
	IGCSE – May/June 2014	0625	22

(c) (i) resistor shown joining top two wires or bottom two wires M1
accept diagonal connection

complete series circuit A1

note: 2 resistors in series gains only one mark B1

(ii) 1.5 (Ω) B1

[Total: 7]

11 (a) 23 B1

(b) 11 B1

(c) 12 B1

(d) 11 no e.c.f. from (b) B1

[Total: 4]

12 (a) 4 (hours) B1

appropriate indication of method (minimum indication any halving of count rate on axis or curve) B1

(b) (i) 1000 B1

(ii) candidate's (a) B1

(iii) in the range 62 – 63, e.c.f. from (b) (i) and (b)(ii) B1

[Total: 5]