

Please check the examination details below before entering your candidate information

Candidate surname		Other names	
Pearson Edexcel International Advanced Level		Centre Number	
		Candidate Number	
Time 1 hour 20 minutes		Paper reference	WCH13/01
Chemistry International Advanced Subsidiary / Advanced Level UNIT 3: Practical Skills in Chemistry I			
You must have: Scientific calculator, ruler			Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
– *there may be more space than you need.*
- Show all your working in calculations and include units where appropriate.

Information

- The total mark for this paper is 50.
- The marks for **each** question are shown in brackets
– *use this as a guide as to how much time to spend on each question.*
- You will be assessed on your ability to organise and present information, ideas, descriptions and arguments clearly and logically, including your use of grammar, punctuation and spelling.
- There is a Periodic Table on the back cover of this paper.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- Good luck with your examination.

Turn over ►

P64625A

©2021 Pearson Education Ltd.

1/1/1/1/1/



Answer ALL the questions. Write your answers in the spaces provided.

- 1** The white solids sodium sulfate and potassium carbonate may be distinguished using a flame test.

- (a) (i) Identify a material from which the flame test wire could be made.
Justify your answer.

(2)

.....

.....

.....

.....

.....

- (ii) Describe how to carry out a flame test on a solid, giving the expected flame colour for each of these compounds.

(4)

.....

.....

.....

.....

.....

.....

.....



- (b) Sodium sulfate and potassium carbonate may also be distinguished using **chemical** tests.

Give a **chemical** test for each compound which would confirm the identity of the **anion**. Include the expected results.

(4)

Test 1

.....

.....

.....

Test 2

.....


.....

.....


(Total for Question 1 = 10 marks)




- 2 This question is about the reactions of three compounds with the formula $C_6H_{12}O$. The compounds are cyclohexanol, Z-hex-3-en-1-ol and 1-methylcyclopentanol.



cyclohexanol



Z-hex-3-en-1-ol



1-methylcyclopentanol

- (a) Give a chemical test to show the presence of the $-OH$ group in all three compounds, including the expected result.

(2)

- (b) (i) Give a chemical test to show the presence of the carbon-carbon double bond in Z-hex-3-en-1-ol, including the expected result.

(2)

- (ii) The test you have given in (b)(i) is repeated with 1-methylcyclopentanol.

Give the observation for this test with 1-methylcyclopentanol.




(1)



- (c) Separate samples of each of these compounds are warmed with acidified potassium dichromate(VI).

Complete the table to give the colour changes observed, if any.

(2)

Compound	Colour change
	
	
	



(d) Spectroscopy provides information about the structure of these three compounds.

Some infrared data is given in the table.

Group	Wavenumber range / cm^{-1}
O—H stretching in alcohols	3750 – 3200
O—H stretching in carboxylic acids	3300 – 2500
C=O stretching in aldehydes	1740 – 1720
C=O stretching in ketones	1720 – 1700
C=O stretching in carboxylic acids	1725 – 1700
C—H stretching in aldehydes	2900 – 2820
	2775 – 2700
C=C stretching in alkenes	1669 – 1645

- (i) Identify the wavenumber range and the bond responsible for **one** peak which you would expect to see in the infrared spectra of all three compounds.

(1)

- (ii) Identify the wavenumber range and the bond responsible for **one** peak which you would expect to see in the infrared spectra of only one of the compounds.

(1)

- (iii) Give a reason why there is a peak at $m/z = 100$ in the mass spectra of all three compounds.

(1)



- (iv) Fragmentation of 1-methylcyclopentanol results in a significant peak at $m/z = 85$.

Suggest the structures of the **two** species formed when one bond in 1-methylcyclopentanol breaks resulting in the peak at $m/z = 85$.


(2)

(Total for Question 2 = 12 marks)



P 6 4 6 2 5 A 0 7 1 6

- 3 A saturated solution of barium hydroxide was formed by adding barium oxide to water until no more would dissolve. The equation for the reaction is



The resulting mixture was filtered to remove excess solid.

The concentration of the barium hydroxide solution was found by titrating portions of the saturated solution with hydrochloric acid of known concentration.

10.0 cm³ portions of the saturated barium hydroxide solution were placed in conical flasks and titrated with 0.200 mol dm⁻³ hydrochloric acid added from a burette.

Three drops of methyl orange indicator were added to the solution in each conical flask.

- (a) State the colour **change** observed at the end-point of the titration.

(2)

From to

- (b) Some of the results are shown.

Titration	1	2	3	4
Final burette reading / cm ³	22.60	44.45	23.05	
Initial burette reading / cm ³	0.10	22.60	1.25	23.20
Titre / cm ³	22.50	21.85		21.90

- (i) Complete the table.

(1)

- (ii) Give a reason why the first titre should **not** be used to calculate the mean titre.

(1)

.....


.....



(iii) Calculate the number of moles of hydrochloric acid in the mean titre.

(2)

(iv) The equation for the reaction in the titration is



Calculate the concentration of barium hydroxide, in g dm^{-3} , giving your answer to an appropriate number of significant figures.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA



P 6 4 6 2 5 A 0 9 1 6

- (c) Solid samples of soluble barium compounds such as barium oxide are toxic by inhalation due to the presence of barium ions.

Give a safety precaution that should be used to minimise this risk when adding barium oxide to water.

(1)

- (d) Barium also forms a peroxide. A bottle of barium peroxide has the hazard symbol




Give the meaning of this symbol.

(1)

(Total for Question 3 = 11 marks)



- 4 A sample of 1-bromobutane may be prepared by reacting butan-1-ol with sodium bromide and 50 % concentrated sulfuric acid.



Procedure

- Step 1 Add suitable quantities of butan-1-ol and sodium bromide solution to a round-bottom flask. Place the flask in a cold water bath.
Add concentrated sulfuric acid drop by drop to the flask.
- Step 2 Heat the mixture in the flask under reflux for about 45 minutes.
- Step 3 Rearrange the apparatus for distillation and distil the reaction mixture.
The distillate collected contains 1-bromobutane and water in separate layers.
Remove as much of the water layer as possible.
- Step 4 Transfer the impure 1-bromobutane to a separating funnel,
add sodium hydrogencarbonate solution and shake the mixture.
Run off the organic layer into a clean conical flask.
- Step 5 Add anhydrous calcium chloride, stopper the flask and allow it to stand.
Decant the liquid.
- Step 6 Distil the product over a suitable temperature range to give
pure 1-bromobutane.

Data

Property	Butan-1-ol	1-Bromobutane
Density / g cm ⁻³	0.810	1.27
Molar mass / g mol ⁻¹	74	137
Boiling temperature / °C	118	102

- (a) Suggest why the percentage yield of 1-bromobutane might be lower if the cold water bath was **not** used in Step 1.

(2)

.....

.....

.....

.....

.....

.....



(b) (i) State what must be added to the mixture in the flask before heating in Step 2.

(1)

(ii) Draw a labelled diagram of the apparatus that you would use to heat the mixture under reflux in Step 2.

(3)



(c) Purification of the product occurs in Steps **3–6**.

(i) State why sodium hydrogencarbonate solution is added in Step **4**.

(1)

(ii) Addition of sodium hydrogencarbonate solution in Step **4** causes vigorous effervescence.

Explain how the problem associated with Step **4** should be dealt with.

(2)

(iii) Give the purpose of the anhydrous calcium chloride used in Step **5**.

(1)

(iv) State how the appearance of the organic liquid would change in Step **5**.

(1)



- (d) For the final distillation in Step **6**, a thermometer with a scale giving readings to the nearest 1°C was provided.

Give a suitable temperature **range** for the collection of the pure 1-bromobutane.

(1)

- (e) A student was asked to prepare 20 cm^3 of 1-bromobutane using the procedure described. The student knew that the percentage yield would be less than 100 %.

(i) Give **one** possible reason for the yield being less than 100 %.

(1)

- (ii) After some research the student decided to use 21.0 g of butan-1-ol to prepare 20 cm^3 of 1-bromobutane.

Calculate the percentage yield that the student expected to obtain.

(4)

(Total for Question 4 = 17 marks)

TOTAL FOR PAPER = 50 MARKS



DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

BLANK PAGE



The Periodic Table of Elements

1	2	3	4	5	6	7	0 (8)										
1.0 H hydrogen 1							0 (8) (18)										
							4.0 He helium 2										
Key																	
		relative atomic mass atomic symbol name atomic (proton) number															
(1)	(2)	(3)	(4)	(5)	(6)	(7)	(8)	(9)	(10)	(11)	(12)	(13)	(14)	(15)	(16)	(17)	(18)
6.9 Li lithium 3	9.0 Be beryllium 4	45.0 Sc scandium 21	47.9 Ti titanium 22	50.9 V vanadium 23	52.0 Cr chromium 24	54.9 Mn manganese 25	55.8 Fe iron 26	58.9 Co cobalt 27	58.7 Ni nickel 28	63.5 Cu copper 29	65.4 Zn zinc 30	10.8 B boron 5	12.0 C carbon 6	14.0 N nitrogen 7	16.0 O oxygen 8	19.0 F fluorine 9	20.2 Ne neon 10
23.0 Na sodium 11	24.3 Mg magnesium 12	88.9 Y yttrium 39	91.2 Zr zirconium 40	92.9 Nb niobium 41	95.9 Mo molybdenum 42	[98] Tc technetium 43	101.1 Ru ruthenium 44	102.9 Rh rhodium 45	106.4 Pd palladium 46	107.9 Ag silver 47	112.4 Cd cadmium 48	27.0 Al aluminium 13	28.1 Si silicon 14	31.0 P phosphorus 15	32.1 S sulfur 16	35.5 Cl chlorine 17	39.9 Ar argon 18
39.1 K potassium 19	40.1 Ca calcium 20	138.9 La* lanthanum 57	178.5 Hf hafnium 72	180.9 Ta tantalum 73	183.8 W tungsten 74	186.2 Re rhenium 75	190.2 Os osmium 76	192.2 Ir iridium 77	195.1 Pt platinum 78	197.0 Au gold 79	200.6 Hg mercury 80	69.7 Ga gallium 31	72.6 Ge germanium 32	74.9 As arsenic 33	79.0 Se selenium 34	79.9 Br bromine 35	83.8 Kr krypton 36
85.5 Rb rubidium 37	87.6 Sr strontium 38	137.3 Ba barium 56	173.9 La* lanthanum 57	180.9 Ta tantalum 73	183.8 W tungsten 74	186.2 Re rhenium 75	190.2 Os osmium 76	192.2 Ir iridium 77	195.1 Pt platinum 78	197.0 Au gold 79	200.6 Hg mercury 80	114.8 In indium 49	118.7 Sn tin 50	121.8 Sb antimony 51	127.6 Te tellurium 52	126.9 I iodine 53	131.3 Xe xenon 54
132.9 Cs caesium 55	137.3 Ba barium 56	138.9 La* lanthanum 57	178.5 Hf hafnium 72	180.9 Ta tantalum 73	183.8 W tungsten 74	186.2 Re rhenium 75	190.2 Os osmium 76	192.2 Ir iridium 77	195.1 Pt platinum 78	197.0 Au gold 79	200.6 Hg mercury 80	204.4 Tl thallium 81	207.2 Pb lead 82	209.0 Bi bismuth 83	209.0 Po polonium 84	210 At astatine 85	[222] Rn radon 86
[223] Fr francium 87	[226] Ra radium 88	[227] Ac* actinium 89	[261] Rf rutherfordium 104	[262] Db dubnium 105	[266] Sg seaborgium 106	[264] Bh bohrium 107	[277] Hs hassium 108	[268] Mt meitnerium 109	[271] Ds darmstadtium 110	[272] Rg roentgenium 111	Elements with atomic numbers 112-116 have been reported but not fully authenticated						
* Lanthanide series												165 Ho holmium 67	167 Er erbium 68	169 Tm thulium 69	173 Yb ytterbium 70	175 Lu lutetium 71	
* Actinide series												163 Dy dysprosium 66	167 Er erbium 68	169 Tm thulium 69	173 Yb ytterbium 70	175 Lu lutetium 71	
232 Th thorium 90	238 U uranium 92	238 U uranium 92	237 Np neptunium 93	238 U uranium 92	238 U uranium 92	237 Np neptunium 93	242 Pu plutonium 94	243 Am americium 95	247 Cm curium 96	245 Bk berkelium 97	251 Cf californium 98	254 Es einsteinium 99	253 Fm fermium 100	256 Md mendelevium 101	254 No nobelium 102	257 Lr lawrencium 103	

* Lanthanide series

* Actinide series

Elements with atomic numbers 112-116 have been reported but not fully authenticated

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

